



Interested in learning  
more about security?

## SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

### The Internet in the Palm of Your Hand

3G is positioned to radically transform the Internet paradigm from a static, PC-centric model into a mobile Internet. Imagine commuting home from work on a train while conducting a broadband videoconference on a handset no larger than today's cellular telephone. Scenarios as this are what have the telecommunications industry and governments energized. Of course, there are issues yet to be addressed with the imminent rollout of 3G. Will there be a global standard? Who will control the airwave spectrums necessary for 3G?...

Copyright SANS Institute  
Author Retains Full Rights

AD



EMM Strategy on the right track?  
Know your security risks.

TAKE THE ASSESSMENT

## **The Internet in the Palm of Your Hand**

Ronald M. Buchanan

27 August 2001

### **Introduction**

3G is positioned to radically transform the Internet paradigm from a static, PC-centric model into a mobile Internet. Imagine commuting home from work on a train while conducting a broadband videoconference on a handset no larger than today's cellular telephone. Scenarios as this are what have the telecommunications industry and governments energized. Of course, there are issues yet to be addressed with the imminent rollout of 3G. Will there be a global standard? Who will control the airwave spectrums necessary for 3G? When will it arrive? And, finally, what are the security concerns? To better understand where we are headed tomorrow; let's take a look to see what has brought us to the brink of 3G.

The mobile communications industry has evolved in three stages: analogue, digital and, finally, multimedia. Each of these stages is expressed as a "generation" with analogue being the first generation and multimedia being the third generation.

### **1G**

Description:

We all remember first generation telecommunications, 1G. 1G mobile telephones are little more than FM radios operating in the 824 – 829 MHz range. In North America, 1G is governed by the Advance Mobile Phone System (AMPS) standard. 1G is able to share frequencies using a technique called Frequency Division Multiple Access (FDMA) which creates multiple frequencies. AMPS allows 45 different channels per cell and requires a lot of bandwidth.

Security Issues:

One of the primary security concerns for analogue phones is that the signals are unencrypted and can be easily intercepted. Although analogue phones are still being utilized in the US and the technology has improved somewhat, the logical evolution was to go digital.


### **2G**

Description:

More memorable than 1G, second generation telecommunications (2G), is the circuit switched<sup>1</sup>, digital technology most commonly used in today's digital mobile telephones.

---

<sup>1</sup> Circuit Switching: A type of communications in which a dedicated channel (or circuit) is established for the duration of a transmission. The most ubiquitous circuit-switching network is the telephone system, which links together wire segments to create a single unbroken line for each telephone call.



Being digital, the user's voice is sampled then converted into 1's and 0's and transmitted via a wireless network to another 2G handset or to a traditional telephone where it is converted back to sound waves. Improved features of 2G from 1G include: digital phone calls, voice mail, and receiving simple email messages. With 2G, roaming is possible throughout 159 countries.

Being digital, telecommunications providers are able to manipulate the signal in ways unimaginable with first-generation phone systems. Unfortunately, this set the stage for varied standards to be introduced by competing providers. FDMA, the technique utilized to divide analogue 1G spectrum into channels was combined with Time Division Multiple Access (TDMA), which divided each channel into three to ten time slices, to be shared by several phones. Other systems used Code Division Multiple Access (CDMA), also referred to as spread spectrum, which didn't use fixed frequency channels at all, but broadcast the radio signals over several frequencies simultaneously. Originally a European standard before arriving in America, Global System for Mobile Communication (GSM) is another second-generation standard. GSM operates in the 800-900 MHz frequency range.

#### Security Issues:

2G was designed with security in mind. The responsibility for security rests with the home environment operator. Authentication is not required when roaming and is not exposed over the air. Some GSM security concerns center around the fact that nearly everyone believes that 2G is secure. Also, the base station to mobile connection is encrypted with a 40 bit key to make the signal appear as random noise, however, the algorithms are getting old.


#### 2.5G

##### Description:

2.5G or General Packet Radio Service (GPRS) can be looked at as GSM service for Internet access. 2.5G supports higher speed data (171kbits/s) and sustains a permanent data connection.

GPRS is intended for limited browsing, email, card transactions, etc. GPRS is an Internet Protocol packet switched<sup>2</sup> layer on top of the circuit switched GSM service.

## IP Architecture



This creates a permanent connection to the Internet. Users are charged by the bit rather than time. This can prove costly unless dealing with file transfers. GPRS is good for the operator as well as the user since it makes use of existing equipment investment in earlier standards. GPRS makes efficient use of its spectrum and exploits spared capacity though a session is lost if a call is dropped.

### Security Issues:

GPRS, another step closer to realizing a mobile Internet, also suffers from many of the vulnerabilities common to the Internet today. Any service that is used over the Internet: File Transfer Protocol (FTP), web browsing, chat, email, telnet, will be available over the mobile network. Additionally, Internet Protocol mixes customer data with internal management data. In some networks, encryption is effectively on 40bit. Finally, GPRS is vulnerable to denial of service (DOS) attacks by its customers.

### 2.75G

#### Description:

Enhance Data Rates for Global Evolution (EDGE) is GPRS on steroids; or in this case, GPRS with a service touting a new modulation scheme. Operating in the 800/900/1800/1900 frequency bands, EDGE allows data transmission rates up to 473 kbits/s. The big draw of EDGE is that it allows 3G services without purchasing an expensive 3G license. Many companies in the United States are considering EDGE as an alternative to 3G because the hardware is backward compatible saving infrastructure costs associated with upgrading the base stations.

<sup>2</sup> Packet Switched: Refers to protocols in which messages are divided into packets before they are sent. Each packet is then transmitted individually and can even follow different routes to its destination. Once all the packets forming a message arrive at the destination, they are recompiled into the original message.

## Security Issues:

Security concerns are the same for EDGE as GPRS as it is IP based.

## 3G

### Description:

3G, also known as IMT-2000 (International Mobile Telecommunication 2000), is the new generation of wireless communication; a mobile Internet. Its development is based on the initiative of the International Telecommunication Union (ITU)<sup>3</sup>. Since most 3G systems evolved from different, incompatible 2G systems like CDMA, GSM, and TDMA, the IMT-2000 standard is seen as providing compatibility and interoperability of different systems in 3G.

3G is broadband and packet-based. It can be used to transmit text, Voice over IP, video, and multimedia at data rates up to 2Mbps in a fixed or stationary wireless environment and 384kbps in a mobile environment. Moreover, 3G offers a consistent set of services to mobile users no matter where they are located around the world assuming the frequencies utilized in the various countries are the same. 3G is more spectrally efficient than GSM and its wider bandwidth, 5MHz, results in better reception.

3G is different depending where you are in the world. In Europe, 3G is UMTS: wideband CDMA focused on Frequency Division Duplex (FDD) with some Time Division Duplex (TDD). In Japan, 3G is Wideband CDMA with only FDD. In the United States, 3G is either EDGE (Enhanced Data Rates for GSM Evolution) or 3G is Wideband CDMA but called CDMA-2000.

3G is due to be launched at the end of 2001 in many markets. Countries around the world have been auctioning their spectrum to telecommunications providers and receiving premium prices; often billions of dollars from companies striving to get an early foothold in the eagerly anticipated 3G market. The internationally agreed upon spectrum for 3G is the 1,755 - 2,200-MHz range. Unfortunately, the United States has already allocated much of that spectrum, 1,755 - 1,850 MHz, to government agencies: "Within the United States, this band is allocated exclusively to the federal government, particularly for defense purposes, such as space systems, mobile tactical communications, and combat training." (GAO, p. 7) The reason for the debate over such a limited amount of bandwidth is the spectrum under 3 MHz carries signals further, faster, and with greater reliability. The Government Accounting Office (GAO), in a report regarding the impending US auction of the 1,755 - 1,850 spectrum, recommended the government delay the auction pending further study of the situation. That recommendation does not bode well for US telecommunications company's quest to compete in the international in the 3G market.

---

<sup>3</sup> The International Telecommunication Union (ITU) is a United Nations specialized agency. The federal government considers the ITU the principal competent and appropriate international organization for the purpose of formulating international treaties and understandings regarding certain telecommunications matters.

## Security Issues:

Being a node on an always-on IP network, many are concerned about the security implications associated with 3G. "They [3G devices] will definitely be targeted," says chief researcher at Symantec's European computer security labs, Eric Chien. "The question is to what extent." (Knight, p. 1).

3G will see two security improvements:

- The cryptography used will be strengthened with the introduction of 128bit keys. This increase is important. Cryptographic experts at the Weisemann Institute in Israel claimed in December to have developed a technique allowing a standard PC to listen in to GSM networks and figure out the 40bit key used to encrypt voice signals. Increasing the length of the key to 128bits would make this virtually impossible even with vastly increased computer power.
- Mutual authentication will be introduced using cryptographic keys to establish the identity of both user and base station over a connection. The signalling system providing authentication for users passing between different networks will also be protected using a public key cryptographic system (Knight, p.1).

Methods manufacturers are looking at to address security include 3G handsets with their own Java Virtual Machine with built-in security enhancements. The operating systems will utilize server side applications to decrease the chance of interference. Of course, someone can still simply steal the handset and access the content at a later date. Hardware manufacturers are exploring removable SIM (Subscriber Identity Module) cards called USIM (User Services Identity Module). Additionally, manufacturers are considering biometric devices like voice recognition to enhance the physical security of the handset and its contents. As a device with a permanent connection to the Internet, the location of the user can be tracked. This possibility holds good prospects in relation to personal safety but negative prospects regarding privacy issues. Another inevitable security consideration is the seamless integration of other wireless products into the 3G system. One such product is Bluetooth.

## Compatible Technologies

### Bluetooth

Bluetooth replaces cables between devices (2.4 GHz radio) and has data rates up to 720 kbits/s. Ad hoc networks of up to 8 devices can be created and is being marketed to the public in increasing amounts. It is projected that 1.4 million appliances will be Bluetooth enabled by 2005. Examples of such devices include: computers, keyboard, printers, stereos, TV's, games, domestic appliances, fixed telephones, and mobile phones. The marriage of 2.5G - 3G and Bluetooth will be ubiquitous. Whether walking into an office building or an airport terminal, Bluetooth enabled devices will be soliciting responses from, or pushing data to, other wireless devices. Due to this relationship, 3G systems may inherit Bluetooth vulnerabilities by association. Bluetooth enabled devices have unique addresses that allow monitoring and its authentication and encryption are designed for small networks; not the large, often ad hoc,

networks that will likely be encountered on a daily basis. Potential for other exploits are on the data side, too.

## WAP/WML

The worldwide standard for providing Internet communications on digital mobile phones, personal digital assistants (PDA's), and other wireless terminal is the Wireless Application Protocol (WAP). WAP is defined by participants in the WAP forum ([www.wapforum.org](http://www.wapforum.org)). WAP is designed for efficient, secure use of bandwidth, slow connection speeds, small screens, and client computational power. WAP is similar to Hypertext Transfer Protocol (HTTP) as Wireless Markup Language plays a similar role to Hypertext Markup Language (HTML). WML is designed for micro-browsers; as you would find on the handset of a telephone.

## 4G

### Description:

While 3G is yet to become a reality in most parts of the world, Japan is already studying the possibilities of 4G (fourth generation telecommunications). Japan's mobile broadband standard i-mode is one of the international 3G frontrunners. 4G is not anticipated to be the evolutionary step that was 3G. 4G will be an enhancement to the throughput and services the public will already receive through their 3G provider.

### Conclusion

Third generation telecommunications is poised to change way we live. What we used to take for granted from a desktop personal computer we will soon come to expect from a handset smaller than the digital phones we carry today. There are plans already on the drawing board for fourth generation telecommunications (4G). 4G, much like today's PC market, will not be the evolutionary step 3G was but an enhancement to the existing technology. The transfer rates will be faster and the services will be enhanced. Of course, before anyone gets too excited thinking about 4G, there are still many hurdles for 3G to surmount before it becomes a publicly purchased and trusted system. The United States needs to decide if it is going to stick with EDGE or make the complete commitment to 3G. The security issues facing 3G are no different than the computer community has face before. The difference is that the designers and manufacturers of the standards and hardware have the opportunity to design and construct the 3G system with security in the forefront.

## References:

United States Government Accounting Office, Defense Spectrum Management: More Analysis Needed to Support Spectrum Use Decisions for the 1755 – 1850 MHz Band. August 2001

<http://www.gao.gov>

Nathan J. Muller, Bluetooth Demystified. McGraw-Hill Telecom. 326 – 336

<http://www.privateline.com/Bluetooth/Relation.pdf>

Knight, Will, "3G: Will 3G Devices be Secure?". Zdnet, 23 August, 2000.

<http://news.zdnet.co.uk/story/0,,s2080988,00.html>

Buckingham, Simon, "3GSM: The Future of Communications". GSM World, 20 June, 2001

[http://www.gsmworld.com/technology/3g\\_intro.html#3](http://www.gsmworld.com/technology/3g_intro.html#3)

Zeichick, Alan, "3G Wireless Explained". Red Herring, 01 September, 2000

[http://www.redherring.com/index.asp?layout=story&channel=70000007&doc\\_id=1010013701](http://www.redherring.com/index.asp?layout=story&channel=70000007&doc_id=1010013701)

Gutzman, Alexis D., "The Who, What and Why of WAP". Ecommerce-guide.com, 26 May, 2000

[http://ecommerce.internet.com/news/insights/ectech/article/0,,10378\\_381271,00.html](http://ecommerce.internet.com/news/insights/ectech/article/0,,10378_381271,00.html)

Motorola, "Wireless Internet Network Communications Architecture". International Engineering Consortium.

<http://www.iec.org/online/tutorials/winternet/index.html>

© SANS Institute 2001, Author retains full rights





# Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Madrid 2017	Madrid, ES	May 29, 2017 - Jun 03, 2017	Live Event
SANS Atlanta 2017	Atlanta, GAUS	May 30, 2017 - Jun 04, 2017	Live Event
SANS San Francisco Summer 2017	San Francisco, CAUS	Jun 05, 2017 - Jun 10, 2017	Live Event
Security Operations Center Summit & Training	Washington, DCUS	Jun 05, 2017 - Jun 12, 2017	Live Event
SANS Houston 2017	Houston, TXUS	Jun 05, 2017 - Jun 10, 2017	Live Event
SANS Thailand 2017	Bangkok, TH	Jun 12, 2017 - Jun 30, 2017	Live Event
SANS Milan 2017	Milan, IT	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Charlotte 2017	Charlotte, NCUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Secure Europe 2017	Amsterdam, NL	Jun 12, 2017 - Jun 20, 2017	Live Event
SEC555: SIEM-Tactical Analytics	San Diego, CAUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Rocky Mountain 2017	Denver, COUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Minneapolis 2017	Minneapolis, MNUS	Jun 19, 2017 - Jun 24, 2017	Live Event
DFIR Summit & Training 2017	Austin, TXUS	Jun 22, 2017 - Jun 29, 2017	Live Event
SANS Columbia, MD 2017	Columbia, MDUS	Jun 26, 2017 - Jul 01, 2017	Live Event
SANS Cyber Defence Canberra 2017	Canberra, AU	Jun 26, 2017 - Jul 08, 2017	Live Event
SANS Paris 2017	Paris, FR	Jun 26, 2017 - Jul 01, 2017	Live Event
SEC564:Red Team Ops	San Diego, CAUS	Jun 29, 2017 - Jun 30, 2017	Live Event
SANS London July 2017	London, GB	Jul 03, 2017 - Jul 08, 2017	Live Event
Cyber Defence Japan 2017	Tokyo, JP	Jul 05, 2017 - Jul 15, 2017	Live Event
SANS Los Angeles - Long Beach 2017	Long Beach, CAUS	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS Cyber Defence Singapore 2017	Singapore, SG	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS ICS & Energy-Houston 2017	Houston, TXUS	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS Munich Summer 2017	Munich, DE	Jul 10, 2017 - Jul 15, 2017	Live Event
SANSFIRE 2017	Washington, DCUS	Jul 22, 2017 - Jul 29, 2017	Live Event
Security Awareness Summit & Training 2017	Nashville, TNUS	Jul 31, 2017 - Aug 09, 2017	Live Event
SANS San Antonio 2017	San Antonio, TXUS	Aug 06, 2017 - Aug 11, 2017	Live Event
SANS Prague 2017	Prague, CZ	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Hyderabad 2017	Hyderabad, IN	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Boston 2017	Boston, MAUS	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Salt Lake City 2017	Salt Lake City, UTUS	Aug 14, 2017 - Aug 19, 2017	Live Event
SANS New York City 2017	New York City, NYUS	Aug 14, 2017 - Aug 19, 2017	Live Event
SANS Virginia Beach 2017	Virginia Beach, VAUS	Aug 21, 2017 - Sep 01, 2017	Live Event
SANS Stockholm 2017	OnlineSE	May 29, 2017 - Jun 03, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced