



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Security Considerations for Enterprise Level Backups

While technical and usability concerns are extremely important to selecting an enterprise level backup solution, security is worthy of consideration. Defending your data in every way possible means protecting the servers that backup that data.

Copyright SANS Institute
Author Retains Full Rights

AD

Veriato

Unmatched visibility into the computer
activity of employees and contractors



Try Now

Scott M Parrish

Security Considerations for Enterprise Level Backups

GSEC Practical (v.1.2f)

© SANS Institute 2002, Author retains full rights.

Security Considerations for Enterprise Level Backups

Introduction

Backing up your data is an essential security measure in today's computing environment. Data has gained intrinsic value, either in the manpower needed to generate that data or in the significance of that data to your customers. While data has become more significant it also grows, by some estimates as much as 100% per year. Data loss, both accidental and due to theft, costs hundreds of millions of dollars every year. When taken as a whole one thing becomes clear, your data must be protected.

Enterprise Level Backups

Enterprise level backups are becoming the fundamental way to safeguard your data. Gone are the days where you can have a tape drive hooked up to every machine in order to back it up. Now you might have 1 server backing up 20, 50, 100 or more clients, some backup solutions even allow thousands of clients on a single server. The primary reason for this is centralization: of media, of administration, of access. It is much easier to change 100 tapes on 1 machine than it is to change 1 tape on 100 machines. It is easier to collect data and spot problems from a central server than it is to monitor 100 machines.

Along with the greater ease in management that Enterprise Level Backups provide, comes a greater threat to security. Centralized service means centralized access. If an intruder gains access to your backup server he gains access to the collected data from all of that server clients. This is an important security risk, one that should be considered and planned for. Not every risk can be accounted for, good computer security is always a compromise between usability and precautions. A good overview of the security risks of Enterprise level backup can provide you with the groundwork needed to make the decisions for your environment.

Topics to be covered

Risks to your enterprise level backup security can be grouped into 5 areas. Physical security covers the presence of the Backup Server, its media library, and Media Storage. Client security covers the security measures needed on the client level, while Server Security covers those same measures for the Server. Network security involves the communication done between Server, Clients, and Library. Restore Security is for the process and human elements of restoring data.

Physical Security

The most straightforward way to get your data is to walk up and take it. It is easier to take 1 tape containing perhaps 20 gigs of data out of the building than it is to send it out with a network. Access to your Servers, your media library and your Media vault should all be carefully controlled.

Access to Servers

Gaining physical access to your server gives me all the advantages I normally have in gaining physical access to machines. It is easier to break into machines from the

console than from anywhere else. Limiting physical access to the server removes the ability to make this sort of attack.

Access to Media Libraries

Most ELB solutions make use of media libraries. These libraries are made up of drives, storage for tapes and robotics used to move tapes in and out of the drives. They will often be located very near the servers themselves and will often be able to be secured in the same manner as the server. Another consideration to make is to use the locks of the libraries themselves. Locking the door of the library will make it harder for people to remove a tape or other media from the library and carry it off with them.

Access to Media Vault

A good location for your media vault should be a prime consideration of your ELB scheme. This location will hold multiple copies of every file kept by your ELB! It should be in a locked room or other similarly secure location, access to this room should be strictly controlled and even monitored if possible. Another primary security concern with media vaults is their proximity to the servers and other machines that they back-up. If a disaster happens and the building your servers are housed in is damaged, you don't want the backup of that data to be vulnerable to the same event. Try and locate your vault in a separate building from the data, Using a Fireproof vault or strict fire suppression methods are also good practices, though tend to be more expensive. Protecting your vault from excess heat, cold, humidity and chemicals will prolong the shelf life of your media and improve the reliability of your backups.

Media Labels and Audits

Today's library can hold hundreds of tapes at a time, making media tracking an important consideration. Most libraries work with a built in barcode reader. Each media is given a barcode label that is used to keep track of that tape. Media managers will use these barcodes to file tapes into the vault, so that it can be returned to library when it is needed for a restore, or when the data on that tape has expired.

A clear record should be kept of where each piece of media is at any given time, and periodic audits should be performed against those record. Missing tapes represent a potential security violation and strictest attention should be paid to who has access to those tapes and when. For large enterprise level backup schemes, consider a software package with barcode reader to automate the process of checking tapes out of the library.

Client Security

Client/Server communications generally follow one of two models.

In the server based model, the server accesses the client in order to initiate the backup session. The Server maintains and determines the schedules, and initiates sessions with the client. This method has the great advantage of being able to enforce backup schedules, insuring that regular backups are done. However as this method provides for server to client access, there is also a potential vulnerability.

In the client based server, the client determines when the backups are supposed to happen and contacts the server when it is about to proceed. This method has several

advantages, notably that the server has no way of initiating contact with the client, thus providing no new conduit for attack. On the other hand there is no server based way to enforce the schedule of backups, so timely and regular backups may not happen.

In addition to the software's method for client/server communication, there is also the consideration of administrative access. A centralized backup plan may require a shell for backup administrators to use. This shell would be used to stop and start services or daemons, troubleshoot failed backups, install software or retrieve data. While such shells are nearly critical to the ability to do centralized management of the backups, it also represents a clear security violation.

Access to Backup Client

Most client software includes the ability to perform data restoration, after all without the ability to restore data, backups aren't much good. This means however that anyone with access to the client software has access to the data backed up by that client. Strongly consider protecting access to the client software.

Server Security

Server security is crucial. You must consider the server as an open conduit to all information on the clients it backs up. You should plan on the server being a dedicated machine, with no other duties. This system should be well hardened to attack, its logs should be actively monitored on at least a daily basis and access to the machine should be granted to as few people as possible.

Server Access

In many backup solutions, a server will have access to all of the clients. It is essential to maintain a very tight guard around who has access to this keystone machine. If multiple users have access to the server, they should be required to login on a user account before switching to an account with greater privileges, and records and logs should be kept of when people log in. There should be no access to this machine at all that does not require a password to use. Passwords should have a short lifecycle (60 to 90 days) and changes should be enforced using a strict password policy. Protecting this machine with the most stringent security and access methods available should be and remain a top priority.

Encrypted Data

One way to safeguard data from prying eyes is encryption. Encrypting data allows it to be stored with less concern about who can access it.

One simple method is to buy a hardware encryption interface for your data library. These attach to the SCSI cable that connects the server and library and do a hardware level encryption (Or decryption) on all data passing through the cable. Tapes are written with encrypted data, and are subject to being decrypted the same way, making them useless for thieves. This method is fairly software independent allowing you to use any number of different packages to administer your backups.

Some software packages will allow encryption at either the client or the server level. Client side encryption safeguards your data at the client level, preventing access to

that data without a password or software key. Server side encryption provides many of the same features as a hardware solution, As data is written to storage it is encrypted with a password or key.

Another method is to use a file or file system level encryption package. These encrypt the data as it's stored to hard disk preventing even other people with access to that system access to those files. This can be an especially good solution if there are only a limited number of files or systems that need this level of protection.

Access to Data

You can access backup data from most if not all backup solutions. If there are super sensitive files that even the backup administrators should not have access to you should consider either a personal backup solution for those machines or providing a method to encrypt that data before it arrives at the backup server.

Network Security

An often overlooked aspect of enterprise level backup security is the network. The network will carry data between client, server and library and is potentially a huge security hole.

Eavesdropping

In many Backup solutions, communication between a client, server and library will be open. That means that every file backed up over the network will be sent in the clear! If your network has a high security integrity and a secure firewall in place than this likely won't be any problem. If you are doing backups over a wan or on machines that are outside the firewall you should consider using a VPN between Server and Client, while this will degrade the performance of the throughput, it will also guarantee that no one is able to pull your data off of the network.

SAN Security

Storage Area Networking is an increasingly popular choice for providing both storage and backup services. The most important thing to remember about SAN security is that SAN is a network, and is vulnerable to the same sorts of vulnerabilities and attacks that more conventional computer networks are. SAN resources should be protected by physical security and the hosts on the SAN should be expected to meet stringent security requirements. As SAN continues to grow in popularity, it will become a better target for malicious attackers. Any good practices begun now will continue to protect you into the future.

NDMP limitations and potential

An emerging protocol that directly affects network backups is Network Data Management Protocol or NDMP. NDMP is used primarily to provide a backup solution for Network Attached Storage (NAS). Most NAS manufacturers use a proprietary operating system for their devices that precludes them from being supported by most Enterprise level backup schemes. NDMP provides a protocol based access to the data on the NAS and thus allows it to be backed up by any software that supports the protocol.

There is a serious flaw in the NDMP protocol. While the specification allows for MD5 digest authentication for credentials, it does nothing to protect the data stream itself. Additionally MD5 digest is not required so it is possible to present credentials such as a password in clear text. So any client on the appropriate network can eavesdrop on the data stream and extract the full contents of any file being backed up. This is a serious vulnerability

Employee Security

Backups without the ability to do restore are a waste of perfectly good tape. Backup operators and administrators may have access to great amounts of confidential data and. While there are very few technical considerations when providing for employee security, there are a number of human based factors.

Access to Restores

While clients are capable performing their own restores, most often it is a job function of the Backup administrator to do them. In a large organization, the backup administrator is unlikely to know everyone he will receive requests from and so some sort of identity verification must be performed.

One simple method is to create a Code-Word challenge. Create a file in the top directory of the backup and make the file readable only by those people allowed to request restores. Write a small script that is executed when the backup is performed to randomly place 3 words in the file. Then require anyone requesting a restore to provide those three words.

More sophisticated methods may include forms or manager signatures. Be careful to strike a useful and workable balance between authentication and efficiency.

Backup administrator

Most security comes down to having responsible people. A Backup administrator is going to have access to a large amount of your data, be sure you can trust him. Simple things like pre-employment background and reference checks can reveal potential problems. Regular operational audits can ensure that all the correct processes are being followed. Making sure you are putting your trust in the right person will go a long way to preventing any security problems.

Conclusion

While technical and usability concerns are extremely important to selecting an enterprise level backup solution, security is worthy of consideration. Defending your data in every way possible means protecting the servers that backup that data.

Resources

Cook, Rick. "Encrypting Backups for additional security" Searchstorage Tips: Backup. July 24, 2001

http://searchstorage.techtarget.com/tip/1,289483,sid5_gci756807,00.html (Aug 26, 2001)

Edatafinder.com. "SmartGuide for Background Checks". © 2000

<http://www.edatafinder.com/htmlsmartguides/BackgroundChecks.html> (May 28, 2001)

Element K Journals. "Close the door on hackers--secure your network" Windows NT Professional July, 1999

<http://www.elementkjournals.com/ntp/9907/ntp9971.htm> (Aug 27, 2001)

Enhanced Software Technologies. "11 Common Backup Mistakes and How To Avoid Them" eLinux: Linux Technology Solutions. © 2000

<http://www.elinux.com/articles/bru.jsp> (Aug 24, 2001)

Network Working Group, NDMP Initiative. "NDMP Version 4 Protocol". April, 2001

http://www.ndmp.org/download/sdk_v4/draft-skardal-ndmpv4-02.txt (Aug 22, 2001)

Ontrack Services. "Cost of Data Loss" Data Recovery Center. © 2000,2001

<http://www.ontrack.com/datarecovery/cost.asp> (Aug 25, 2001)

Quantum Corporation. "Best Practices" Prove It, Planning and Preparedness.

<http://www.dlftape.com/proveIt/steps/plan/best/> (Aug 24, 2001)

Radding, Alan. "SAN security: not a big problem – yet" Storage Networking World Online. May 25, 2001.

http://www.snwonline.com/implement/san_security_5-28-2001.asp?article_id=28 Aug 22, 2001)

© SANS Institute 2002



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

CyberThreat Summit 2018	London, GB	Feb 27, 2018 - Feb 28, 2018	Live Event
SANS London March 2018	London, GB	Mar 05, 2018 - Mar 10, 2018	Live Event
SANS Secure Osaka 2018	Osaka, JP	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS San Francisco Spring 2018	San Francisco, CAUS	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS Paris March 2018	Paris, FR	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS Secure Singapore 2018	Singapore, SG	Mar 12, 2018 - Mar 24, 2018	Live Event
SANS Northern VA Spring - Tysons 2018	McLean, VAUS	Mar 17, 2018 - Mar 24, 2018	Live Event
ICS Security Summit & Training 2018	Orlando, FLUS	Mar 18, 2018 - Mar 26, 2018	Live Event
SANS Munich March 2018	Munich, DE	Mar 19, 2018 - Mar 24, 2018	Live Event
SEC487: Open-Source Intel Beta One	McLean, VAUS	Mar 19, 2018 - Mar 24, 2018	Live Event
SANS Pen Test Austin 2018	Austin, TXUS	Mar 19, 2018 - Mar 24, 2018	Live Event
SANS Secure Canberra 2018	Canberra, AU	Mar 19, 2018 - Mar 24, 2018	Live Event
SANS Boston Spring 2018	Boston, MAUS	Mar 25, 2018 - Mar 30, 2018	Live Event
SANS 2018	Orlando, FLUS	Apr 03, 2018 - Apr 10, 2018	Live Event
SANS Abu Dhabi 2018	Abu Dhabi, AE	Apr 07, 2018 - Apr 12, 2018	Live Event
Pre-RSA® Conference Training	San Francisco, CAUS	Apr 11, 2018 - Apr 16, 2018	Live Event
SANS Zurich 2018	Zurich, CH	Apr 16, 2018 - Apr 21, 2018	Live Event
SANS London April 2018	London, GB	Apr 16, 2018 - Apr 21, 2018	Live Event
SANS Baltimore Spring 2018	Baltimore, MDUS	Apr 21, 2018 - Apr 28, 2018	Live Event
SANS Seattle Spring 2018	Seattle, WAUS	Apr 23, 2018 - Apr 28, 2018	Live Event
Blue Team Summit & Training 2018	Louisville, KYUS	Apr 23, 2018 - Apr 30, 2018	Live Event
SANS Riyadh April 2018	Riyadh, SA	Apr 28, 2018 - May 03, 2018	Live Event
SANS Doha 2018	Doha, QA	Apr 28, 2018 - May 03, 2018	Live Event
SANS SEC460: Enterprise Threat Beta Two	Crystal City, VAUS	Apr 30, 2018 - May 05, 2018	Live Event
Automotive Cybersecurity Summit & Training 2018	Chicago, ILUS	May 01, 2018 - May 08, 2018	Live Event
SANS SEC504 in Thai 2018	Bangkok, TH	May 07, 2018 - May 12, 2018	Live Event
SANS Security West 2018	San Diego, CAUS	May 11, 2018 - May 18, 2018	Live Event
SANS Melbourne 2018	Melbourne, AU	May 14, 2018 - May 26, 2018	Live Event
SANS Northern VA Reston Spring 2018	Reston, VAUS	May 20, 2018 - May 25, 2018	Live Event
SANS New York City Winter 2018	OnlineNYUS	Feb 26, 2018 - Mar 03, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced