



# **SANS Institute** Information Security Reading Room

## **Vulnerability Assessment**

---

Susan Cima

Copyright SANS Institute 2019. Author Retains Full Rights.

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Vulnerability Assessment  
Susan Cima  
July 6, 2001  
Version 1.2e

- I. OVERVIEW
- II. DEFINITION
- III. STATISTICS
- IV. REPORTING
- V. CLASSIFICATION
- VI. PROTECTIVE MEASURES
- VII. TOOLS
- VIII. CONFIGURATION MANAGEMENT
- IX. CONCLUSION
- X. APPENDIX A
- XI. REFERENCES

© SANS Institute 2001, Author retains full rights

## I. Overview

The intention of this paper is to:

- Provide basic information to those who have recently entered the security field.
- Provide some insight as to why a vulnerability assessment is necessary.
- Provide an overview of the vulnerability assessment process from discovery to baseline standardization.
- Provide some assistance to those who want to perform a vulnerability assessment but do not know where to start.

## II. Definition

As documented by SANS, "Vulnerabilities are the gateways by which threats are manifested" (1). In other words, a system compromise can occur through a weakness found in a system. A vulnerability assessment is a search for these weaknesses/exposures in order to apply a patch or fix to prevent a compromise.

How do these weaknesses occur? There are two points to consider:

- Many systems are shipped with: known and unknown security holes and bugs, and insecure default settings (passwords, etc.).
- Many vulnerabilities occur as a result of misconfigurations by system administrators.

Ways to counteract these conditions include:

- 1) creating and abiding by baseline security standards,
- 2) installing vendor patches (when appropriate),
- 3) vulnerability scanning,
- 4) subscribing to and abiding by security advisories,
- 5) implementing perimeter defenses, such as firewalls and router ACLs,
- 6) implementing intrusion detection systems and virus scanning software.

See also Section VI. Protective Measures.

## III. Statistics

Not to anyone's surprise, recent figures from numerous organizations, including CERT and CSI show a rise in intrusion attempts and attacks.

For instance, per the "2000 Computer Security Journal/FBI Computer Crime and Security Survey" (2), the trends that have emerged over the previous years are:

- Organizations are under cyber attack from both inside and outside of their electronic perimeters.
- A wide range of cyber attacks have been detected.
- Cyber attacks can result in serious financial losses.

- Defending successfully against such attacks requires more than just the use of information security technology.

Per CERT/CC statistics <sup>(3)</sup>, the number of reported incidents went from 9,859 in 1999 to 21,756 in 2000. The number of vulnerabilities reported went from 417 in 1999 to 1090 in 2000. See [http://www.cert.org/stats/cert\\_stats.html](http://www.cert.org/stats/cert_stats.html) for more information.

What has been done in response to this increase in malicious activity?

- Vendor responses with more patches/updates.
- An attempt to increase public awareness of security issues by such organizations as CERT, SANS, FIRST, etc.
- The FBI has established the National Infrastructures Protection Center (NIPC) <http://www.nipc.gov/> (possibly being replaced later this year with a new CyberSecurity Board commissioned by President Bush <sup>(4)</sup> ) and the Regional Computer Intrusion Squads.
- The Department of Justice created the Computer Crime and Intellectual Property Section (CCIPS) <http://www.cybercrime.gov>
- New laws and regulations.
- Media attention.
- More tools in the security arsenal.
- Proposed stiffer penalties and jail time for those convicted.
- More responsibilities given to security professionals.
- See [http://www.officer.com/special\\_ops/c\\_crimes.htm](http://www.officer.com/special_ops/c_crimes.htm) and <http://www.computer-investigators.com/lawenforcement.html> for more information on computer crime units.

#### IV. Reporting

Depending on who discovers the vulnerability, it can either be exploited or reported. Vulnerabilities are reported in the hope that the vendor will provide a timely patch or someone will develop a fix.

The following represents two avenues for reporting vulnerabilities:

- BugTraq's (a moderated mailing list specific to discussion of security vulnerabilities) vulnerability reporting protocol <sup>(5)</sup> is as follows:
  1. Contact the product's vendor and give them one week to respond. If they don't respond, post to the BugTraq list. See <http://www.securityfocus.com> for posting information.
  2. If you do hear from the vendor, give them what you consider appropriate time to fix the vulnerability. This will depend on the vulnerability and the product.
- CERT Coordination Center. CERT/CC's reporting form <sup>(6)</sup> can be found at [http://www.cert.org/reporting/vulnerability\\_form.txt](http://www.cert.org/reporting/vulnerability_form.txt)

There is some disagreement on the proper vulnerability reporting protocol. First, BugTraQ publishes the exploit scripts. But other organizations, such as CERT, FIRST, and NIPC publish vulnerabilities without the exploit scripts. Each has their reasons for doing so. The difference in opinion is due to the fact that many attackers exploit the newly published vulnerabilities. Second, a person should act responsibly after discovering a vulnerability. Before releasing the problem to the public, they should give the vendor ample time to provide a patch. Releasing the problem to the public too soon can cause an increase in malicious behavior.

In light of this difference of opinion, committees have been formed by security-industry leaders to standardize security practices. One event, held in November 2000, was the Security Vulnerability Summit (7), a gathering of thirty industry leaders "to identify and discuss the principal issues surrounding security vulnerability disclosures". The goal of the Summit was to "create a clear, timely, and predictable process by which customers, vendors, government organizations and other key parties can be alerted to potential security threats and take the appropriate measures to protect their digital assets". See Appendix A for a follow-up to the Security Vulnerability Summit meeting. Also, you can read more at <http://www.zdnet.com/enterprise/stories/main/0,10228,2652346-4,00.html>.

However, creating an industry-wide standard is an overwhelming task and this is clearly a topic that needs further discussion.

## V. Classification

Another problem facing the security industry is the way vulnerabilities are named or grouped. With various security professionals and product manufacturers giving different names to the same vulnerabilities, it can be confusing to the security practitioners who work in the field.

However, organizations have stepped in to help in developing a common language for the vulnerabilities. The result is CVE - Common Vulnerabilities and Exposures List (8). Sponsored by the Mitre Corporation, CVE has set a standard in the naming convention of security vulnerabilities making them easier to discuss & document. The entire CVE List of vulnerability naming standards can be downloaded at <http://cve.mitre.org/cve/index.html>.

Per Laura Taylor, founder of Relevant Technologies, the CVE "makes it easier for security vendors to develop intrusion detection and scanning tools. As more IT decision makers understand the meaning of CVE, products with CVE-compatible names will likely receive a better reception on the market".

Many products already use the CVE standard. They include:

- STAT (Security Threat Avoidance Technology) Scanner by Harris Corp. <http://www.statonline.com/index.asp>
- Internet Scanner by ISS Internet Security Systems <http://www.iss.net>
- Nessus Security Scanner <http://www.nessus.org/>

See <http://www.cve.mitre.org/compatible/> for more CVE-compatible products.

## VI. Protective Measures

Common exploits occur because of weaknesses found in a computing environment. These exploits are an attack against:

1. **Confidentiality** - being secure from unauthorized access. Example: Vulnerabilities in telnet (user names and passwords sent unencrypted from a remote connection) can allow an attack against Confidentiality.
2. **Integrity** - accuracy and completeness of data. Example: Vulnerabilities in sendmail (mail can be forged from any address) can allow an attack against integrity.
3. **Availability** - data and systems ready for use at all times by authorized users. Example: Variations in ping (request for information, can cause a denial of service attack - i.e., floods, ping of death) can be an attack against Availability.

### Examples of Protective Security Measures

- access controls - user IDs and passwords, appropriate password and security policies,
- separation of duties,
- user authentication, with appropriate use of controls, where possible, e.g. smart cards, biometrics, etc.
- workstation lock screens,
- encryption,
- proper registry permissions,
- proper directory and file permissions,
- properly defined user rights,
- social engineering prevention,
- applying patches/updates,
- firewalls,
- VPN tunneling,
- screening routers,
- anti-virus software,
- prompt removal of terminated/transferred employee accounts, default passwords and unnecessary services running on the system,
- implementing and enforcing change control policy to limit activity to authorized users only,
- review and management signoffs of user authorizations,
- use of checksums with attendant software to report file modifications,
- enable audit logging and perform log reviews,
- review of open ports and services,
- properly configured routers,
- searching for and disconnecting unauthorized or poorly configured modem services.

## Vulnerability Listings

Various organizations maintain a vulnerability listing. They include vendor sites, such as, ISS [http://xforce.iss.net/security\\_library/](http://xforce.iss.net/security_library/) and Microsoft <http://www.microsoft.com/technet/treeview/default.asp?url=/technet/itsolutions/security/current.asp>, and security organizations, such as SANS <http://www.sans.org/topten.htm> and CERT [http://www.cert.org/current/current\\_activity.html](http://www.cert.org/current/current_activity.html)

Tripwire has created a poster of exploits you can obtain at:  
<http://www.tripwire.com/literature/poster/index.cfm?cfid=643809&cftoken=708>

Subscribing to these site's newsletters will keep you abreast of current activity.

## VII. Tools

There are different types of vulnerability scanners available: layer of analysis: host scanners, network scanners, database scanners; engine types and platforms; wardialers; open-source and commercial scanners.

What are the differences?

As stated in "FDIC: Risk Assessment Tools and Practices for Information System Security" (9),

Host based tools search for vulnerabilities on an individual computer.. "are effective at identifying security risks that result from internal misuse or hackers using a computer system....detect holes that would allow unauthorized access...and confirm that various security policies are being followed".

Network based scanners "reside on the network to detect if it is vulnerable to known attacks....effective at detecting network attacks...can detect unauthorized systems on a network or insecure connections to business partners".

Database Scanners identify potential security exposures in database systems.

Wardialers search for modems, which are capable of providing unauthorized remote access to an organization.

Below is a sample of tools (10 - websites updated 7/16/01) categorized by their scanning platform - whether host, network, database-based or a wardialer.

### NETWORK BASED SCANNING TOOLS

NAME	ENGINE TYPE	OPENSOURCE	COMMERCIAL	WEBSITE
Cisco Secure Scanner	NT		X	<a href="Http://www.cisco.com/warp/public/cc/pd/sqsw/nesn/">Http://www.cisco.com/warp/public/cc/pd/sqsw/nesn/</a>

Whisker	Linux	X		<a href="http://www.wiretrip.net/rfp/p/doc.asp?id=21&amp;iface=2">http://www.wiretrip.net/rfp/p/doc.asp?id=21&amp;iface=2</a>
Retina	NT/2000		X	<a href="http://www.eeye.com/html/Products/Retina/">http://www.eeye.com/html/Products/Retina/</a>
Nessus	Unix/Linux	X		<a href="http://www.nessus.com">http://www.nessus.com</a>
Nmap Footprinting tool	Unix/NT	X		<a href="http://www.insecure.org/nmap/">http://www.insecure.org/nmap/</a>

#### HOST BASED SCANNING TOOLS

NAME	ENGINE TYPE	FREWARE	COMMERCIAL	WEBSITE
STAT	NT		X	<a href="http://www.statonline.com/index.asp">http://www.statonline.com/index.asp</a>
CyberCop	Win32/Linux		X	<a href="http://www.pgp.com/products/cybercop-scanner/default.asp">http://www.pgp.com/products/cybercop-scanner/default.asp</a>
TARA	Linux/Unix	X		<a href="http://www.warc.com/tara/index.shtml">http://www.warc.com/tara/index.shtml</a>
ISS System Scanner	NT/2000		X	<a href="http://www.iss.net/securing_e-business/security_products/security_assessment/system_scanner/">http://www.iss.net/securing_e-business/security_products/security_assessment/system_scanner/</a>



VigilEnt	Various		X	<a href="http://www.pentasa.com/products/">http://www.pentasa.com/products/</a>
----------	---------	--	---	---

### DATABASE SCANNING TOOLS

NAME	ENGINE TYPE	FREWARE	COMMERCIAL	WEBSITE
ISS Database Scanner	Oracle, SQL, Sybase		X	<a href="http://www.iss.net/securing_e-business/security_products/security_assessment/database_scanner/index.php">http://www.iss.net/securing_e-business/security_products/security_assessment/database_scanner/index.php</a>
SQLdict	MS SQL	X		<a href="http://www.ntsecurity.nu/toolbox/sqldict/">http://www.ntsecurity.nu/toolbox/sqldict/</a>
Various Products for security of Databases	Oracle, SQL		X	<a href="http://www.pentasa.com/products/vamsqlserver.htm">http://www.pentasa.com/products/vamsqlserver.htm</a>

### WARDIALERS

NAME	FREWARE	COMMERCIAL	WEBSITE
PhoneSweep		X	<a href="http://www.sandstorm.net/phonesweep/">http://www.sandstorm.net/phonesweep/</a>
Telesweep Secure Scanner		X	<a href="http://telesweepsecure.securelogix.com">http://telesweepsecure.securelogix.com</a>
ppp Scanner		X	<a href="Http://xforce.iss.net/static/804.php">Http://xforce.iss.net/static/804.php</a>

THC Scan	X		<a href="http://www.thehackerschoice.com/">http://www.thehackerschoice.com/</a>
Modem Scan		X	<a href="http://verttex.com">http://verttex.com</a>

## Method

A general approach to vulnerability assessment would be roughly as follows: (Written authorization to perform these steps should be obtained from upper management.)

### *External:*

- Use tools e.g. Nmap, Samspace, etc. to glean as much information about the target system as possible.
- Wardial all phone numbers and attempt penetration if targets are found.
- Try gleaning some useful information via "social engineering".
- If you can get the operating system ID from Nmap, use it to set up the scanner for custom probings.
- Update scanners with the latest attack signatures prior to use.
- Perform scans against all targets found.
- Analyze results and take corrective action.

### *Internal:*

- Update scanner with latest attack signatures prior to use.
- You may wish to do custom scans on selected machines that require simpler probe configurations, e.g., scan all system administrator and technical personnel machines for backdoors or other illicit software. You may be scanning all new servers prior to rollout for certification.
- Check for weak passwords using a password cracking tool.
- Analyze results and take corrective action.

## Vulnerability Mapping

Another method that can be used to locate weaknesses within a system is called vulnerability mapping (11). This entails analyzing the software and services running on the computer, then matching each to a known vulnerability. Services can easily be found using a tool such as Nmap, DumpSec ( [http://www.systemtools.com/free\\_frame.htm](http://www.systemtools.com/free_frame.htm) ) or Hyena <http://www.systemtools.com/index.html> . As mentioned previously, vulnerability listings can be found at CERT and BugTraq. If a vulnerability associated with a service running on the computer is found, the appropriate patch or fix should be applied. See CERT Report on "Identifying data that characterize systems and aid in detecting signs of suspicious behavior" at <http://www.cert.org/security-improvement/practices/p091.html> .

The guidelines suggested by CERT ( <http://www.cert.org/security-improvement/> ) will also help harden your system configuration and operational environment and protect it against known attacks. It covers planning, configuration, maintenance, improving user awareness, and testing.

Also, see <http://www.anti-online.com/focus/ih/articles/vulnassess.html> for a Vulnerability Assessment Survey developed by Richard Wiens.

### **VIII. Configuration Management**

Configuration Management is the process of controlling changes made to a system's configuration after installation. Periodic reviews should be performed to ensure parameter settings are set as originally intended and not changed over the course of new installations and network updates.

Per Dr. Bruce Hartley in "The Process of Security" <sup>(12)</sup>, "the best type of configuration management system involves defining a system for documentation, establishing a defined procedure for making changes to that system, and evaluating all changes against the overall security of the system and documenting them. You should also make sure you receive, evaluate and disseminate security warnings and advisories".

See specific CERT guidelines at <http://www.cert.org/security-improvement/> and [http://www.cert.org/nav/index\\_green.html](http://www.cert.org/nav/index_green.html)

### **IX. Conclusion**

Statistics show that system compromises are on the rise so we must guard against them using the methods available to us. Vulnerability scanners are one tool available for ensuring secure systems. However, scanners should not be the only weapon in the security arsenal. They should be used in addition to firewalls, intrusion detection tools, good security policies, and all the other defenses noted in this paper. Ideally, scanners should be used as a last defense to complement the security practices already in place. Just keep in mind that a good follow-up plan to correct any vulnerabilities found is just as important as detecting them.

## X. APPENDIX A: Security Vulnerability Summit Outcomes (7)

### Summit working groups

Unlike political "summit meetings" that plan their conclusions in advance, the Vulnerability Summit didn't end with a planned communiqué. Rather, it marked the beginning of a process in which working groups (most with three or more participants) will develop the issues and draft proposed statements of best practices. Following are the working groups formed at the summit and their missions.

**Charter Definition** Propose follow-on communication plan and threat- ranking system to make summit conclusions useful for continuing guidance to Web administrators and the general Web community.

**Stakeholder Recognition** Propose a means of resolving the gap between those who want maximum information at the earliest opportunity and those who prefer that threats not be widely disclosed before remedies are identified and available. Develop usable guidelines for distinguishing among intruders, authorized investigators and independent researchers.

**Information Release** Consider criteria and methods for publication of threat effects, preventive measures and technical details; evaluate role of press and opportunities for affirmative outreach/education of mainstream media outlets; coordinate with working groups on vendor notification and public relations.

**Vulnerability Life Cycle** Consider relative importance of immediate response to new threats vs. long-term knowledge-base maintenance as resource for system administrators; examine actual damage caused vs. age of threat.

**Vendor Notification** Propose guidelines for interaction between independent researchers, paid consultants, and vendors of vulnerable products or services; consider merits of vendor premium-support plans vs. full-scale disclosure policies as means of disclosing information and providing follow-up support to affected customers; coordinate with working groups on information release and public relations.

**Vulnerability Verification** Examine role and magnitude of hoaxes as burden on threat analysis; propose guidelines for vendors to invite/investigate vulnerability reports; weigh benefits of anonymous reporting (to encourage early discovery) vs. attribution requirements (to discourage irresponsible or malicious input).

**Patch and Solution Development** Propose criteria for disseminating workarounds, patches or remedies incorporated into general product upgrades, considering costs and secondary threats involved in testing/releasing/deploying/supporting updates in the field.

**Public Relations** Examine issues of credit for independent researchers, whose reputations are enhanced by role in threat discovery, vs. need to give vendors time to analyze threats before system attackers exploit them en masse; coordinate with working groups on information release and vendor notification.

**Legal Issues** Examine gaps between best-practice consensus vs. laws, licenses and international agreements. Consider issues of intent in determining criminality; consider role of proposed cyber-crime laws in providing false sense of security to users; consider spillover effects of cyber-crime laws in preventing legitimate investigation of vulnerabilities.

**Ethics** Propose statements of good-faith conduct for identified stakeholders.

## **XI. References:**

- (1) SANS GIAC Security Essentials Training Manual
- (2) 2000 CSI Computer Security Journal
- (3) CERT Coordination Center Statistics 1988-2001  
[http://www.cert.org/stats/cert\\_stats.html](http://www.cert.org/stats/cert_stats.html) (last accessed 7/16/01)
- (4) Verton, Dan. "Bush Said To Be Planning Cybersecurity Board" Computerworld Security Knowledge Center July 12, 2001.  
[http://www.computerworld.com/itresources/rcstory/0,4167,key73\\_sto62106,00.html](http://www.computerworld.com/itresources/rcstory/0,4167,key73_sto62106,00.html) (last accessed 7/16/01)
- (5) BugTraq: FAQ <http://www.securityfocus.com/frames/?content=/forums/bugtraq/faq.html> (last accessed 7/16/01)
- (6) CERT/CC Product Vulnerability Reporting Form v1.0  
[http://www.cert.org/reporting/vulnerability\\_form.txt](http://www.cert.org/reporting/vulnerability_form.txt) (last accessed 7/16/01)
- (7) Security Vulnerability Summit - <http://www.vulnerabilitysummit.com/> (last accessed 7/16/01)  
  
Rapoza, Jim. "Security Core: Best Practices". November 13,00. eWeek.  
<http://www.zdnet.com/enterprise/stories/main/0,10228,2652346-1,00.html> (last accessed 7/16/01)
- (8) Taylor, Laura. "A Common Language for Security Vulnerabilities" May 24, 01  
Zdnet Business and Technology (last accessed 7/16/01)  
<http://www.zdnet.com/enterprise/stories/main/0,10228,2765107,00.html>  
  
Berg, Al. "Part 2: Audits, Assessments & Test (Oh My)". Information Security Magazine  
August 2000.  
  
Common Vulnerability and Exposures <http://cve.mitre.org/news> (last accessed 7/16/01)
- (9) FDIC. Financial Institution Letters "Risk Assessment Tools and Practices for Information System Security". <http://www.fdic.gov/news/news/financial/1999/FIL9968a.HTML> (last accessed 7/16/01)
- (10) Talisker's Network Security Tools [http://networkintrusion.co.uk/n\\_scan.htm](http://networkintrusion.co.uk/n_scan.htm) (last accessed 7/16/01)
- (11) Kurtz, George & Proise, Chris. "Part 3: Penetration Testing Exposed". Information Security Magazine May 9, 2000
- (12) Hartley, Dr. Bruce. "The Process of Security" Business Security Advisor July/August 2001



# Upcoming SANS Training

[Click here to view a list of all SANS Courses](#)

SANS Cyber Defence Canberra 2019	Canberra, AU	Jun 24, 2019 - Jul 13, 2019	Live Event
SANS ICS Europe 2019	Munich, DE	Jun 24, 2019 - Jun 29, 2019	Live Event
SANS Cyber Defence Japan 2019	Tokyo, JP	Jul 01, 2019 - Jul 13, 2019	Live Event
SANS Paris July 2019	Paris, FR	Jul 01, 2019 - Jul 06, 2019	Live Event
SANS Munich July 2019	Munich, DE	Jul 01, 2019 - Jul 06, 2019	Live Event
SEC450 Security Ops-Analysis Beta 1	Crystal City, VAUS	Jul 08, 2019 - Jul 13, 2019	Live Event
SANS Pittsburgh 2019	Pittsburgh, PAUS	Jul 08, 2019 - Jul 13, 2019	Live Event
SANS Charlotte 2019	Charlotte, NCUS	Jul 08, 2019 - Jul 13, 2019	Live Event
SANS London July 2019	London, GB	Jul 08, 2019 - Jul 13, 2019	Live Event
SANS Cyber Defence Singapore 2019	Singapore, SG	Jul 08, 2019 - Jul 20, 2019	Live Event
SANS Rocky Mountain 2019	Denver, COUS	Jul 15, 2019 - Jul 20, 2019	Live Event
SANS Columbia 2019	Columbia, MDUS	Jul 15, 2019 - Jul 20, 2019	Live Event
SANS Pen Test Hackfest Europe 2019	Berlin, DE	Jul 22, 2019 - Jul 28, 2019	Live Event
SANS San Francisco Summer 2019	San Francisco, CAUS	Jul 22, 2019 - Jul 27, 2019	Live Event
DFIR Summit & Training 2019	Austin, TXUS	Jul 25, 2019 - Aug 01, 2019	Live Event
SANS Riyadh July 2019	Riyadh, SA	Jul 28, 2019 - Aug 01, 2019	Live Event
SANS July Malaysia 2019	Kuala Lumpur, MY	Jul 29, 2019 - Aug 03, 2019	Live Event
SANS Boston Summer 2019	Boston, MAUS	Jul 29, 2019 - Aug 03, 2019	Live Event
SANS London August 2019	London, GB	Aug 05, 2019 - Aug 10, 2019	Live Event
Security Awareness Summit & Training 2019	San Diego, CAUS	Aug 05, 2019 - Aug 14, 2019	Live Event
SANS Crystal City 2019	Arlington, VAUS	Aug 05, 2019 - Aug 10, 2019	Live Event
SANS Melbourne 2019	Melbourne, AU	Aug 05, 2019 - Aug 10, 2019	Live Event
SANS Prague August 2019	Prague, CZ	Aug 12, 2019 - Aug 17, 2019	Live Event
Supply Chain Cybersecurity Summit & Training 2019	Arlington, VAUS	Aug 12, 2019 - Aug 19, 2019	Live Event
SANS Minneapolis 2019	Minneapolis, MNUS	Aug 12, 2019 - Aug 17, 2019	Live Event
SANS San Jose 2019	San Jose, CAUS	Aug 12, 2019 - Aug 17, 2019	Live Event
SANS Virginia Beach 2019	Virginia Beach, VAUS	Aug 19, 2019 - Aug 30, 2019	Live Event
SANS Chicago 2019	Chicago, ILUS	Aug 19, 2019 - Aug 24, 2019	Live Event
SANS Amsterdam August 2019	Amsterdam, NL	Aug 19, 2019 - Aug 24, 2019	Live Event
SANS August Malaysia 2019	Kuala Lumpur, MY	Aug 19, 2019 - Aug 24, 2019	Live Event
SANS MGT516 Beta Three 2019	Arlington, VAUS	Aug 19, 2019 - Aug 23, 2019	Live Event
SANS Tampa-Clearwater 2019	Clearwater, FLUS	Aug 25, 2019 - Aug 30, 2019	Live Event
Security Operations Summit & Training 2019	OnlineLAUS	Jun 24, 2019 - Jul 01, 2019	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced