



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Identify Intrusions with Microsoft Proxy Server, Web Proxy Service and WinSock Proxy Service Log Fil

This is a guide on how to identify intrusions using Microsoft's Proxy Server log files. MS Proxy Server is an extensible firewall that provides passive defense against intrusions and functions as a gateway between an internal network and the Internet. This configuration allows clients to share a common connection point to the Internet. Installing a MS Proxy Server between the Internet and an internal network provides packet-filtering services that will stop various types of protocols from entering the network. With the...

Copyright SANS Institute
Author Retains Full Rights



AD

Saundra Coward
Version Assignment: GSEC V.1.2e

Identify Intrusions with Microsoft Proxy Server, Web Proxy Service and WinSock Proxy Service log files

Abstract:

This is a guide on how to identify intrusions using Microsoft's Proxy Server log files. MS Proxy Server is an extensible firewall that provides passive defense against intrusions and functions as a gateway between an internal network and the Internet. This configuration allows clients to share a common connection point to the Internet.

Installing a MS Proxy Server between the Internet and an internal network provides packet-filtering services that will stop various types of protocols from entering the network. With the use of MS Proxy Server log files, system administrators can monitor and track all packets passing through the MS Proxy Server. There are several services that can run within the Proxy Server, and the two most common services are Web Proxy and WinSock Proxy. To manage the services open the Internet Service Manager within the Microsoft Internet Server folder. The General Tab within the Internet Service Manager window displays the Proxy services installed.

Services:

The Web Proxy service log contains connection-specific log information for proxy connections between the MS Proxy Server and its Web Proxy clients. The Web Proxy service provides support for HTTP, FTP, Gopher, and SSL communications (Hudson). The Web Proxy service works with any CERN-compliant Web browser, such as Internet Explorer or Netscape Navigator. The Web Proxy service log also stores the WWW Service information (Internet Information Server) as a subset of the information stored in the Web Proxy service log. To improve performance, turn off IIS logging within the WWW service (Ryvkin).

The WinSock Proxy service supports Microsoft Windows operating systems using Windows Sockets. The WinSock Proxy service log contains connection-specific log information for redirected Windows Socket-based connections. The Sockets interface was extended to support Windows-based clients running Microsoft implementations of TCP/IP. However, the service can support other protocols such as Internetwork Packet Exchange/Sequenced Packet Exchange (IPX/SPX). (Hudson)

Log File:

The MS Proxy Server log files can be configured in the IIS Management window within the logging tab. Each proxy service can log to separate log files. The file format can be either a comma-delimited text file, or an ODBC-compliant database. This document discusses text file logs only. When logging to a text file, log fields are separated by the use of a single comma (,). The default locations when logging to a text file are:

Web Proxy service:
C:\Winnt\System32\W3plogs\Filename.log

WinSock Proxy service:
C:\Winnt\System32\Wsplogs\Filename.log

Logging Format:

Both WinSock Proxy and Web Proxy log records contain the user name, client type, client protocol, and time and date stamp. However, there are two levels either Regular or Verbose. By Default the Regular level of logging is set, it supports a reduced number of information fields. The Verbose mode logs detailed information and requires more disk space. Table 1 describes each field for both levels of logging. (Eley)

Table 1. Log File Field Descriptions.

Logging Level: Verbose = V Regular = R	Web Proxy service	WinSock Proxy service
Client's Computer Name (V & R)	Network IP address for the source computer initiating a request.	Network IP address for the source computer initiating a request.
Client's User Name (V & R)	Windows NT logon account name for the current user on the source computer.	Windows NT logon account name for the current user on the source computer.
Client Agent (V)	None.	Name of the client application that is generating the Windows Socket process request.
Client Platform (V)	None.	0:3.95 Windows 95 (16-bit) 1:3.11 Win32 2:4.0 Windows 95 (32-bit) 3:3.51 Windows NT 3.51 3:4.0 Windows NT 4.0
Authentication Status (V)	Whether or not the request is using an authenticated connection to the MS Proxy Server.	Whether or not the request is using an authenticated connection to the MS Proxy Server.
Log Date (V & R)	Date MS Proxy Server logged event occurred.	Date MS Proxy Server logged event occurred.
Log Time (V & R)	Time MS Proxy Server logged event.	Time MS Proxy Server logged event.
Service Name (V & R)	Verbose logging: "W3Proxy" Regular logging: "1"	Verbose logging: "WSProxy" Regular logging: "2"
Proxy Name (V)	Name of computer running MS Proxy Server.	Name of computer running MS Proxy Server.
Referring Server Name	None.	Name of downstream MS Proxy Server that

(V)		referred the proxy Request to the current MS Proxy Server.
Destination Name (V)	None.	Domain name for the client computer servicing the current connection.
Destination Address (V & R)	Network IP address for client computer servicing the current connection.	Network IP address for client computer servicing the current connection.
Destination Port (V & R)	Reserved port number on the local computer servicing the current connection. Used by the client application that initiated the request.	Reserved port number on the local computer servicing the current connection. Used by the client application that initiated the request.
Processing Time (V)	Total time in milliseconds.	Total time in milliseconds.
Bytes Received (V)	Number of bytes Received from the remote computer.	None.
Bytes Sent (V)	Number of bytes sent to the remote computer.	None.
Protocol Name (V)	Protocol used for transfer: HTTP, FTP, or Gopher	Well-known port number for the socketed application.
Transport Protocol (V & R)	TCP	TCP, UDP, or IPX/SPX.
Operation (V)	Current HTTP method used: GET, PUT, POST, and HEAD.	Current socket API call: Connect, Accept, SendTo, RecvFrom, GetHostByName.
Object Name (V & R)	Shows the contents of the URL request.	None.
Object MIME (V)	Multi-purpose Internet Mail Extensions (MIME) type: application/x-msdownload, image/gif, image/jpeg, multipart/x-zip, or text/plain	None.
Object Source	"Unknown"	None.

(V & R)	<p>"Cache" "Rcache" Internet Source, object cached. "Vcache" Source is cache, object was verified. "NVCache" Source is cache, object could not be verified. "VFInet" Internet Source, object was verified and failed. "PragNoCacheInet" Source is Internet, Do not cache. "Inet" Internet Source object not cached.</p>	
Result Code (V & R)	None.	<p>Error Codes: <100 - Windows error 100 - HTTP status 200 - Successful connection 10060 - Connection timed out. 10065 - Host unreachable. 11001 - Host not found.</p> <p>Connection status: 0 - Successful. 1 - Server failure. 2 - Rejected by Proxy. 3 - Network unreachable. 4 - Host unreachable. 5 - Refused by destination. 6 - Unsupported client request. 7 - Unsupported address type.</p>

Example Web Proxy Log File:

The examples below represent the same data for both levels Verbose and Regular. The important point is to recognize that Verbose logging provides detailed information compared to the Regular logging format. The Verbose Web Proxy Log file below represents the following activity: On 19 June 2001 from

the hours of 11:18:22 to 12:24:32 an anonymous user from the source IP address of 200.200.20.20 requested information from the Web Proxy Server named "PRXYSRVR", domain name "www.allsecure.net", and IP address of "100.100.10.10". The service "W3Proxy" on the PRXYSRVR responded to the request using the following ports: 3495, 3200, and 3500. The average time to process the four requests by the Proxy Server was 432 milliseconds. The source computer received a total of 1763 of the 1870 bytes sent. Using the GET command, the anonymous user successfully retrieved the image files: secrets.gif, evidence.gif, crime.gif, and prevention.gif from the webpage www.allsecure.net. An unsuccessful attempt from an unauthorized user occurred at 12:21:21 on port 109. An anonymous user from a source address of 199.200.68.65 attempted to login into the system using the file transfer protocol service.

W3plogs in Verbose Mode:

```
200.200.20.20, anonymous, Mozilla/2.0 (compatible; MSIE 5.0; Win32), N, 6/19/01, 11:18:22, W3Proxy, PRXYSRVR, -, www.allsecure.net, 100.100.10.10, 3495, 428, 400, 460, http, TCP, GET, http://www.allsecure.net/secrets.gif, image/gif, lnet, 200,
200.200.20.20, anonymous, Mozilla/2.0 (compatible; MSIE 5.0; Win32), N, 6/19/01, 11:21:22, W3Proxy, PRXYSRVR, -, www.allsecure.net, 100.100.10.10, 3500, 438, 450, 470, http, TCP, GET, http://www.allsecure.net/evidence.gif, image/gif, lnet, 200,
200.200.20.20, anonymous, Mozilla/2.0 (compatible; MSIE 5.0; Win32), N, 6/19/01, 11:25:21, W3Proxy, PROXYSRVR, -, www.allsecure.net, 100.100.10.10, 3200, 475, 400, 460, http, TCP, GET, http://www.allsecure.net/crime.gif, image/gif, lnet, 200
199.200.68.65, anonymous, Mozilla/2.0 (compatible; MSIE 5.0; Win32), N, 6/19/01, 12:21:21, MSFTPCSV, PRXYSRVR, -, 109, 16, 0, 0, 0, [14] USER, anonymous, -,
200.200.20.20, anonymous, Mozilla/2.0 (compatible; MSIE 5.0; Win32), N, 6/19/01, 12:24:32, W3Proxy, PRXYSRVR, -, www.allsecure.net, 100.100.10.10, 4300, 465, 453, 465, http, TCP, GET, http://www.allsecure.net/prevention.gif, image/gif, lnet, 200
```

W3plogs in Regular Mode:

```
200.200.20.20, anonymous, 6/19/01, 11:18:22, 1, PRXYSRVR, www.allsecure.net, -, 3495, 428, 400, 460, 0, GET, http://www.allsecure.net/secrets.gif, -,
200.200.20.20, anonymous, N, 6/19/01, 11:21:22, 1, PRXYSRVR, www.allsecure.net, -, 3500, 438, 450, 470, 0, GET, http://www.allsecure.net/evidence.gif, -,
200.200.20.20, anonymous, N, 6/19/01, 11:25:21, 1, PROXYSRVR, www.allsecure.net, -, 3200, 400, 460, 475, 0, GET, http://www.allsecure.net/crime.gif, -,
199.200.68.65, anonymous, N, 6/19/01, 12:21:21, 1, PRXYSRVR, -, 109, 16, 0, 0, 0, [14] USER, anonymous, -,
200.200.20.20, anonymous, N, 6/19/01, 12:24:32, 1, PRXYSRVR, www.allsecure.net, -, 4300, 465, 453, 465, 0, GET, http://www.allsecure.net/prevention.gif, -,
```

Example WinSock Proxy Log File:

The WinSock Proxy log file below represents the following activity: On June 19, 2001 at 9:35 to 9:47 a.m. three different users: Wright, Smith and Jones accessed the Webpage not2secure.com via TCP on port 80. The Proxy server with the system name of PRXYSRVR responded to the requests on port 3249. In the log file, Field 1 of each log entry record represents the IP address of the source machine. Compare the detailed information in the Verbose log file with that of the Regular log file.

Wsplogs in Verbose Mode:

192.168.10.100, WRIGHT, -, N, 6/19/01, 9:35:15, WSPProxy, PRXYSRVR, -, not2secure.com, 100.100.10.10, 3249, 477, 80, TCP, Connect, 0
192.168.10.128, SMITH, -, Y, 6/19/01, 9:36:16, WSPProxy, PRXYSRVR, -, not2secure.com, 100.100.10.10, 3249, 477, 80, TCP, Connect, 0
192.168.10.128, SMITH, -, Y, 6/19/01, 9:38:25, WSPProxy, PRXYSRVR, -, not2secure.com, 100.100.10.10, 3249, 477, 80, TCP, RecvFrom, 0
200.200.20.20, JONES, -, Y, 6/19/01, 9:47:30, WSPProxy, PRXYSRVR, -, not2secure.com, 100.100.10.10, 3249, 477, 80, TCP, Connect, 0

Wsplogs in Regular Mode:

192.168.10.100, WRIGHT, -, N, 6/19/01, 9:35:15, 2, -, -, not2secure.com, -, 3449, 658, 80, -, -, 0
192.168.10.128, SMITH, -, N, 6/19/01, 9:36:16, 2, -, -, not2secure.com, -, 3449, 658, 80, -, -, 0
192.168.10.128, SMITH, -, N, 6/19/01, 9:37:25, 2, -, -, not2secure.com, -, 3449, 658, 80, -, -, 0
200.200.20.20, JONES, -, N, 6/19/01, 9:37:30, 2, -, -, not2secure.com, -, 3449, 658, 80, -, -, 0

Analysis:

When an unusual event occurs, the first step is to identify the IP address in question followed by analysis for more detailed information about the source IP address. RFC1700 is an excellent reference to get a detailed list of ports and the assigned protocol parameters for the Internet protocol suite. The following are basic tools used to gather information about the source address: NSLOOKUP, Ping, Traceroute and a Whois database search. See Scambray Joel, et al Hacking Exposed 2nd Ed for more examples of tools used to gather information.

The next step is for the system administrator to isolate the log files to prevent them from being tampered with since they may need to be used later for forensic evidence. Make a copy of the log files and control access to the files until they are turned over to the investigator (Poulsen).

Summary:

To keep track of what's happening between the internal network and the Internet, the MS Proxy Server allows logging for both WinSock Proxy and Web Proxy Services. Periodically, the system administrator should monitor the Proxy logs to establish a baseline with "normal" events. Overtime, with practice they will be able to quickly identify unusual activity. If unusual activity appears in either of the log files, further analysis of the event should be performed to determine if an intrusion has occurred. Protective measures should be taken immediately to reduce the risk of attack.

References:

Eley, Brad. MS Proxy Server Installation and Administration Guide: MS Proxy Server Logs. Botkins Local School (BLS) Tech Center, 01 Dec. 1998. 19 Jun. 2001 <http://www.botkins.wocok12.org/techcenter/faq/mspdocs/10_msp.htm>.

Hudson, Kurt. An Introduction to MS Proxy Server. Windows IT Library, 2000. 10 Jun. 2001 <<http://www.windowsitlibrary.com/Content/265/1.html>>.

Poulsen, Kevin, et al. Hack Proofing your Network: Internet Tradecraft. Syngress Publishing, Inc., 2000.

Reynolds, J., et al. Request For Comments (RFC) 1700: Assigned Numbers. 1994. 21 Jun. 2001.
<<http://www.attrition.org/~modify/texts/rfc/rfc1700.txt>>

Ryvkin, Kostya, et al. MCSE: Implementing and Supporting MPS 2.0. Prentice Hall, 1999.

Scambray, Joel, et al. Hacking Exposed: 2nd Ed. Osborne, McGraw-Hill, 2001.

© SANS Institute 2001, Author retains full rights



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Las Vegas 2018	Las Vegas, NVUS	Jan 28, 2018 - Feb 02, 2018	Live Event
Cyber Threat Intelligence Summit & Training 2018	Bethesda, MDUS	Jan 29, 2018 - Feb 05, 2018	Live Event
SANS Miami 2018	Miami, FLUS	Jan 29, 2018 - Feb 03, 2018	Live Event
SANS London February 2018	London, GB	Feb 05, 2018 - Feb 10, 2018	Live Event
SANS Scottsdale 2018	Scottsdale, AZUS	Feb 05, 2018 - Feb 10, 2018	Live Event
SANS SEC455: SIEM Design Beta One 2018	Arlington, VAUS	Feb 12, 2018 - Feb 13, 2018	Live Event
SANS Southern California- Anaheim 2018	Anaheim, CAUS	Feb 12, 2018 - Feb 17, 2018	Live Event
SANS Secure India 2018	Bangalore, IN	Feb 12, 2018 - Feb 17, 2018	Live Event
SANS Brussels February 2018	Brussels, BE	Feb 19, 2018 - Feb 24, 2018	Live Event
SANS Secure Japan 2018	Tokyo, JP	Feb 19, 2018 - Mar 03, 2018	Live Event
Cloud Security Summit & Training 2018	San Diego, CAUS	Feb 19, 2018 - Feb 26, 2018	Live Event
SANS Dallas 2018	Dallas, TXUS	Feb 19, 2018 - Feb 24, 2018	Live Event
SANS New York City Winter 2018	New York, NYUS	Feb 26, 2018 - Mar 03, 2018	Live Event
CyberThreat Summit 2018	London, GB	Feb 27, 2018 - Feb 28, 2018	Live Event
SANS London March 2018	London, GB	Mar 05, 2018 - Mar 10, 2018	Live Event
SANS Secure Singapore 2018	Singapore, SG	Mar 12, 2018 - Mar 24, 2018	Live Event
SANS Secure Osaka 2018	Osaka, JP	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS San Francisco Spring 2018	San Francisco, CAUS	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS Paris March 2018	Paris, FR	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS Northern VA Spring - Tysons 2018	McLean, VAUS	Mar 17, 2018 - Mar 24, 2018	Live Event
SANS Munich March 2018	Munich, DE	Mar 19, 2018 - Mar 24, 2018	Live Event
SANS Pen Test Austin 2018	Austin, TXUS	Mar 19, 2018 - Mar 24, 2018	Live Event
ICS Security Summit & Training 2018	Orlando, FLUS	Mar 19, 2018 - Mar 26, 2018	Live Event
SANS Secure Canberra 2018	Canberra, AU	Mar 19, 2018 - Mar 24, 2018	Live Event
SANS Boston Spring 2018	Boston, MAUS	Mar 25, 2018 - Mar 30, 2018	Live Event
SANS 2018	Orlando, FLUS	Apr 03, 2018 - Apr 10, 2018	Live Event
SANS Abu Dhabi 2018	Abu Dhabi, AE	Apr 07, 2018 - Apr 12, 2018	Live Event
Pre-RSA®: Conference Training	San Francisco, CAUS	Apr 11, 2018 - Apr 16, 2018	Live Event
SANS Zurich 2018	Zurich, CH	Apr 16, 2018 - Apr 21, 2018	Live Event
SANS London April 2018	London, GB	Apr 16, 2018 - Apr 21, 2018	Live Event
SANS Dubai 2018	OnlineAE	Jan 27, 2018 - Feb 01, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced