



Interested in learning  
more about security?

# SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

## Information Security: Handling Compromises

As the Information Systems Security Manager (ISSM) for an organization within DoD, I am responsible for ensuring the overall security stance of our network. This includes physical security and network security. Part of maintaining our security stance is ensuring that information considered sensitive to national security does not reside on the unsecured network. Occasionally this information of this type is introduced onto the unsecured network and it is my job to create and implement the procedures that erase the data ...

Copyright SANS Institute  
Author Retains Full Rights

AD

Build your business'  
breach action plan.

START NOW

 **LifeLock**  
BUSINESS SOLUTIONS

No one can prevent all identity theft. © 2016  
LifeLock, Inc. All rights reserved. LifeLock  
and the LockMan logo are registered  
trademarks of LifeLock, Inc.

## **Information Security: Handling Compromises**

Craig L. Bowser

August 15, 2001

As the Information Systems Security Manager (ISSM) for an organization within DoD, I am responsible for ensuring the overall security stance of our network. This includes physical security and network security. Part of maintaining our security stance is ensuring that information considered sensitive to national security does not reside on the unsecured network. Occasionally this information of this type is introduced onto the unsecured network and it is my job to create and implement the procedures that erase the data from the network to ensure it cannot be recovered if an unauthorized user gains access to our network.

While the corporate sector may not be guarding national secrets, they are protecting valuable information such as trade secrets, financial documents and personal information. Often this information is kept (or should be kept) sectioned from each other. In the case of trade secrets or financial documents such as earning forecasts, this information could only be available to a select few. Similar to the DoD, companies would want to make sure that this information did not get onto an unsecured part of the network and if it did, make sure it got cleaned in such a way that no one, from the casual user to the determined hacker, could recreate the data. Therefore, corporations need to create and implement procedures to prevent the contamination of networks, contain contaminations and eliminate contaminations from unsecured areas of their networks just as much as government organizations.

While researching this topic, I found several articles mentioning that corporations should sanitize their drives when the computer changes ownership along with suggestions of which software tools to use. This is and always should be a mandatory task. There are stories about some school receiving a Government computer and finding classified information still residing on the hard drive. The government has written several regulations, instructions, and manuals that address what the standards are for cleansing and what methods are appropriate. However, in my Internet search efforts, I did not find any articles of any type (and surprisingly no Usenet hits either) discussing exactly how companies should go about eradicating confidential information from unsecured areas of their network. So even though I am not in the corporate world, I will apply what I have learned to suggest some policies and procedures that can apply to both sectors, government and civilian. I will also share some lessons learned. Please note that while the terms “corporate” or “corporation” are used throughout the writing, this paper does apply to both the government and civilian sectors.

Before I begin, I would like to reference the reader to Robert E. McFarland’s paper “Incident Handling: The Art of Containing Compromised Information” (<http://www.sans.org/infosecFAQ/incident/containing.htm>) as I will use several of his terms. His article is straightforward and instructive, but I believe there are several areas that he missed and other areas that should be

expanded. McFarland introduces the concept of an Incident Coordinator (IR) who is responsible from initial call to the restoration of services. However, before this IR can begin to respond to the initial call regarding a compromise, there are several tasks he or she should accomplish before a compromise that will make his job easier during a compromise. These are listed below:

1. User Education
2. Building separate LANs for highly critical data
3. User Education
4. Content Filtering software (email, FTP)
5. User Education
6. Pre-Approved policy with specific Standard Operating Procedures (SOPs)

I know 1, 3 and 5 are the same, but the point is that you can't emphasize user education enough, it is your first line of defense to prevent compromises. This is one of those areas of security that you must depend on the user knowing how to correctly handle sensitive information. If the user knows what type of information he is working with and how he needs to protect it and follows through with that protection, you have solved 70 – 75% of your problem. I have found that most of the compromises I deal with occur because the user does not realize what the sensitivity is of the information he is handling. User education also increases user awareness; they go hand-in-hand. This prevents the fail-to-check syndrome, the next largest group of compromises I have seen. These happen when someone does not look at what is in the email or attachment he just got and forwards it onto someone(s) else. Then the user learns later that something in the email or attachment is sensitive in nature. Educating users to know what they are handling and to be aware of what (and how) they are sending it can significantly reduce your number of compromises. The last type of compromises I have seen are mostly out of your control. These happen when someone from outside your organization sends you sensitive information. Hopefully, your content filtering software catches it and then you only have to scrub one machine. But if it doesn't, then you are launched into you SOPs regardless of how well you are set up.

Secondly, physically separate networks that have critical information and networks that house your everyday network. Everyone knows the government has separate LANs for handling different levels of classification. If your company is not doing this and can afford to set such a system up, it may be worth the effort especially if there is an airgap between the two networks. Provided you had no other remote access points, an airgap would really prevent any malicious outsiders from getting in!

Next, look into installing content filtering software at strategic points on your network. Place email content filters at your gateways to check for key words and block or quarantine mail containing those words. Do the same with FTP and Telnet servers. These content filters often are able to look several layers deep into files even if they are zipped. Run all web page and bulletin board postings past an Information Assurance Public Affairs person. This will

give you another layer of security to stop information compromise. Lastly, McFarland mentions having a pre-approved site policy, but what you need to include in this policy is a pre-approved Standard Operating Procedure (SOP) that tells *how* the Incident Response Team (IRT) will react and *who* will do *what, when*. This way when a compromise happens (and if you work in a corporation that deals with sensitive data, it's only a matter of time), anyone can pick up the SOP and act as the IR.

When writing the SOP, it is important to clearly state to order in which work will flow and the order in which to make decisions. These must be shown and people trained in a manner everyone involved can understand or events will happen out of sequence creating chaos. Chaos will only result in longer recovery times and missed tasks. The other thing to make sure of is that each position is not one deep and the contact information for everyone is include in the SOP or somewhere within reach. Keep this information up to date! It will not look good because you cannot do a server restore because the person responsible is on vacation or no one has the number of the new employee yet. The SOP needs to take into account if a spillage occurs during business hours, after business hours or on the weekend. Remember, there might be a different chain of events and contact personnel for each scenario. One final word on the SOP, the IR, or someone designated by him, should be the central contact. This central contact makes sure that procedures don't get out of step, decisions are not made prematurely, the right people are called and whoever is next is standing by. The coordination effort done by the central contact creates a smooth process from beginning to end.

Now what happens when a compromise occurs? The IR person is contacted and he should collect all the information suggested by McFarland AS WELL AS the Notifier's contact information. I can't tell you how many times we needed more detailed information to accomplish a cleansing only to find no one knows how to get in touch with the Notifier, who has that information or thinking his job is done, the Notifier has gone home! So I strongly suggest getting as much contact information as you can in the beginning, the Notifier, his Boss, etc and the cleansing will go smoother later.

Now that the IR has all the information about the compromise, here is where having the SOP pre-approved makes a big difference. Since the SOPs are pre-approved, everyone on the IRT should have a copy and as soon as they get the call can run off and do what they need to do. Everyone is one the same sheet of music and if your boss comes by and wants to know how things are going, you are able to immediately point to the step in the procedure you are at and give a status report. The first step that needs to be done is determine how extensive is the contamination and what needs to be done to stop it from spreading any further. This gives you an idea of how much effort will be needed for cleanup.

With everyone marching to the same beat, only one thing can slow the procedure down; determining cleansing level. There needs to be a step in your SOP where a decision is made to determine what type of sanitization should be done. This is an individual corporation decision, what may fit for one

corporation will not fit for another. Some corporations may feel the all its sensitive information is of such a level that if a compromise occurred, the media should be protected in the most stringent manner possible. Other corporations may feel they have different levels of data, some requiring stringent overwrites and others simply deletions. However your corporation feels, a decision must be made either before hand (a decision matrix included in SOP) or the decision maker must be contacted to render her judgment.

Based on that decision, there are several options to cleansing the media. First, you can just delete the data and continue on with business. This is short and sweet and will get you up and running again fast, but keep in mind that this will not get rid of the information as the data still physically resides on the disk. A malicious user can use commonly available software to retrieve that data remotely or locally from the hard drive.

The next level of cleansing is to overwrite the data. Since just deleting the data does not get rid of it, a number of vendors have created software that overwrites the spot on the hard drive where the data resided. With these products you can either select to overwrite the freespace on the hard drive, or you can choose a specific directory or file. To create a high degree of certainty that the information will be unrecoverable, you should have the software run at least three passes. The first pass should be bytes of 1s, the second pass bytes of 0s and the third pass bytes of a random mix. This method will prevent anyone sitting at the console or gaining remote access from recovering the deleted data. Several of these products claim to adhere to government standards. If the manufacturer shows you that their software overwrites according to the pattern above, they are conforming to government overwriting standards. However, if someone gains physical access to the media, they can still recover some or all of the information residing on it. The methods are tedious and time consuming, but if your enemy has the motivation and the money, it is possible.

Therefore, the last cleansing level is for the paranoid. The usually only applies to the government, but perhaps you owned a large software development company somewhere out west. If you were getting rid of computers that had been used to develop the latest version of your new OS, I think your competitors would have the motivation and money to invest in the tedious and time consuming methods needed to extract information off those hard drives! Consequently, you probably want to destroy any media with such sensitive information. This can be done by several methods including burning, sanding, sledgehammer and degaussing. (A note about degaussing: it is possible for certain types of media using the proper degaussing device to be degaussed without destruction. Please see "A Guide to Understanding Data Remanence in Automated Information Systems" NCSC-TG-025, <http://secinf.net/info/rainbow/tg25.htm> for more details). This will virtually ensure the data is unrecoverable in any kind of convenient time period, if ever.

You must have procedures in place to clean other media as well. The first thing is the backup tapes. You must properly handle all the contaminated tapes. Decide if the tapes should be labeled and stored in a secure area in case

non-sensitive information is needed off them or if the tapes should be destroyed. Tapes can also be erased or immediately (that night) overwritten. Also, consider if the data has been printed, saved to floppy or other removable media or put on a PDA. If it has been printed, collect the paper copies. If copied to a floppy, then you must delete, overwrite or destroy the floppy. The PDA needs to have its memory cleaned according to manufacturers instructions. This usually involves a hard reset. If the data was burned to a CDROM, the CD needs to be destroyed. This is accomplished either by breaking the CD or sanding it down so the data cannot be read by any CDROM drive.

Now that you have eradicated the sensitive data, you must bring everything back into operational status. Sometimes this is as simple as rebooting the PC. However there may be additional steps for certain systems. If the hard drive was destroyed then a new one needs to be installed. Email systems and databases may need to be restored from the last uncontaminated backup. The IRT needs to be prepared for each of these contingencies to minimize network downtime. Your boss is primarily concerned with two things: a clean system and getting back to business as quickly as possible. In my experience, he mostly will be more concerned with the latter. Therefore, it is your job to make sure your procedures expedite a quick return to full operational status after a proper cleansing.

The last item is to prepare an after action report. This report should tell who did what when and how big an effect the compromise caused in personnel, dollars and/or equipment. Then upper management should decide if any punishment is merited and what that punishment should be. Again, this should have been spelled out beforehand in policy so no one can claim ignorance or bias. The reports generated can be used to keep statistics. This way any upward trends in the number of compromises are noticed and actions taken to reverse the trend. Such actions might include increased user education, increased consequences or better network controls.

Here are some final tips. Constantly review your SOP. Each compromise that occurs will give you a chance to refine them further. I have had to work a number of compromises and our SOPs now can be run without my even being present. Be flexible, your boss might change how he wants the SOPs carried out due to what is happening on the job that day. However, do not give up on the goal of cleansing the systems. Always look for ways technology can make your job easier and quicker. If a technology comes out that shortens your overwrite time in half, your boss is more likely to support that option. If you plan well and show how smoothly your SOPs work, your boss will take confidence in the procedure and have faith in you enabling you to accomplish the task of restoring the system to full operations as quickly as possible while ensure the confidentiality of the information on it.

## Sources:

Boran, Sean (1999) An Overview of Corporate Information Security, Retrieved August 15, 2001 from the World Wide Web:  
<http://secinf.net/info/policy/coverstory19991213.html>

A Guide to Understanding Data Remanence in Automated Information Systems NCSC-TG-025, Retrieved August 15, 2001 from the World Wide Web:  
<http://secinf.net/info/rainbow/tg25.htm>

Williams, Jim (2000) Deleted Files – Still There, Retrieved August 15, 2001 from the World Wide Web:  
<http://netsecurity.about.com/library/weekly/aa070300a.htm>

CSL Bulletin Advising users on computer systems technology (1992), Retrieved August 15, 2001 from the World Wide Web:  
<http://csrc.nist.gov/publications/nistbul/csl92-10.txt>

McFarland, Robert E., (2000) Incident Handling: The Art of Containing Compromised Information, Retrieved August 15, 2001 from the World Wide Web: <http://www.sans.org/infosecFAQ/incident/containing.htm>

Haley, Kelly S., (2001), The Unintentional Disclosure of Digital Data, Retrieved August 15, 2001 from the World Wide Web:  
<http://www.sans.org/infosecFAQ/incident/disclosure.htm>

© SANS Institute 2001



# Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Las Vegas 2018	Las Vegas, NVUS	Jan 28, 2018 - Feb 02, 2018	Live Event
Cyber Threat Intelligence Summit & Training 2018	Bethesda, MDUS	Jan 29, 2018 - Feb 05, 2018	Live Event
SANS Miami 2018	Miami, FLUS	Jan 29, 2018 - Feb 03, 2018	Live Event
SANS London February 2018	London, GB	Feb 05, 2018 - Feb 10, 2018	Live Event
SANS Scottsdale 2018	Scottsdale, AZUS	Feb 05, 2018 - Feb 10, 2018	Live Event
SANS SEC455: SIEM Design Beta One 2018	Arlington, VAUS	Feb 12, 2018 - Feb 13, 2018	Live Event
SANS Southern California- Anaheim 2018	Anaheim, CAUS	Feb 12, 2018 - Feb 17, 2018	Live Event
SANS Secure India 2018	Bangalore, IN	Feb 12, 2018 - Feb 17, 2018	Live Event
SANS Brussels February 2018	Brussels, BE	Feb 19, 2018 - Feb 24, 2018	Live Event
SANS Secure Japan 2018	Tokyo, JP	Feb 19, 2018 - Mar 03, 2018	Live Event
Cloud Security Summit & Training 2018	San Diego, CAUS	Feb 19, 2018 - Feb 26, 2018	Live Event
SANS Dallas 2018	Dallas, TXUS	Feb 19, 2018 - Feb 24, 2018	Live Event
SANS New York City Winter 2018	New York, NYUS	Feb 26, 2018 - Mar 03, 2018	Live Event
CyberThreat Summit 2018	London, GB	Feb 27, 2018 - Feb 28, 2018	Live Event
SANS London March 2018	London, GB	Mar 05, 2018 - Mar 10, 2018	Live Event
SANS Secure Singapore 2018	Singapore, SG	Mar 12, 2018 - Mar 24, 2018	Live Event
SANS Secure Osaka 2018	Osaka, JP	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS San Francisco Spring 2018	San Francisco, CAUS	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS Paris March 2018	Paris, FR	Mar 12, 2018 - Mar 17, 2018	Live Event
SANS Northern VA Spring - Tysons 2018	McLean, VAUS	Mar 17, 2018 - Mar 24, 2018	Live Event
SANS Munich March 2018	Munich, DE	Mar 19, 2018 - Mar 24, 2018	Live Event
SANS Pen Test Austin 2018	Austin, TXUS	Mar 19, 2018 - Mar 24, 2018	Live Event
ICS Security Summit & Training 2018	Orlando, FLUS	Mar 19, 2018 - Mar 26, 2018	Live Event
SANS Secure Canberra 2018	Canberra, AU	Mar 19, 2018 - Mar 24, 2018	Live Event
SANS Boston Spring 2018	Boston, MAUS	Mar 25, 2018 - Mar 30, 2018	Live Event
SANS 2018	Orlando, FLUS	Apr 03, 2018 - Apr 10, 2018	Live Event
SANS Abu Dhabi 2018	Abu Dhabi, AE	Apr 07, 2018 - Apr 12, 2018	Live Event
Pre-RSA&reg: Conference Training	San Francisco, CAUS	Apr 11, 2018 - Apr 16, 2018	Live Event
SANS Zurich 2018	Zurich, CH	Apr 16, 2018 - Apr 21, 2018	Live Event
SANS London April 2018	London, GB	Apr 16, 2018 - Apr 21, 2018	Live Event
SANS Dubai 2018	OnlineAE	Jan 27, 2018 - Feb 01, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced