



Interested in learning  
more about security?

# SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

## Electronic Toll Collection

Since 1992 active Radio Frequency Identification (RFID) tags have been used in vehicles to automate the toll process on toll roads, bridges, and tunnels in a process called Electronic Toll Collection (ETC). These tags are mounted to the windshield or externally surrounding the license plate on a vehicle and read as the vehicle proceeds without stopping through special lanes at the toll plaza. This paper looks at the security behind these transactions and the possibility for this toll process to be compromised. It also ...

Copyright SANS Institute  
Author Retains Full Rights

AD



MobileIron

EMM Strategy on the right track?  
Know your security risks.

TAKE THE ASSESSMENT

# Electronic Toll Collection

An Introduction and Brief Look at Potential Vulnerabilities

Name: Don Flint  
Submitted: April 27, 2004  
Certification: GSEC  
Version: 1.4b  
Option: 1

## Table of Contents

Table of Contents .....	i
Abstract .....	ii
Introduction .....	1
Electronic Toll Collection Overview .....	1
Automatic Vehicle Classification (AVC) .....	2
Automatic Vehicle Identification (AVI).....	3
Violation Enforcement (VE) .....	3
Vulnerable Points and Exploitation.....	3
Nonpayment .....	4
Jamming .....	4
Eavesdropping .....	5
Collection .....	5
Build Your Own Token .....	6
Infrastructure Vulnerabilities .....	6
Backbone Connectivity.....	6
The Databases.....	7
Other Information Stores.....	7
Summary.....	7
References:.....	9

© SANS Institute 2004, Author retains full rights

## Abstract

Since 1992 active Radio Frequency Identification (RFID) tags have been used in vehicles to automate the toll process on toll roads, bridges, and tunnels in a process called Electronic Toll Collection (ETC). These tags are mounted to the windshield or externally surrounding the license plate on a vehicle and read as the vehicle proceeds without stopping through special lanes at the toll plaza. This paper looks at the security behind these transactions and the possibility for this toll process to be compromised. It also addresses the supporting infrastructure briefly as a standard banking network. Given the state of the art within the automated toll collection process and systems, it is indeed possible to cheat this system through a variety of means on a small scale. However all of the methods to cheat have inherent in them significant risk of identification and thus prosecution. The backend infrastructure should be further examined for large-scale disruption potential.

© SANS Institute 2004, Author retains full rights.

## Introduction

One of the biggest complaints of motorists using toll roads is the congestion and delay caused by stopping to pay at the tollbooths. Many toll authorities have searched for ways to improve the toll collection process. Over the last decade, a significant improvement in this process was implemented and dubbed Electronic Toll Collection (ETC). As these ETC systems are gaining widespread use throughout the country and even the world, efforts are being made to improve and expand their interoperability similar to the way home bulletin board systems (BBS) grew first into local networks and finally into Internet Service Providers (ISPs). There may come a day in the not too distant future where automobiles have built-in transponders that can be registered with the local toll authority yet used throughout the country for toll roads and parking.

On the east coast of the United States, the E-Z Pass ETC system (also called EZPass, EZ Pass, EZ-Pass and even Easy Pass) is an example of an interoperable ETC system which appears to be the forerunner of an ETC system spanning the entire continent. It includes the New York State Thruway Authority and the New York Bridge Authority in New York, The Port Authority of NY and NJ, the Massachusetts Transportation Authority Bridges and Tunnels, Delaware Department of Transportation (DelDOT), and taking in such smaller systems as the SmartTAG in Virginia and the M-Tag system in Maryland. A listing of the current participating toll systems can be found on the E-Z Pass [website](#)<sup>1</sup>. E-Z Pass ETC will be used as the primary example system for the remainder of this paper.


## Electronic Toll Collection Overview

The following figure from “Your Guide to E-ZPass” shows the basic toll plaza configuration for an ETC system.

---

<sup>1</sup> <http://www.ezpass.com/static/info/facilities.shtml>

**Figure 1: How the E-ZPass System Works<sup>2</sup>**



The toll plaza equipment consists of a lane controller, toll violation cameras, treadles, variable message signs (VMS), detector loops, and lane transponders. The lane controller coordinates all of the information from each transaction and interacts with the Plaza Local Area Network (LAN). The Plaza LAN connects either via wide area network (WAN) or direct connection to the appropriate service center for the toll road in question.

Each of the participating E-Z Pass toll authorities maintain their own service centers that issue the transponders and maintain the accounts for their local patrons. The centers receive and correlate all of the transactions from the toll plazas it services and adjusts the accounts of the patron, then sending the transaction result back to the plaza within milliseconds. These centers interact when patrons from one center use the toll services of another center.

ETC is generally broken up into three pieces; automatic vehicle classification (AVC), automatic vehicle identification (AVI), and violation enforcement (VE).

### ***Automatic Vehicle Classification (AVC)***

Classification of the vehicle is extremely important for those plazas where the fare is dependant on the number of axles on the vehicle, a very common case throughout the E-Z Pass ETC. Sensors, called treadles, are embedded in the roadway to count the axles and determine the tire width. Additional sensors similar to the motion sensors found on automated doors detect the presence of the vehicle and help distinguish and individualize the vehicles. Such sensors use the latest technologies magnetic induction loops, treadles, and laser imaging.

<sup>2</sup> [http://www.ezpass.com/static/downloads/i\\_guide.pdf](http://www.ezpass.com/static/downloads/i_guide.pdf) "Your Guide to E-ZPass" 11/02

## **Automatic Vehicle Identification (AVI)**

The AVI component of the system consists of the RFID transponder such as the one seen to the right<sup>3</sup> is located in the automobile and the equipment to communicate with the transponder located at the toll plaza and the License Plate Recognition (LPR) subsystem, a good primer of which can be found at [License Plate Recognition - A Tutorial](#)<sup>4</sup>. While the toll plaza RFID transponder equipment is generally called a reader, in most ETC systems it can also write information to the vehicle transponder such as the time, date, location and vehicle class of the transaction.



## **Violation Enforcement (VE)**

Violation enforcement consists of using the identification elements gathered from the AVC and AVI components along with additional information such as license plate and vehicle images to allow authorities to collect from and/or prosecute those who violate the electronic toll plaza. Typical ETC violations are:

- Use of electronic toll collection lanes without a vehicle transponder,
- Insufficient funds in the associated account for identified transponders,
- Use of a transponder from a low-toll vehicle such as a car with two axles in a high-toll vehicle such as a tractor trailer.

## **Vulnerable Points and Exploitation**

In The Art of War<sup>5</sup>, Sun Tzu laid out the maxim that it is important to know your opponent in order to beat them. That maxim applies as much in the cyber world as elsewhere. For someone to take advantage of weaknesses within the system, those weaknesses must be known. There are two main types of vulnerability points for the ETC systems. The first type of vulnerability is to the backbone infrastructure, a traditional network security puzzle unique only in the end elements that make it up. The second type of vulnerabilities is at the toll plaza during a transaction.

Focusing on the latter vulnerability first shows that in truth, some of the weaknesses are taken advantage of unwittingly every day but are counted as luck or chance on the part of the recipient. Since the reader system is not perfect

<sup>3</sup> <http://www.state.nh.us/dot/graphics/ezpassmodule.jpg> from <http://www.state.nh.us/dot/turnpikes/ezpass.htm>, the New Hampshire Department of Transportation website announcing the new E-Z Pass installation.

<sup>4</sup> <http://www.licenseplaterecognition.com/> License Plate Recognition - A Tutorial

<sup>5</sup> <http://www.chinapage.com/sunzi-e.html> "SUN TZU ON THE ART OF WAR THE OLDEST MILITARY TREATISE IN THE WORLD" Chapter 3, Verse 18.

but runs at accuracy in the 98% to 99%<sup>6</sup> range, many people each day pass by the tolls either without being charged at all, or by being wrongly charged. It is up to the consumer to complain when s/he has been wrongly overcharged, but the system does not know to whom the charge should be redirected so it is thrown out. The transponders are generally only good for a year or two before the embedded battery needs replacing.

Counting on being in the inaccurate range and not on the overcharged side would not really be considered exploiting the system. The patron has little control over these items. However, the patron can influence the transaction process in multiple ways. The influence is only for the single transaction and does not affect the other patrons sharing the toll facility.

### ***Nonpayment***

One of the most obvious points at which to fool the system is during the collection phase. It is the equivalent of dropping the dime in the basket of mechanical toll systems or handing the cash over to that smiling and friendly tollbooth operator. Fooling the system is easy. Getting away with it isn't. The easiest way to fool it is simply to drive through the electronic collection lane without a transponder. This will be immediately recognized by the system, however most of the toll plazas have no mechanism for stopping the offender, in fact they want traffic to keep flowing and state specifically that should the red light indicate non-toll collection, the driver should keep going to avoid delays and/or accidents. The system operators would like you to call them and provide payment for the missed tolls. They can try to get your vehicle information from the appropriate Department of Motor Vehicles and then either send you a bill on their own or forward the information of the non-payment to law-enforcement for prosecution. However, since the payback is so small and the costs to recover so large, the authorities seem to tolerate some slippage in the system, especially given that the system is not 100% accurate. Just remember that the modern toll plaza does have those wonderful cameras taking pictures of the license plates and, in some cases, of the drivers.

### **Jamming**

Ok, so most of the time you want to be able to appear to be a legitimate user. Your daily commute is improved by use of the faster toll lanes. In another state on vacation you decide to avoid both the hefty tolls and the tracking of your movements so you pop your transponder off the window and drop it in the convenient "read prevention" bag supplied by Customer Service or purchased from one of the other available online sources such as the mCloak from mobileCloak<sup>7</sup> and race through the electronic toll collection lane. Whoops. As a

---

<sup>6</sup> <http://www.nbc6.net/print/1419822/detail.html>

<sup>7</sup> <http://startsimple.com/mobilecloak/index.html>



registered user of the system, your license tag is known to the system and the system operators don't have to query DOT to find out who you are or where you live. Once they figure out which car went through based on the AVI subsystem, they don't have to send it to collections, they will just deduct it from your account and send you a notice that your tag is not working. Still, all is not lost. At this point you can wait to see if they call and ask for their money or if they just tack it on to your bill. Still, without the reader the identification is less accurate though made much better due to improvements in the hardware and software for LPR in recent years.

## Eavesdropping

Is the system subject to eavesdropping and replay attacks? Is it possible to sit on the side of the road near a toll plaza, perhaps with some feigned automotive problem, and collect the transaction? It would take some pretty intensive equipment but it is possible. With the signal, you can try to either replay it directly, or decode it and grab out just the responses to replay. Some of the difficulties in this technique are:

- Encoded Signals: the signals are encoded using the Manchester Encoding scheme<sup>8</sup>. While the Manchester encoding is not encryption, it does require implementing the correct decoding algorithm to obtain the original signal.
- Directional Antennas/Weak Signals: the antennas on both the auto and in the toll lane are highly directional, not only for security but to reduce cross-talk between toll lanes.

Once the signals have been collected and processed, there is still the difficulty of replaying the signals or creating a new RFID token with the stolen information (see Build Your Own Token below). Analysis of the signal itself is beyond the scope of this introduction but could provide an interesting follow-up research topic.

## Collection

With all of those cars in the parking lot with their tags so prominently displayed in the window it is tempting to consider borrowing one of them to provide legitimate identification. The truly devious would steal two tags, putting the first in the place of the second so the auto owner doesn't report a stolen tag, then using the second one. Switching tags every few days would leave a confusing trail for law enforcement to unravel. On the down side once again are the cameras and other components of the AVI and VE systems designed to identify such tag uses, even after the fact. On the up side, by switching tags, the AVI system will also tag those innocents as wrongdoers and provide for plausible deniability. This technique suffers from the repeated breaking into automobiles to switch tokens, each even increasing the risk of being caught and with much greater

---

<sup>8</sup> <http://homepage.ntlworld.com/matthew.rowe/micros/virbook/manchest.htm>

consequences than simple toll evasion.

### **Build Your Own Token**

The easiest way to build your own token is if you have physical access to the ETC transponder and a transponder tag programmer such as those offered by Sirit Technologies<sup>9</sup>. In addition to the detailed information about the system and programming of the tokens, one crucial piece of information would be required, the transponder ID. This can be obtained in one of three ways:

- Eavesdropping at a toll plaza,
- Make one up,
- Copy one from another transponder.

As with most other certificate-based systems, without the server having the information about the client, it doesn't do any good to put a fake certificate out there. It will just read as an error and raise a flag in the system. On the other hand, it could be seen as a normal system error and ignored. Still, the cameras looking at the license plates will probably eventually be checked to see if it is a valid user.

### **Infrastructure Vulnerabilities**

Instead of trying to thwart the collection process directly, someone could look at the infrastructure that supports the ETC system. From the viewpoint of malicious intent greater in scale than simple toll fraud, the infrastructure is where it would make the most sense to concentrate efforts. According to a prepublication copy of a report, "Cybersecurity of Freight Information Systems,"<sup>10</sup> the trucking system carries over \$7 trillion and nearly 11 billion tons of cargo annually. On the east coast, many of the trucks carrying this cargo are equipped with E-Z Pass transceivers. A wide-scale shutdown of the E-Z Pass ETC would cause massive delays and disruption to that freight system. Fortunately, the E-Z Pass system is decentralized making it more difficult to affect multiple centers. Unfortunately, it also means there are more ingress points that need to be secured.

### **Backbone Connectivity**

The backbone network for the E-Z Pass systems are, for the most part, sonnet fiber optic networks run from the toll plazas back to the customer service centers. Connection between the service centers utilizes the same types of networks found throughout the rest of cyberspace; leased lines, VPNs, and private networks. The details of this connectivity is not publicly available over the Internet but would a good topic for follow-up research.

---

<sup>9</sup> <http://www.sirit.com/default.asp?sectionID=4&action=open&pageID=25>

<sup>10</sup> [http://www.securitymanagement.com/library/Freight\\_cybersecurity1003.pdf](http://www.securitymanagement.com/library/Freight_cybersecurity1003.pdf)

## The Databases

All of the patron information is stored in various databases at the customer service centers servicing a particular toll segment. Due to the information contained in these databases, they are required to be protected under various privacy acts. Coordination between these databases is constant as patrons transit the entire E-Z Pass network. These databases are the true crown jewels in the ETC systems and should be the most protected. Compromise of these databases could yield anything from a single patron being able to avoid tolls to complete shutdown of the entire ETC system.

Information about the specifics of these databases was not publicly available over the Internet despite numerous searches. This information would need to be obtained either from an insider or by compromise of the external protections or possibly by careful search through and analysis of public reports from the toll authorities. Unfortunately such search is beyond the scope of this introduction but would be a good topic for follow-up research.

## Other Information Stores

The E-Z Pass system provides email notification to users who register for such service. The email portion of the system was hacked into in late 2000 by Christopher Reagoso<sup>11</sup> to demonstrate a system vulnerability<sup>12</sup>. The information on the account was put in a static web page without authentication and the URL emailed to patrons. By replacing the account number in the URL with another, Reagoso was able to view the usage information of other patrons, but not able to directly access the backend datastore about that patron such as address and credit card information. Needless to say that particular hole was patched very quickly.

While the account usage hole discovered by Reagoso was certainly an embarrassment to the E-Z Pass system, it was not a vulnerability that could be directly exploited to shut down the system. Further, it did not provide access to the back-end databases which are of primary importance. It was, however, an indication that security is not the primary driver in the development and maintenance of the E-Z Pass data resources.

## Summary

While it is quite easy to circumvent the security at the toll plaza for the new RFID based electronic toll collection systems, it is not easy to continue to get away with it. These transactions are quite small in scale and do not offer the possibility of mass disruption.

---

<sup>11</sup> <http://archive.infoworld.com/articles/hn/xml/00/10/25/001025hnezpass.xml> InfoWorld, October 25, 2000.

<sup>12</sup> <http://md.hudora.de/blog/guids/17/72/0001024000001577.html>

The back-end networks appear to be as secure as most other online transactions and perhaps even a bit more so since they are being treated as banking applications. Detailed information about the structure and composition of these networks and their interconnections and protections are not publicly available. While many website abound to provide consumer information about the E-Z Pass system, none of them seem to be run by the companies hired to actually run the infrastructure. Further research into the infrastructure security is where effort still needs to be concentrated to ensure the ETC link in the transportation system does not become the weak link enabling terrorist or other cyber warriors a viable target.

© SANS Institute 2004, Author retains full rights

## References:

1. Vollmer Associates, LLP "E-Z Pass Evaluation Report." August 2000. URL: [http://www.itsdocs.fhwa.dot.gov/ipodocs/repts\\_te/@6L01!.pdf](http://www.itsdocs.fhwa.dot.gov/ipodocs/repts_te/@6L01!.pdf)
2. Dornseif, Maximillian. "EZ-Pass discovers risk of sending URLs instead of actual text." October 2000. URL: <http://md.hudora.de/blog/guids/17/72/0001024000001577.html>
3. Grygo, Eugene. "New Jersey Turnpike electronic toll collection system hacked." October 2000. Infoworld url <http://archive.infoworld.com/articles/hn/xml/00/10/25/001025hnezpass.xml>
4. Sirit Technologies. "Electronic Toll & Traffic Management, Tag Programmers." 2003. URL: <http://www.sirit.com/default.asp?sectionID=4&action=open&pageID=25>
5. Dattalo, Scott "Manchester encoding explained." URL: <http://homepage.ntlworld.com/matthew.rowe/micros/virbook/manchest.htm> (March 2004)
6. NBC 6. "SunPass Glitches Cause Concern, NBC 6 Investigative Report: Overcharged By SunPass." 2002 URL: <http://www.nbc6.net/print/1419822/detail.html>
7. Pei, Ming L. "SUN TZU ON THE ART OF WAR, THE OLDEST MILITARY TREATISE IN THE WORLD." 1995-2004 URL: <http://www.chinapage.com/sunzi-e.html> Translated from the Chinese By LIONEL GILES, M.A. (1910)
8. New Jersey E-Z Pass Customer Service Center. "E-Z Pass Customer Reference Guide." URL: [http://www.ezpass.com/static/downloads/i\\_guide.pdf](http://www.ezpass.com/static/downloads/i_guide.pdf)
9. New Hampshire Department of Transportation. "New Toll Collection System and E-ZPass Implementation Project Status Update..." URL: <http://www.state.nh.us/dot/turnpikes/ezpass.htm>
10. Hi-Tech Solutions, Hofman, Yoram. "License Plate Recognition - A Tutorial." May 2003. URL: <http://www.licenseplaterecognition.com/>
11. New Jersey E-Z Pass Customer Service Center. "Summary of Facilities Accepting E-ZPass." URL: <http://www.ezpass.com/static/info/facilities.shtml>
12. Wilson & Company, Inc. "C-470 Corridor, Glossary of Definitions." October 2003. URL: <http://www.c470.info/glossdefs.html>
13. National Research Council of the National Academies. "Cybersecurity of Freight Information Systems, A Scoping Study." 2003. URL: [http://www.securitymanagement.com/library/Freight\\_cybersecurity1003.pdf](http://www.securitymanagement.com/library/Freight_cybersecurity1003.pdf) United States, ISBN 0-309-08555-1



# Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Madrid 2017	Madrid, ES	May 29, 2017 - Jun 03, 2017	Live Event
SANS Atlanta 2017	Atlanta, GAUS	May 30, 2017 - Jun 04, 2017	Live Event
SANS San Francisco Summer 2017	San Francisco, CAUS	Jun 05, 2017 - Jun 10, 2017	Live Event
Security Operations Center Summit & Training	Washington, DCUS	Jun 05, 2017 - Jun 12, 2017	Live Event
SANS Houston 2017	Houston, TXUS	Jun 05, 2017 - Jun 10, 2017	Live Event
SANS Thailand 2017	Bangkok, TH	Jun 12, 2017 - Jun 30, 2017	Live Event
SANS Milan 2017	Milan, IT	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Charlotte 2017	Charlotte, NCUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Secure Europe 2017	Amsterdam, NL	Jun 12, 2017 - Jun 20, 2017	Live Event
SEC555: SIEM-Tactical Analytics	San Diego, CAUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Rocky Mountain 2017	Denver, COUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Minneapolis 2017	Minneapolis, MNUS	Jun 19, 2017 - Jun 24, 2017	Live Event
DFIR Summit & Training 2017	Austin, TXUS	Jun 22, 2017 - Jun 29, 2017	Live Event
SANS Columbia, MD 2017	Columbia, MDUS	Jun 26, 2017 - Jul 01, 2017	Live Event
SANS Cyber Defence Canberra 2017	Canberra, AU	Jun 26, 2017 - Jul 08, 2017	Live Event
SANS Paris 2017	Paris, FR	Jun 26, 2017 - Jul 01, 2017	Live Event
SEC564:Red Team Ops	San Diego, CAUS	Jun 29, 2017 - Jun 30, 2017	Live Event
SANS London July 2017	London, GB	Jul 03, 2017 - Jul 08, 2017	Live Event
Cyber Defence Japan 2017	Tokyo, JP	Jul 05, 2017 - Jul 15, 2017	Live Event
SANS Los Angeles - Long Beach 2017	Long Beach, CAUS	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS Cyber Defence Singapore 2017	Singapore, SG	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS ICS & Energy-Houston 2017	Houston, TXUS	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS Munich Summer 2017	Munich, DE	Jul 10, 2017 - Jul 15, 2017	Live Event
SANSFIRE 2017	Washington, DCUS	Jul 22, 2017 - Jul 29, 2017	Live Event
Security Awareness Summit & Training 2017	Nashville, TNUS	Jul 31, 2017 - Aug 09, 2017	Live Event
SANS San Antonio 2017	San Antonio, TXUS	Aug 06, 2017 - Aug 11, 2017	Live Event
SANS Prague 2017	Prague, CZ	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Hyderabad 2017	Hyderabad, IN	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Boston 2017	Boston, MAUS	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Salt Lake City 2017	Salt Lake City, UTUS	Aug 14, 2017 - Aug 19, 2017	Live Event
SANS New York City 2017	New York City, NYUS	Aug 14, 2017 - Aug 19, 2017	Live Event
SANS Virginia Beach 2017	Virginia Beach, VAUS	Aug 21, 2017 - Sep 01, 2017	Live Event
SANS Stockholm 2017	OnlineSE	May 29, 2017 - Jun 03, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced