



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

An Overview of SecureIIS - Are We Really Secured Now?

The objective of this practical paper is to understand how our IIS can be protected using an application firewall. There are many application firewalls available on the market - commercial and free/shareware such as eSafe, BlackIce, ZoneAlarm, and Norton Firewall to name a few. This paper, hopefully, will assist system administrators and organizations in making decision to protect their web servers.

Copyright SANS Institute
Author Retains Full Rights

AD

DEEPAARMOR®

An Overview of SecurellS – Are we really secured now?

Table of Contents

1	Introduction	1
2	Securities Issues	1
3	Conventional Protection	1
4	Installation	2
5	Configuration.....	3
6	Evaluation Requirements	4
7	Functionality Tests	5
8	Probing Tests.....	5
9	Attack Tests	5
10	Test Results.....	6
10.1	Functionality Tests	6
10.2	Probing Tests.....	6
10.3	Attack Tests	7
11	Summary	9
12	List of Reference	9
13	Test Results and Logs.....	11
13.1	Functionality Test Log	11
13.2	Probing Test Log.....	11
13.3	Attack Test Log.....	15

© SANS Institute 2001, Author retains full rights

1 Introduction

The objective of this practical paper is to understand how our IIS can be protected using an application firewall. There are many application firewalls available on the market – commercial and free/shareware such as eSafe, BlackIce, ZoneAlarm, and Norton Firewall to name a few. This paper, hopefully, will assist system administrators and organizations in making decision to protect their web servers.

2 Security Issues

Since its debut, Microsoft Internet Information Server (IIS) has dominated huge percentage of web servers worldwide. IIS is used not only as static web server in small organization, but also as a backbone for dynamic and complex web server. The popularity of IIS has created both minor and major security issues. With an overwhelm security issues and patches released, the task in securing web server primarily IIS has become a nightmare job.

Majority of system administrators do not realize that securing or hardening their servers is also part of their job. Many assume that they can sit back and see their servers in action after installation completes. By default, IIS installation provides a minimum security protection for web server. This issue then leads to more hazardous dilemma such as hack attempt, defacement, and technology espionage.

To have a considerable secure web server, it requires some tedious tasks that includes patching as well as upgrading it. The patching process involves downloading series of patches and installing them on every single server. Owning one or two servers are such an easy task. Can you imagine when you are responsible for tens or maybe hundreds of servers? This calls for help.

Recently, Internet world has been swamped by Code Red Worm (CRW). It was first discovered in July 17 and its second version hit the Internet on Aug 4. As of July 18, a day after its outbreak, over 12,000 servers have been infected, and this number increased dramatically. The worm infects systems by manipulating on a known issue centered around .ida and .idq mapping relates to IIS Web servers. The original CRW only caused the Denial of Service (DoS) attack on White House server compared to the second CRW that creates a Trojan program on the web server for remote access. Apart from CRW attacks, web servers face many attack attempts from both known and unknown such as buffer overflow, folder traversal, and web mapping; it goes to as far as DoS and DDoS attacks.

3 Conventional Protection

As mentioned earlier, securing an IIS server is a tedious task. In Windows world, majority of the IIS problems lies around its operating system. These tribulations always been corrected with the issue of patches or service packs. Patches are released after the problem has been identified and corrected. However, they rarely go through

rigorous tests. Service Packs are a collection of all patches issued after the final release of product or the last service pack. They contain patches that have gone through rigorous test. System Administrators, normally have two choices in making sure the server is in the top performance – install small patches as soon as they are published or wait for the service pack. In many cases, waiting for service pack is essential. However, applying patches is equally vital when servers are exposed to major threats such as recent Code Red Worm attack. With the frequent release of patches, applying them is a tiresome task. Thus, web servers that are not patched are vulnerable.

Have you heard of eEye or eEye Digital Security? This company has been accredited with several important vulnerability discoveries on Microsoft's IIS recently. They have recently released an application that could ease system administrators' tasks called SecureIIS. What is SecureIIS? SecureIIS is an application firewall that will protect IIS from both known and unknown attacks.


SecureIIS wraps around IIS and works within it, verifying and analyzing incoming and outgoing Web server data for any possible security breaches. It combines the best features of Intrusion Detection Systems and Conventional Network Firewalls all into one. (Secureiis.com)

ZDNet's PC Magazine stated that application firewalls "work at the application layer and, acting as a server, accept packets from a client." Firewall can be implemented using both hardware and software or both. There are four types of firewalls techniques such as packet filter, application gateway, circuit-level gateway, and proxy server. Two or more of these techniques are commonly used. Application firewall will not replace Intrusion Detection Systems (IDS) as it is a complementary to IDS and traditional firewall because it is designed to protect specific service attack in which can stop both specific and general vulnerabilities.


Question remains, are we really secure when we have SecureIIS deployed? Since it protects both known and unknown attacks, shall we cross our arm and do nothing in patching our servers? Let's look at SecureIIS.

4 Installation

SecureIIS installation process is simple. The evaluation copy that I received was a full version with 30-days license. I was directed to download SecureIIS from eEye's secured site. After the installation complete, the first screen appeared as shown below.



To register, click on “Register” button and I was asked to enter the license key. To obtain the license key, you need to copy the reference code given by SecureIS to eEye’s website to get a license key. Copy that license key and you are a registered owner of SecureIS.



5 Configuration

To secure your web server is simple. Click “Arm” button to arm the protection, and click “Disarm” button to disable it.

SecureIS has categorized attack attempts into groups. They are:

- Buffer Overflows,
- ShellCode Protection,
- Keyword Filters,
- File Path Locks or Allowed Folders,
- HTTP Methods,
- Web Applications
- Miscellaneous

Buffer Overflows occurs when web servers have problems in handling request-header variables. SecureIIS checks the length of these variables that can prevent many potential buffer overflows. If a client sends a variable value with a length greater than specified in SecureIIS, the request will be denied and the attempt will be logged.

Allowed Folders feature allows SecureIIS to allow the client to access files that are in a set of allowable directories. This will stop attack such as "Directory Traversal Attacks".

HTTP Methods prevent many potential security risks involving the handling of unexpected HTTP request methods.

Keyword Filters protect server from a potential security risk that uses certain command shells. If a client makes a request that contains one of the selected keywords, the request will be denied and logged such as cmd.exe (located in winnt\system32), and root.exe (Code Red Worm II issue).

Web application section secures server that has Frontpage server extension installed. At the same time, it also protects against potential security in Exchange's Outlook Web Access.

Each group of SecureIIS has pre-determined rules protecting a web server, and some of these rules can be changed to meet security level. SecureIIS is able to protect web server installed with customized application or component, and it protects both encrypted and unencrypted session.

6 Evaluation Requirements

The evaluation was performed on Microsoft Windows NT4 Server and Windows 2000 Server. Both of them were installed and configured with default configuration (true for most of IIS worldwide), and updated with the latest service packs.

The test was divided into two major segments:

1. Web servers without SecureIIS installed or disarmed mode.
2. Web servers with SecureIIS installed or armed mode.

The objective of the test was to see whether SecureIIS performs as claimed in terms of its functionality and its protection against common attack such as probing.

For functionality test, tools used are listed below:

1. Netscape Navigator 4.x
2. Internet Explorer 5.x

For scanner tests, both commercial and freeware tools were used as listed below:

- A. Commercial tools
 - a. Retina 4.02

- b. Cybercop 3.5
- B. Freeware/shareware tools
 - a. NmapNT 2.35
 - b. CodeRed Scanner 2.1

For attack tests, IISHack and netcat were used to simulate the attack. Both tools are freeware available for downloading.

7 Functionality Tests

The objective was to certify that SecureIIS on does not effect normal browsing. For this test, I used two most popular browsers – Microsoft Internet Explorer and Netscape Navigator.

SecureIIS has a unique feature that allows the application to be enabled, called “arm” and “disarm” without restarting the server. This will ease administrative tasks

The test started in “disarm” mode, and I started by accessing both web servers. IIS log and SecureIIS logs were recorded as a reference. This information would be used for comparison as the test progressed. The test procedure would then be followed by arming the SecureIIS on both severs. New logs were recorded and analyzed against previous logs. The test was done on both secure and normal channel.

8 Probing Tests

The objective was to see how SecureIIS handles probe attack. The probing tests were done using tools listed earlier.

Vulnerability scanners would scan the web servers searching for loopholes using pre-defined policies or criteria, and displayed servers’ vulnerabilities. All logs were recorded.

9 Attack Tests

The objective here was to find out how SecureIIS protect web server from malicious attacks using web browser. The tests were conducted using web browser by launching several URL strings, as well tools such as IISHack and netcat.

Web browsers are common “tools” to launch a Unicode attacks. This can be done by replacing valid command with special characters to launch commands such as copy, create, or delete. IISHack and netcat are also common hacker tools to attack web server. IISHack and netcat are used to logon to web server using port 80, and launch a Trojan program to attack.

We simulated attack scenario using the command “cmd.exe.” The results are extracted from both IIS and SecureIIS log.

10 Test Results

10.1 Functionality Tests

Despite using SecureIIS in arm mode, IIS performs as usual without any hiccup (see IIS logs in Result Test Logs). SecureIIS produces access log located in its home folder namely "SecureIISLog.txt"

10.2 Probing Tests

Cybercop Scanner (running from lab2-2k)

Item	IIS 4	IIS 5
Without Secure IIS	Vulnerability detected: 1009 : Anonymous FTP check 1036 : WWW Web Server Version 1041 : Trace route to host 10037 : IIS newdsn.exe bug 10056 : IIS Association reveal webroot 10067 : IIS codebvws.asp Vulnerability	Vulnerability detected: 1008 : FTP Banner Check 1009 : Anonymous FTP check 1032 : ICMP time stamp obtained 1036 : WWW Web Server Version 1041 : Trace route to host
With Secure IIS	Vulnerability detected: 1008 : FTP Banner Check 1009 : Anonymous FTP check 1036 : WWW Web Server Version 1041 : Trace route to host	Vulnerability detected: 1008 : FTP Banner Check 1009 : Anonymous FTP check 1032 : ICMP time stamp obtained 1036 : WWW Web Server Version 1041 : Trace route to host

Comment:

We noticed that when SecureIIS was armed, there was no vulnerability detected on IIS4. IIS5 however, there was no different in result whether IIS was armed or not.

NmapNT

Items	IIS 4	IIS 5
Without Secure IIS	6 ports were scanned open. (Refer appendix B)	Too many of open ports scanned. (Result appendix B)
With Secure IIS	Same result as above	Same result as above

Comments:


NmapNT is best used to scan any open port on remote server. All reports show no vulnerability except ports opened.

Retina


Items	IIS 4	IIS 5
With Secure IIS		

Traversal Attacks (using Netscape Navigator)

Without Secure IIS



With Secure IIS



Comments:

I tried both IE and Navigator browsers in simulating the Unicode and traversal attacks. The traversal attacks together with Unicode string is a common attack on web server. The results show that SecureIIS does not allow any keyword listed in “keyword filtering” being processed. Traversal attacks are also prevented from occurring.

IISHack and netcat

Items	IIS 4	IIS 5
Without Secure IIS	Able to connect and manipulated the server	Able to connect and manipulated the server
With Secure IIS	Unable to connect	Unable to connect

Comments:

IISHack and netcat are two separate Trojan programs used to break into remote servers using abnormal port. SecureIIS does protect this intrusion from occurring as shown in table result.

11 Summary

Most of the techniques presented here were commonly used by both security professionals as well hackers. By using combination of those techniques, ones can bypass many firewalls and make contact with web servers. Once the web servers are their hands, the entire network is on their mercy.

Protecting servers requires a lot of task. It starts from they day of installation, and keeping all servers attack-free is a tedious work, from monitoring to installing patches and service packs.

The recent case of Code Red Worm and a mutation of the worm such as Code Red Worm II, pose a continued and serious threat to Internet users. Immediate actions must be taken to combat this threat. Keeping up with the latest security patches is one option system administrators have. SecureIIS gives them an option in protecting web servers without installing patches. However, by having a depth measure of securing network, we can be assured that the task of system administrator is not such a big headache.

12 List of Reference

1. “SecureIIS™ Application Firewall.” eEye Digital Security Website.URL: <http://www.secureiis.com/html/Products/SecureIIS/index.html> (Aug 5, 2001)
2. Lemos, Robert. ““Code Red” worm claims 12,000 servers” C|Net news.com. July 18, 2001 URL: http://news.cnet.com/news/0-1003-200-6604515.html?tag=tp_pr (Aug 15, 2001)
3. “Code Red Threat FAQ.” Incident.org website. Aug 5, 2001URL: http://www.incidents.org/react/code_red.php (Aug 15, 2001)

4. Junnarkar, Sandeep and Fried, Ian. "Code Red offshoot packs a bigger punch." C|Net news.com Aug 6, 2001 URL: <http://news.cnet.com/news/0-1003-200-6792918.html> (Aug 15, 2001)
5. Dwyer, Paul. "How Firewalls Work." PC Magazine: Net Tools website. URL: <http://www.zdnet.com/pcmag/pclabs/nettools/1620/cover/sb1.htm>. (Sep 11, 2001)
6. Permech, Ryan. "The Use of Application Specific Security Measures in a Modern Computing Environment." Janteknology White Paper. URL: <http://www.janteknology.com.au/products/eeeye/secureiis/wp.application.specific.security.measures.asp> (Sep 11, 2001)
7. "firewall." Webopedia website. Jun 25, 2001. URL: <http://www.webopedia.com/TERM/f/firewall.html> (Sep 12, 2001)
8. "Unchecked Buffer in Index Server ISAPI Extension Could Enable Web Server Compromise." Jun 18, 2001. Microsoft Security Bulletin website URL: <http://www.microsoft.com/technet/treeview/default.asp?url=/technet/security/bulletin/ms01-033.asp>. (Aug 5, 2001)
9. "CERT[®] Advisory CA-2001-13 Buffer Overflow In IIS Indexing Service DLL." Jun 19 – Aug 16, 2001. URL: <http://www.cert.org/advisories/CA-2001-13.html>. (Aug 5, 2001)

© SANS Institute 2001, Author retains full rights.

13 Test Results and Logs

13.1 Functionality Test Log

IIS4 Log (SecureIIS – disarmed mode)

192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 100, 249, 4603, 200, 0, GET, /Default.htm, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 81, 254, 10510, 200, 0, GET,
/samples/images/backgrnd.gif, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 60, 252, 5308, 200, 0, GET,
/samples/images/h_logo.gif, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 150, 251, 1070, 200, 0, GET,
/samples/images/SPACE.gif, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 20, 251, 2740, 200, 0, GET,
/samples/images/tools.gif, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 60, 250, 3120, 200, 0, GET,
/samples/images/docs.gif, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 70, 252, 1050, 200, 0, GET,
/samples/images/SPACE2.gif, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 20, 254, 3264, 200, 0, GET,
/samples/images/h_browse.gif, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 40, 253, 2985, 200, 0, GET,
/samples/images/powered.gif, -,
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 140, 252, 6287, 200, 0, GET,
/samples/images/h_samp.gif, -,

IIS 5 Log (SecureIIS – disarmed mode)

#Software: Microsoft Internet Information Services 5.0
#Version: 1.0
#Date: 2001-08-20 07:38:13
#Fields: date time c-ip cs-username s-ip s-port cs-method cs-uri-stem cs-uri-query sc-status
2001-08-15 08:21:34 192.168.1.30 - 192.168.1.21 80 GET /iisstart.asp - 200
2001-08-15 08:21:34 192.168.1.30 - 192.168.1.21 80 GET /pagerror.gif - 304

SecureIIS Log (SecureIIS – armed mode)

2001/08/20-15:37:59-SECUREIIS LOG START

SecureIIS Log (SecureIIS – armed mode)

2001/08/20-15:38:10-SECUREIIS LOG START

13.2 Probing Test Log

SecureIIS Log (SecureIIS – disarmed mode)

2001/08/16-11:37:59-SECUREIIS LOG START

SecureIIS Log (SecureIIS – armed mode)

2001/08/16-12:12:31-SECUREIIS LOG START
DEBUG : 2001/08/16-12:12:31 : Web 2: No Lock Directory checks found
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyMethod: HEAD
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyMethod: HEAD
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyMethod: HEAD
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyFileExists: /CFDOCS/EXPEVAL/OPENFILE.CFM -
E:\INETPUB\WWWROOT\CFDOCS\EXPEVAL\OPENFILE.CFM
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/FAXSURVEY -
E:\INETPUB\WWWROOT\CGI-BIN\FAXSURVEY


```

+H^X%FF%E6%FF%D4%83%C62J%01V%8A%06<_U%03%80.?FAI%84%C0U%F0%BATO|_%B9T}`%03%CA%
FF%D1%BAX_|_%B9XPI`%03%CA%FF%D1C:\COMMAND.COM/_C_COPY_\WEBSITE\README.1ST_\WEBSITE\
HTDOCS\CYBERCOP.HTM
2001/08/16-12:13:00[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/ANYFORM2 -
E:\INETPUB\WWWROOT\CGI-BIN\ANYFORM2
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /SCRIPTS/SNORK.BAT -
E:\INETPUB\SCRIPTS\SNORK.BAT
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyHighBit(PQUERY): ++++++
+++++
+H^X%FF%E6%FF%D4%83%C6LJ%01V%8A%06<_U%03%80.?FAI%84%C0U%F0H0%10%F0WYHMY[X%050P
ZPA9%01U%F0%83%E9%10%FF%D1H0%10%F0WYH%D0PVLX%0500VPA9%01U%F0%83%E9%1C%FF%D1C
MD.EXE/_C_COPY_\WEBSITE\README.1ST_\WEBSITE\HTDOCS\X1.HTM
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/PERL.EXE -
E:\INETPUB\WWWROOT\CGI-BIN\PERL.EXE
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/GUESTBOOK -
E:\INETPUB\WWWROOT\CGI-BIN\GUESTBOOK
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /ASPSAMP/ - E:\INETPUB\WWWROOT\ASPSAMP\
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/FORMMAIL -
E:\INETPUB\WWWROOT\CGI-BIN\FORMMAIL
2001/08/16-12:13:02[1-192.168.1.21]:Failed in VerifyFileExists: /SCRIPTS/CCMOD10056.STM -
E:\INETPUB\SCRIPTS\CCMOD10056.STM
2001/08/16-12:13:02[1-192.168.1.21]:Failed in VerifyFileExists: /CYBERCOP.HTM -
E:\INETPUB\WWWROOT\CYBERCOP.HTM

```

IIS4 Server (SecureIIS – disarmed mode)

nmapNT result

```

Starting nmapNT V. 2.53 by ryan@eEye.com
eEye Digital Security (http://www.eEye.com)
Based on nmap by fyodor@insecure.org ( www.insecure.org/nmap/ )
Host LAB3 (192.168.1.20) appears to be up ... good.
Initiating SYN half-open stealth scan against LAB3 (192.168.1.20)
Adding TCP port 139 (state open).
Adding TCP port 21 (state open).
Adding TCP port 135 (state open).
Adding TCP port 80 (state open).
Adding TCP port 443 (state open).
Adding TCP port 1030 (state open).
The SYN scan took 0 seconds to scan 1523 ports.
For OSScan assuming that port 21 is open and port 1 is closed and neither are firewalled
Interesting ports on LAB3 (192.168.1.20):
(The 1517 ports scanned but not shown below are in state: closed)
Port      State  Service
21/tcp    open   ftp
80/tcp    open   http
135/tcp   open   unknown
139/tcp   open   unknown
443/tcp   open   unknown
1030/tcp  open   iad1

TCP Sequence Prediction: Class=trivial time dependency
Difficulty=3 (Trivial joke)

Sequence numbers: 1C3D78B3 1C3D78BD 1C3D78C7 1C3D78C9 1C3D78DB 1C3D78ED
Remote operating system guess: Windows NT4 / Win95 / Win98

```

Nmap run completed -- 1 IP address (1 host up) scanned in 0 seconds

IIS4 Server (SecureIIS – armed mode)

nmapNT Result


```
43188/tcp open reachout
47557/tcp open dbbrowse
```

Nmap run completed -- 1 IP address (1 host up) scanned in 68 seconds

IIS5 Server (SecureIIS – armed mode)

nmapNT result

Starting nmapNT V. 2.53 SP1 by ryan@eEye.com
eEye Digital Security (http://www.eEye.com)
based on nmap by fyodor@insecure.org (www.insecure.org/nmap/)
Interesting ports on LAB2-2K (192.168.1.21):
(The 73 ports scanned but not shown below are in state: closed)

```
Port      State  Service
1/tcp    open   tcpmux
2/tcp    open   compressnet
3/tcp    open   compressnet
4/tcp    open   unknown
5/tcp    open   rje
6/tcp    open   unknown
7/tcp    open   echo
8/tcp    open   unknown
9/tcp    open   discard
```

|
|
|
(Continue)

```
32776/tcp open  sometimes-rpc15
32777/tcp open  sometimes-rpc17
32778/tcp open  sometimes-rpc19
32779/tcp open  sometimes-rpc21
32780/tcp open  sometimes-rpc23
32786/tcp open  sometimes-rpc25
32787/tcp open  sometimes-rpc27
43188/tcp open  reachout
47557/tcp open  dbbrowse
```

Nmap run completed -- 1 IP address (1 host up) scanned in 68 seconds

13.3 Attack Test Log

CodeRed Scanner

IIS 5 Log (SecureIIS – disarmed mode)

```
#Software: Microsoft Internet Information Services 5.0
#Version: 1.0
#Date: 2001-08-16 07:22:24
#Fields: date time c-ip cs-username s-ip s-port cs-method cs-uri-stem cs-uri-query sc-status
2001-08-16 07:22:24 192.168.1.30 - 192.168.1.21 80 HEAD /iisstart.asp - 302
2001-08-16 07:22:24 192.168.1.30 - 192.168.1.21 80 GET /scripts/root.exe /c 404
2001-08-16 07:22:24 192.168.1.30 - 192.168.1.21 80 GET /x.ida
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=X 200
```

IIS5 Log (SecureIIS – armed mode)

```
#Software: Microsoft Internet Information Services 5.0
#Version: 1.0
```

```
#Date: 2001-08-16 07:23:43
#Fields: date time c-ip cs-username s-ip s-port cs-method cs-uri-stem cs-uri-query sc-status
2001-08-16 07:23:43 192.168.1.30 - 192.168.1.21 80 HEAD / - 406
2001-08-16 07:23:43 192.168.1.30 - 192.168.1.21 80 GET /scripts/root.exe /c 406
2001-08-16 07:24:23 192.168.1.30 - 192.168.1.21 80 GET /x.ida
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=X 406
```

IIS4 Log (SecureIIS – disarmed mode)

```
192.168.1.30, -, 8/16/01, 15:10:23, W3SVC1, LAB3, 192.168.1.20, 0, 54, 270, 200, 0, HEAD, /Default.htm, -,
192.168.1.30, -, 8/16/01, 15:10:23, W3SVC1, LAB3, 192.168.1.20, 0, 94, 623, 404, 2, GET, /scripts/root.exe, /c,
192.168.1.30, -, 8/16/01, 15:11:06, W3SVC1, LAB3, 192.168.1.20, 0, 323, 623, 404, 2, GET, /x.ida,
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=X,
```

IIS4 Log (SecureIIS – armed mode)

```
192.168.1.30, -, 8/16/01, 15:11:53, W3SVC1, LAB3, 192.168.1.20, 70, 54, 1303, 406, 0, HEAD, /, -,
192.168.1.30, -, 8/16/01, 15:11:53, W3SVC1, LAB3, 192.168.1.20, 50, 94, 1303, 406, 0, GET, /scripts/root.exe, /c,
192.168.1.30, -, 8/16/01, 15:12:32, W3SVC1, LAB3, 192.168.1.20, 60, 323, 1303, 406, 0, GET, /x.ida,
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=X,
```

SecureIIS Log (SecureIIS – armed mode)

```
2001/08/16-15:37:59-SECUREIIS LOG START
DEBUG : 2001/08/16-15:37:59 : Web 2: No Lock Directory checks found
2001/08/16-15:38:13[1-192.168.1.21]:Failed in VerifyMethod: HEAD
2001/08/16-15:38:13[1-192.168.1.21]:Failed in VerifyKeywords URL - keyword:ROOT.EXE
badstring:/SCRIPTS/ROOT.EXE
2001/08/16-15:38:52[1-192.168.1.21]:Failed in VerifyBufferSize(QUERY - querysize-lastvar:220 / allowedsize: 128):
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=X
```

© SANS Institute Author retains full rights



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

Rocky Mountain Fall 2017	Denver, COUS	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Baltimore Fall 2017	Baltimore, MDUS	Sep 25, 2017 - Sep 30, 2017	Live Event
Data Breach Summit & Training	Chicago, ILUS	Sep 25, 2017 - Oct 02, 2017	Live Event
SANS Copenhagen 2017	Copenhagen, DK	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS London September 2017	London, GB	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Oslo Autumn 2017	Oslo, NO	Oct 02, 2017 - Oct 07, 2017	Live Event
SANS DFIR Prague Summit & Training 2017	Prague, CZ	Oct 02, 2017 - Oct 08, 2017	Live Event
SANS Phoenix-Mesa 2017	Mesa, AZUS	Oct 09, 2017 - Oct 14, 2017	Live Event
SANS October Singapore 2017	Singapore, SG	Oct 09, 2017 - Oct 28, 2017	Live Event
Secure DevOps Summit & Training	Denver, COUS	Oct 10, 2017 - Oct 17, 2017	Live Event
SANS Tysons Corner Fall 2017	McLean, VAUS	Oct 14, 2017 - Oct 21, 2017	Live Event
SANS Brussels Autumn 2017	Brussels, BE	Oct 16, 2017 - Oct 21, 2017	Live Event
SANS Tokyo Autumn 2017	Tokyo, JP	Oct 16, 2017 - Oct 28, 2017	Live Event
SANS Berlin 2017	Berlin, DE	Oct 23, 2017 - Oct 28, 2017	Live Event
SANS Seattle 2017	Seattle, WAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS San Diego 2017	San Diego, CAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS Gulf Region 2017	Dubai, AE	Nov 04, 2017 - Nov 16, 2017	Live Event
SANS Miami 2017	Miami, FLUS	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Milan November 2017	Milan, IT	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Amsterdam 2017	Amsterdam, NL	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Paris November 2017	Paris, FR	Nov 13, 2017 - Nov 18, 2017	Live Event
Pen Test Hackfest Summit & Training 2017	Bethesda, MDUS	Nov 13, 2017 - Nov 20, 2017	Live Event
SANS Sydney 2017	Sydney, AU	Nov 13, 2017 - Nov 25, 2017	Live Event
SANS London November 2017	London, GB	Nov 27, 2017 - Dec 02, 2017	Live Event
SANS San Francisco Winter 2017	San Francisco, CAUS	Nov 27, 2017 - Dec 02, 2017	Live Event
SIEM & Tactical Analytics Summit & Training	Scottsdale, AZUS	Nov 28, 2017 - Dec 05, 2017	Live Event
SANS Khobar 2017	Khobar, SA	Dec 02, 2017 - Dec 07, 2017	Live Event
SANS Munich December 2017	Munich, DE	Dec 04, 2017 - Dec 09, 2017	Live Event
European Security Awareness Summit & Training 2017	London, GB	Dec 04, 2017 - Dec 07, 2017	Live Event
SANS Austin Winter 2017	Austin, TXUS	Dec 04, 2017 - Dec 09, 2017	Live Event
SANS Frankfurt 2017	Frankfurt, DE	Dec 11, 2017 - Dec 16, 2017	Live Event
SANS Bangalore 2017	Bangalore, IN	Dec 11, 2017 - Dec 16, 2017	Live Event
SANS SEC504 at Cyber Security Week 2017	OnlineNL	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced