



Interested in learning more  
about cyber security training?

# SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

## An Overview of SecureIIS - Are We Really Secured Now?

The objective of this practical paper is to understand how our IIS can be protected using an application firewall. There are many application firewalls available on the market - commercial and free/shareware such as eSafe, BlackIce, ZoneAlarm, and Norton Firewall to name a few. This paper, hopefully, will assist system administrators and organizations in making decision to protect their web servers.

Copyright SANS Institute  
Author Retains Full Rights



AD

## An Overview of SecurellS – Are we really secured now?

### Table of Contents

1	Introduction .....	1
2	Securities Issues .....	1
3	Conventional Protection .....	1
4	Installation .....	2
5	Configuration.....	3
6	Evaluation Requirements .....	4
7	Functionality Tests .....	5
8	Probing Tests.....	5
9	Attack Tests .....	5
10	Test Results.....	6
10.1	Functionality Tests .....	6
10.2	Probing Tests.....	6
10.3	Attack Tests .....	7
11	Summary .....	9
12	List of Reference .....	9
13	Test Results and Logs.....	11
13.1	Functionality Test Log .....	11
13.2	Probing Test Log.....	11
13.3	Attack Test Log.....	15

© SANS Institute 2001, Author retains full rights

## 1 Introduction

The objective of this practical paper is to understand how our IIS can be protected using an application firewall. There are many application firewalls available on the market – commercial and free/shareware such as eSafe, BlackIce, ZoneAlarm, and Norton Firewall to name a few. This paper, hopefully, will assist system administrators and organizations in making decision to protect their web servers.

## 2 Security Issues

Since its debut, Microsoft Internet Information Server (IIS) has dominated huge percentage of web servers worldwide. IIS is used not only as static web server in small organization, but also as a backbone for dynamic and complex web server. The popularity of IIS has created both minor and major security issues. With an overwhelm security issues and patches released, the task in securing web server primarily IIS has become a nightmare job.

Majority of system administrators do not realize that securing or hardening their servers is also part of their job. Many assume that they can sit back and see their servers in action after installation completes. By default, IIS installation provides a minimum security protection for web server. This issue then leads to more hazardous dilemma such as hack attempt, defacement, and technology espionage.

To have a considerable secure web server, it requires some tedious tasks that includes patching as well as upgrading it. The patching process involves downloading series of patches and installing them on every single server. Owning one or two servers are such an easy task. Can you imagine when you are responsible for tens or maybe hundreds of servers? This calls for help.

Recently, Internet world has been swamped by Code Red Worm (CRW). It was first discovered in July 17 and its second version hit the Internet on Aug 4. As of July 18, a day after its outbreak, over 12,000 servers have been infected, and this number increased dramatically. The worm infects systems by manipulating on a known issue centered around .ida and .idq mapping relates to IIS Web servers. The original CRW only caused the Denial of Service (DoS) attack on White House server compared to the second CRW that creates a Trojan program on the web server for remote access. Apart from CRW attacks, web servers face many attack attempts from both known and unknown such as buffer overflow, folder traversal, and web mapping; it goes to as far as DoS and DDoS attacks.

## 3 Conventional Protection

As mentioned earlier, securing an IIS server is a tedious task. In Windows world, majority of the IIS problems lies around its operating system. These tribulations always been corrected with the issue of patches or service packs. Patches are released after the problem has been identified and corrected. However, they rarely go through

rigorous tests. Service Packs are a collection of all patches issued after the final release of product or the last service pack. They contain patches that have gone through rigorous test. System Administrators, normally have two choices in making sure the server is in the top performance – install small patches as soon as they are published or wait for the service pack. In many cases, waiting for service pack is essential. However, applying patches is equally vital when servers are exposed to major threats such as recent Code Red Worm attack. With the frequent release of patches, applying them is a tiresome task. Thus, web servers that are not patched are vulnerable.

Have you heard of eEye or eEye Digital Security? This company has been accredited with several important vulnerability discoveries on Microsoft's IIS recently. They have recently released an application that could ease system administrators' tasks called SecureIIS. What is SecureIIS? SecureIIS is an application firewall that will protect IIS from both known and unknown attacks.


SecureIIS wraps around IIS and works within it, verifying and analyzing incoming and outgoing Web server data for any possible security breaches. It combines the best features of Intrusion Detection Systems and Conventional Network Firewalls all into one. (Secureiis.com)

ZDNet's PC Magazine stated that application firewalls "work at the application layer and, acting as a server, accept packets from a client." Firewall can be implemented using both hardware and software or both. There are four types of firewalls techniques such as packet filter, application gateway, circuit-level gateway, and proxy server. Two or more of these techniques are commonly used. Application firewall will not replace Intrusion Detection Systems (IDS) as it is a complementary to IDS and traditional firewall because it is designed to protect specific service attack in which can stop both specific and general vulnerabilities.


Question remains, are we really secure when we have SecureIIS deployed? Since it protects both known and unknown attacks, shall we cross our arm and do nothing in patching our servers? Let's look at SecureIIS.

#### **4 Installation**

SecureIIS installation process is simple. The evaluation copy that I received was a full version with 30-days license. I was directed to download SecureIIS from eEye's secured site. After the installation complete, the first screen appeared as shown below.



To register, click on “Register” button and I was asked to enter the license key. To obtain the license key, you need to copy the reference code given by SecureIS to eEye’s website to get a license key. Copy that license key and you are a registered owner of SecureIS.



## 5 Configuration

To secure your web server is simple. Click “Arm” button to arm the protection, and click “Disarm” button to disable it.

SecureIS has categorized attack attempts into groups. They are:

- Buffer Overflows,
- ShellCode Protection,
- Keyword Filters,
- File Path Locks or Allowed Folders,
- HTTP Methods,
- Web Applications
- Miscellaneous

Buffer Overflows occurs when web servers have problems in handling request-header variables. SecureIIS checks the length of these variables that can prevent many potential buffer overflows. If a client sends a variable value with a length greater than specified in SecureIIS, the request will be denied and the attempt will be logged.

Allowed Folders feature allows SecureIIS to allow the client to access files that are in a set of allowable directories. This will stop attack such as "Directory Traversal Attacks".

HTTP Methods prevent many potential security risks involving the handling of unexpected HTTP request methods.

Keyword Filters protect server from a potential security risk that uses certain command shells. If a client makes a request that contains one of the selected keywords, the request will be denied and logged such as cmd.exe (located in winnt\system32), and root.exe (Code Red Worm II issue).

Web application section secures server that has Frontpage server extension installed. At the same time, it also protects against potential security in Exchange's Outlook Web Access.

Each group of SecureIIS has pre-determined rules protecting a web server, and some of these rules can be changed to meet security level. SecureIIS is able to protect web server installed with customized application or component, and it protects both encrypted and unencrypted session.

## **6 Evaluation Requirements**

The evaluation was performed on Microsoft Windows NT4 Server and Windows 2000 Server. Both of them were installed and configured with default configuration (true for most of IIS worldwide), and updated with the latest service packs.

The test was divided into two major segments:

1. Web servers without SecureIIS installed or disarmed mode.
2. Web servers with SecureIIS installed or armed mode.

The objective of the test was to see whether SecureIIS performs as claimed in terms of its functionality and its protection against common attack such as probing.

For functionality test, tools used are listed below:

1. Netscape Navigator 4.x
2. Internet Explorer 5.x

For scanner tests, both commercial and freeware tools were used as listed below:

- A. Commercial tools
  - a. Retina 4.02

- b. Cybercop 3.5
- B. Freeware/shareware tools
  - a. NmapNT 2.35
  - b. CodeRed Scanner 2.1

For attack tests, IISHack and netcat were used to simulate the attack. Both tools are freeware available for downloading.

## 7 Functionality Tests

The objective was to certify that SecureIIS on does not effect normal browsing. For this test, I used two most popular browsers – Microsoft Internet Explorer and Netscape Navigator.

SecureIIS has a unique feature that allows the application to be enabled, called “arm” and “disarm” without restarting the server. This will ease administrative tasks

The test started in “disarm” mode, and I started by accessing both web servers. IIS log and SecureIIS logs were recorded as a reference. This information would be used for comparison as the test progressed. The test procedure would then be followed by arming the SecureIIS on both severs. New logs were recorded and analyzed against previous logs. The test was done on both secure and normal channel.

## 8 Probing Tests

The objective was to see how SecureIIS handles probe attack. The probing tests were done using tools listed earlier.

Vulnerability scanners would scan the web servers searching for loopholes using pre-defined policies or criteria, and displayed servers’ vulnerabilities. All logs were recorded.

## 9 Attack Tests

The objective here was to find out how SecureIIS protect web server from malicious attacks using web browser. The tests were conducted using web browser by launching several URL strings, as well tools such as IISHack and netcat.

Web browsers are common “tools” to launch a Unicode attacks. This can be done by replacing valid command with special characters to launch commands such as copy, create, or delete. IISHack and netcat are also common hacker tools to attack web server. IISHack and netcat are used to logon to web server using port 80, and launch a Trojan program to attack.

We simulated attack scenario using the command “cmd.exe.” The results are extracted from both IIS and SecureIIS log.

## 10 Test Results

### 10.1 Functionality Tests

Despite using SecureIIS in arm mode, IIS performs as usual without any hiccup (see IIS logs in Result Test Logs). SecureIIS produces access log located in its home folder namely "SecureIISLog.txt"

### 10.2 Probing Tests

Cybercop Scanner (running from lab2-2k)

Item	IIS 4	IIS 5
Without Secure IIS	Vulnerability detected: 1009 : Anonymous FTP check 1036 : WWW Web Server Version 1041 : Trace route to host 10037 : IIS newdsn.exe bug 10056 : IIS Association reveal webroot 10067 : IIS codebvws.asp Vulnerability	Vulnerability detected: 1008 : FTP Banner Check 1009 : Anonymous FTP check 1032 : ICMP time stamp obtained 1036 : WWW Web Server Version 1041 : Trace route to host
With Secure IIS	Vulnerability detected: 1008 : FTP Banner Check 1009 : Anonymous FTP check 1036 : WWW Web Server Version 1041 : Trace route to host	Vulnerability detected: 1008 : FTP Banner Check 1009 : Anonymous FTP check 1032 : ICMP time stamp obtained 1036 : WWW Web Server Version 1041 : Trace route to host

Comment:

We noticed that when SecureIIS was armed, there was no vulnerability detected on IIS4. IIS5 however, there was no different in result whether IIS was armed or not.

NmapNT

Items	IIS 4	IIS 5
Without Secure IIS	6 ports were scanned open. (Refer appendix B)	Too many of open ports scanned. (Result appendix B)
With Secure IIS	Same result as above	Same result as above

Comments:

NmapNT is best used to scan any open port on remote server. All reports show no vulnerability except ports opened.

Retina







Items	IIS 4	IIS 5
With Secure IIS		

### Traversal Attacks (using Netscape Navigator)

Without Secure IIS



With Secure IIS



Comments:

I tried both IE and Navigator browsers in simulating the Unicode and traversal attacks. The traversal attacks together with Unicode string is a common attack on web server. The results show that SecureIIS does not allow any keyword listed in “keyword filtering” being processed. Traversal attacks are also prevented from occurring.

### IISHack and netcat

Items	IIS 4	IIS 5
Without Secure IIS	Able to connect and manipulated the server	Able to connect and manipulated the server
With Secure IIS	Unable to connect	Unable to connect

#### Comments:

IISHack and netcat are two separate Trojan programs used to break into remote servers using abnormal port. SecureIIS does protect this intrusion from occurring as shown in table result.

## 11 Summary

Most of the techniques presented here were commonly used by both security professionals as well hackers. By using combination of those techniques, ones can bypass many firewalls and make contact with web servers. Once the web servers are their hands, the entire network is on their mercy.

Protecting servers requires a lot of task. It starts from they day of installation, and keeping all servers attack-free is a tedious work, from monitoring to installing patches and service packs.

The recent case of Code Red Worm and a mutation of the worm such as Code Red Worm II, pose a continued and serious threat to Internet users. Immediate actions must be taken to combat this threat. Keeping up with the latest security patches is one option system administrators have. SecureIIS gives them an option in protecting web servers without installing patches. However, by having a depth measure of securing network, we can be assured that the task of system administrator is not such a big headache.

## 12 List of Reference

1. “SecureIIS™ Application Firewall.” eEye Digital Security Website.URL: <http://www.secureiis.com/html/Products/SecureIIS/index.html> (Aug 5, 2001)
2. Lemos, Robert. ““Code Red” worm claims 12,000 servers” C|Net news.com. July 18, 2001 URL: [http://news.cnet.com/news/0-1003-200-6604515.html?tag=tp\\_pr](http://news.cnet.com/news/0-1003-200-6604515.html?tag=tp_pr) (Aug 15, 2001)
3. “Code Red Threat FAQ.” Incident.org website. Aug 5, 2001URL: [http://www.incidents.org/react/code\\_red.php](http://www.incidents.org/react/code_red.php) (Aug 15, 2001)

4. Junnarkar, Sandeep and Fried, Ian. "Code Red offshoot packs a bigger punch." C|Net news.com Aug 6, 2001 URL: <http://news.cnet.com/news/0-1003-200-6792918.html> (Aug 15, 2001)
5. Dwyer, Paul. "How Firewalls Work." PC Magazine: Net Tools website. URL: <http://www.zdnet.com/pcmag/pclabs/nettools/1620/cover/sb1.htm>. (Sep 11, 2001)
6. Permech, Ryan. "The Use of Application Specific Security Measures in a Modern Computing Environment." Janteknology White Paper. URL: <http://www.janteknology.com.au/products/eeeye/secureiis/wp.application.specific.security.measures.asp> (Sep 11, 2001)
7. "firewall." Webopedia website. Jun 25, 2001. URL: <http://www.webopedia.com/TERM/f/firewall.html> (Sep 12, 2001)
8. "Unchecked Buffer in Index Server ISAPI Extension Could Enable Web Server Compromise." Jun 18, 2001. Microsoft Security Bulletin website URL: <http://www.microsoft.com/technet/treeview/default.asp?url=/technet/security/bulletin/ms01-033.asp>. (Aug 5, 2001)
9. "CERT® Advisory CA-2001-13 Buffer Overflow In IIS Indexing Service DLL." Jun 19 – Aug 16, 2001. URL: <http://www.cert.org/advisories/CA-2001-13.html>. (Aug 5, 2001)

© SANS Institute 2001, Author retains full rights.

## 13 Test Results and Logs

### 13.1 Functionality Test Log

#### IIS4 Log (SecureIIS – disarmed mode)

192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 100, 249, 4603, 200, 0, GET, /Default.htm, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 81, 254, 10510, 200, 0, GET,  
/samples/images/backgrnd.gif, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 60, 252, 5308, 200, 0, GET,  
/samples/images/h\_logo.gif, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 150, 251, 1070, 200, 0, GET,  
/samples/images/SPACE.gif, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 20, 251, 2740, 200, 0, GET,  
/samples/images/tools.gif, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 60, 250, 3120, 200, 0, GET,  
/samples/images/docs.gif, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 70, 252, 1050, 200, 0, GET,  
/samples/images/SPACE2.gif, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 20, 254, 3264, 200, 0, GET,  
/samples/images/h\_browse.gif, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 40, 253, 2985, 200, 0, GET,  
/samples/images/powered.gif, -,  
192.168.1.30, -, 8/15/01, 16:20:22, W3SVC1, LAB3, 192.168.1.20, 140, 252, 6287, 200, 0, GET,  
/samples/images/h\_samp.gif, -,

#### IIS 5 Log (SecureIIS – disarmed mode)

#Software: Microsoft Internet Information Services 5.0  
#Version: 1.0  
#Date: 2001-08-20 07:38:13  
#Fields: date time c-ip cs-username s-ip s-port cs-method cs-uri-stem cs-uri-query sc-status  
2001-08-15 08:21:34 192.168.1.30 - 192.168.1.21 80 GET /iisstart.asp - 200  
2001-08-15 08:21:34 192.168.1.30 - 192.168.1.21 80 GET /pagerror.gif - 304

#### SecureIIS Log (SecureIIS – armed mode)

2001/08/20-15:37:59-SECUREIIS LOG START

#### SecureIIS Log (SecureIIS – armed mode)

2001/08/20-15:38:10-SECUREIIS LOG START

### 13.2 Probing Test Log

#### SecureIIS Log (SecureIIS – disarmed mode)

2001/08/16-11:37:59-SECUREIIS LOG START

#### SecureIIS Log (SecureIIS – armed mode)

2001/08/16-12:12:31-SECUREIIS LOG START  
DEBUG : 2001/08/16-12:12:31 : Web 2: No Lock Directory checks found  
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyMethod: HEAD  
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyMethod: HEAD  
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyMethod: HEAD  
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyFileExists: /CFDOCS/EXPEVAL/OPENFILE.CFM -  
E:\INETPUB\WWWROOT\CFDOCS\EXPEVAL\OPENFILE.CFM  
2001/08/16-12:12:58[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/FAXSURVEY -  
E:\INETPUB\WWWROOT\CGI-BIN\FAXSURVEY



```

+H^X%FF%E6%FF%D4%83%C62J%01V%8A%06<_U%03%80.?FAI%84%C0U%F0%BATO|_%B9T}`%03%CA%
FF%D1%BAX_|_%B9XPI`%03%CA%FF%D1C:\COMMAND.COM/_C_COPY_\WEBSITE\README.1ST_\WEBSITE\
HTDOCS\CYBERCOP.HTM
2001/08/16-12:13:00[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/ANYFORM2 -
E:\INETPUB\WWWROOT\CGI-BIN\ANYFORM2
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /SCRIPTS/SNORK.BAT -
E:\INETPUB\SCRIPTS\SNORK.BAT
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyHighBit(PQUERY): ++++++
+++++
+H^X%FF%E6%FF%D4%83%C6LJ%01V%8A%06<_U%03%80.?FAI%84%C0U%F0H0%10%F0WYHMY[X%050P
ZPA9%01U%F0%83%E9%10%FF%D1H0%10%F0WYH%D0PVLX%0500VPA9%01U%F0%83%E9%1C%FF%D1C
MD.EXE/_C_COPY_\WEBSITE\README.1ST_\WEBSITE\HTDOCS\X1.HTM
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/PERL.EXE -
E:\INETPUB\WWWROOT\CGI-BIN\PERL.EXE
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/GUESTBOOK -
E:\INETPUB\WWWROOT\CGI-BIN\GUESTBOOK
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /ASPSAMP/ - E:\INETPUB\WWWROOT\ASPSAMP\
2001/08/16-12:13:01[1-192.168.1.21]:Failed in VerifyFileExists: /CGI-BIN/FORMMAIL -
E:\INETPUB\WWWROOT\CGI-BIN\FORMMAIL
2001/08/16-12:13:02[1-192.168.1.21]:Failed in VerifyFileExists: /SCRIPTS/CCMOD10056.STM -
E:\INETPUB\SCRIPTS\CCMOD10056.STM
2001/08/16-12:13:02[1-192.168.1.21]:Failed in VerifyFileExists: /CYBERCOP.HTM -
E:\INETPUB\WWWROOT\CYBERCOP.HTM

```

## IIS4 Server (SecureIIS – disarmed mode)

nmapNT result

```

Starting nmapNT V. 2.53 by ryan@eEye.com
eEye Digital Security (http://www.eEye.com)
Based on nmap by fyodor@insecure.org ( www.insecure.org/nmap/ )
Host LAB3 (192.168.1.20) appears to be up ... good.
Initiating SYN half-open stealth scan against LAB3 (192.168.1.20)
Adding TCP port 139 (state open).
Adding TCP port 21 (state open).
Adding TCP port 135 (state open).
Adding TCP port 80 (state open).
Adding TCP port 443 (state open).
Adding TCP port 1030 (state open).
The SYN scan took 0 seconds to scan 1523 ports.
For OSScan assuming that port 21 is open and port 1 is closed and neither are firewalled
Interesting ports on LAB3 (192.168.1.20):
(The 1517 ports scanned but not shown below are in state: closed)
Port      State  Service
21/tcp    open   ftp
80/tcp    open   http
135/tcp   open   unknown
139/tcp   open   unknown
443/tcp   open   unknown
1030/tcp  open   iad1

TCP Sequence Prediction: Class=trivial time dependency
Difficulty=3 (Trivial joke)

Sequence numbers: 1C3D78B3 1C3D78BD 1C3D78C7 1C3D78C9 1C3D78DB 1C3D78ED
Remote operating system guess: Windows NT4 / Win95 / Win98

```

Nmap run completed -- 1 IP address (1 host up) scanned in 0 seconds

## IIS4 Server (SecureIIS – armed mode)

nmapNT Result





```
43188/tcp open reachout
47557/tcp open dbbrowse
```

Nmap run completed -- 1 IP address (1 host up) scanned in 68 seconds

### IIS5 Server (SecureIIS – armed mode)

nmapNT result

Starting nmapNT V. 2.53 SP1 by ryan@eEye.com  
eEye Digital Security ( http://www.eEye.com )  
based on nmap by fyodor@insecure.org ( www.insecure.org/nmap/ )  
Interesting ports on LAB2-2K (192.168.1.21):  
(The 73 ports scanned but not shown below are in state: closed)

Port	State	Service
1/tcp	open	tcpmux
2/tcp	open	compressnet
3/tcp	open	compressnet
4/tcp	open	unknown
5/tcp	open	rje
6/tcp	open	unknown
7/tcp	open	echo
8/tcp	open	unknown
9/tcp	open	discard

|  
|  
|  
(Continue)

32776/tcp	open	sometimes-rpc15
32777/tcp	open	sometimes-rpc17
32778/tcp	open	sometimes-rpc19
32779/tcp	open	sometimes-rpc21
32780/tcp	open	sometimes-rpc23
32786/tcp	open	sometimes-rpc25
32787/tcp	open	sometimes-rpc27
43188/tcp	open	reachout
47557/tcp	open	dbbrowse

Nmap run completed -- 1 IP address (1 host up) scanned in 68 seconds

### 13.3 Attack Test Log

#### CodeRed Scanner

#### IIS 5 Log (SecureIIS – disarmed mode)

```
#Software: Microsoft Internet Information Services 5.0
#Version: 1.0
#Date: 2001-08-16 07:22:24
#Fields: date time c-ip cs-username s-ip s-port cs-method cs-uri-stem cs-uri-query sc-status
2001-08-16 07:22:24 192.168.1.30 - 192.168.1.21 80 HEAD /iisstart.asp - 302
2001-08-16 07:22:24 192.168.1.30 - 192.168.1.21 80 GET /scripts/root.exe /c 404
2001-08-16 07:22:24 192.168.1.30 - 192.168.1.21 80 GET /x.ida
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=X 200
```

#### IIS5 Log (SecureIIS – armed mode)

```
#Software: Microsoft Internet Information Services 5.0
#Version: 1.0
```





# Upcoming SANS Training

[Click here to view a list of all SANS Courses](#)

SANS Riyadh July 2018	Riyadh, SA	Jul 28, 2018 - Aug 02, 2018	Live Event
SANS Pittsburgh 2018	Pittsburgh, PAUS	Jul 30, 2018 - Aug 04, 2018	Live Event
Security Operations Summit & Training 2018	New Orleans, LAUS	Jul 30, 2018 - Aug 06, 2018	Live Event
SANS Hyderabad 2018	Hyderabad, IN	Aug 06, 2018 - Aug 11, 2018	Live Event
Security Awareness Summit & Training 2018	Charleston, SCUS	Aug 06, 2018 - Aug 15, 2018	Live Event
SANS Boston Summer 2018	Boston, MAUS	Aug 06, 2018 - Aug 11, 2018	Live Event
SANS San Antonio 2018	San Antonio, TXUS	Aug 06, 2018 - Aug 11, 2018	Live Event
SANS August Sydney 2018	Sydney, AU	Aug 06, 2018 - Aug 25, 2018	Live Event
SANS New York City Summer 2018	New York City, NYUS	Aug 13, 2018 - Aug 18, 2018	Live Event
SANS Northern Virginia- Alexandria 2018	Alexandria, VAUS	Aug 13, 2018 - Aug 18, 2018	Live Event
SANS Krakow 2018	Krakow, PL	Aug 20, 2018 - Aug 25, 2018	Live Event
Data Breach Summit & Training 2018	New York City, NYUS	Aug 20, 2018 - Aug 27, 2018	Live Event
SANS Chicago 2018	Chicago, ILUS	Aug 20, 2018 - Aug 25, 2018	Live Event
SANS Prague 2018	Prague, CZ	Aug 20, 2018 - Aug 25, 2018	Live Event
SANS Virginia Beach 2018	Virginia Beach, VAUS	Aug 20, 2018 - Aug 31, 2018	Live Event
SANS San Francisco Summer 2018	San Francisco, CAUS	Aug 26, 2018 - Aug 31, 2018	Live Event
SANS Copenhagen August 2018	Copenhagen, DK	Aug 27, 2018 - Sep 01, 2018	Live Event
SANS SEC504 @ Bangalore 2018	Bangalore, IN	Aug 27, 2018 - Sep 01, 2018	Live Event
SANS Wellington 2018	Wellington, NZ	Sep 03, 2018 - Sep 08, 2018	Live Event
SANS Amsterdam September 2018	Amsterdam, NL	Sep 03, 2018 - Sep 08, 2018	Live Event
SANS Tokyo Autumn 2018	Tokyo, JP	Sep 03, 2018 - Sep 15, 2018	Live Event
SANS Tampa-Clearwater 2018	Tampa, FLUS	Sep 04, 2018 - Sep 09, 2018	Live Event
SANS MGT516 Beta One 2018	Arlington, VAUS	Sep 04, 2018 - Sep 08, 2018	Live Event
Threat Hunting & Incident Response Summit & Training 2018	New Orleans, LAUS	Sep 06, 2018 - Sep 13, 2018	Live Event
SANS Baltimore Fall 2018	Baltimore, MDUS	Sep 08, 2018 - Sep 15, 2018	Live Event
SANS Alaska Summit & Training 2018	Anchorage, AKUS	Sep 10, 2018 - Sep 15, 2018	Live Event
SANS Munich September 2018	Munich, DE	Sep 16, 2018 - Sep 22, 2018	Live Event
SANS London September 2018	London, GB	Sep 17, 2018 - Sep 22, 2018	Live Event
SANS Network Security 2018	Las Vegas, NVUS	Sep 23, 2018 - Sep 30, 2018	Live Event
SANS DFIR Prague Summit & Training 2018	Prague, CZ	Oct 01, 2018 - Oct 07, 2018	Live Event
Oil & Gas Cybersecurity Summit & Training 2018	Houston, TXUS	Oct 01, 2018 - Oct 06, 2018	Live Event
SANS Brussels October 2018	Brussels, BE	Oct 08, 2018 - Oct 13, 2018	Live Event
SANS Pen Test Berlin 2018	OnlineDE	Jul 23, 2018 - Jul 28, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced