



Interested in learning more about cyber security training?

# SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

## A Discussion of SSH Secure Shell

The purpose of this paper is to build on the Introduction to SSH Secure Shell paper written by Damian Zwamborn ([www.sans.org/infosecFAQ/encryption.intro\\_SSH.htm](http://www.sans.org/infosecFAQ/encryption.intro_SSH.htm)). This paper will focus on the following topics of SSH Secure Shell and it's installation on several systems.

Copyright SANS Institute  
Author Retains Full Rights



# Shawn Lewis

Version 1

## A Discussion of SSH Secure Shell

The purpose of this paper is to build on the Introduction to SSH Secure Shell paper written by Damian Zwamborn ([www.sans.org/infosecFAQ/encryption.intro\\_SSH.htm](http://www.sans.org/infosecFAQ/encryption.intro_SSH.htm)). This paper will focus on the following topics of SSH Secure Shell and it's installation on several systems.

Overview of SSH Secure Shell

How SSH Secure Shell works

SSH Secure Shell Vendors

Why Organizations should use SSH Secure Shell

Installing SSH Secure Shell

Cisco Router Installation

UNIX-Server Installation

UNIX-User Installation

UNIX-Logging into remote system

Conclusion

References

### Overview of SSH Secure Shell

SSH Secure Shell is a Unix based command interface and protocol used to protect data in transmission between devices. It is commonly used for controlling web, application servers and network appliances remotely. SSH Secure Shell was first created in 1995 by Tatu Ylonen with the release of version 1.0 of SSH Secure Shell and the Internet Draft "The SSH Secure Shell Remote Login Protocol" ([www.employees.org/~satch.ssh.faq.ssh-faq.html](http://www.employees.org/~satch.ssh.faq.ssh-faq.html)). It is comprised of a suite of three utilities, slogin, ssh and scp. These utilities are based on earlier versions of UNIX utilities rlogin, rsh and rcp.

The use of these SSH Secure Shell utilities both ends of the connection are authenticated using a digital certificate. Unlike utilities such as Telnet the passwords are encrypted. SSH Secure Shell uses RSA public key cryptography for connection and authentication. These encryption algorithms include DES, 3DES, Blowfish and IDEA (Loshin, Pete).

### How SSH Secure Shell works

SSH Secure Shell is a protocol that consists of three mechanisms, the transport layer, user authentication and the connection protocol ([www.net.lut.ac.uk](http://www.net.lut.ac.uk)). The transport layer runs over TCP/IP of the OSI model. This layer provides the server authentication aspect of the connection. This layer also addresses the confidentiality as well as the integrity of the connection. The second mechanism is the user authentication piece. This will authenticate the client side user to the server. The user authentication will run over the transport layer. The final mechanism is the connection protocol. This mechanism multiplexes the encrypted tunnel. Transmission of the connection protocol is accomplished over the user authentication layer.

SSH Secure Shell works when the transport layer establishes a connection. The client would send a request after the transport layer has been established. This “connection” would send another service request after the authentication is complete. After these requests have been sent, proper protocols would be agreed upon. The connection protocol mechanism would provide the communication means. X11 connections and TCP/IP ports would be provided for the Secure Socket Shell sessions.

### **SSH Secure Shell Vendors**

Tatu initially offered SSH Secure Shell as a free open source UNIX package. SSH Secure Shell is now currently commercially available on UNIX and non-UNIX platforms. With the commercialization of SSH Secure Shell companies can offer GUI interfaces, documentation, and technical support. There are several vendors that offer SSH Secure Shell packages for sale. One of the most widely regarded is SSH Secure Shell by SSH Communications Security. SSH Communications Security was founded in 1995 and is currently a leader in providing security-related software. Van Dyke Technologies Inc. producer of Secure CRT offers a SSH Secure Shell product that provides a product that uses 56 to 256 bits ciphers for data encryption. Other commercial products offered are Appgate Client and Server by AppGate and F-Secure Tunnel and Terminal by F-Secure. Most vendors offer similar functionality in their products with few vendor specific enhancements or functions.

There are currently many versions and authors of free SSH Secure Shell available on many of the major platforms. UNIX SSH Secure Shell products are the most widely available and developed. OpenSSH suite offers UNIX operators the functions of SSH Secure Shell with a no purchase cost ([www.openssh.com](http://www.openssh.com)). Windows SSH Secure Shell products are quickly becoming readily available for free from many different sources. Simon Tatham’s PuTTY is a popular choice with administrators. There are also SSH Secure Shell products available for systems such as the plugin originally written by Cedric Gourio in 1998 for Java based systems. Macintosh users have the option of downloading MacSSH as well as several others. OS/2, OpenVMS and DOS system administrators also have options if they wish to use SSH Secure Shell.

### **Why Organizations Should Use SSH Secure Shell**

Any organization that transmits data across a network should tighten up security with stronger password protection to secure its data transmission. Such a task can be done through SSH Secure Shell. A SSH Secure Shell program will protect confidential data that flows through the network. A “cracker” could break into a machine by sniffing passwords crossing the wire and exploiting a known vulnerability (Barrett, Silverman). These passwords that are sent, sometimes are transmitted in clear text format. Telnet is an example of a clear text password sent across the network.

SSH Secure Shell is used when remote login to a device or application is necessary. Administrators have used Unix tools rlogin, rcp (remote copy), rexec (remote execute) and rwho (remote who) to administer their systems. These tools are easy to use and very handy since they are a standard part of the operating system. However these tools are insecure by nature. When

using an R utility on a non-Unix box the server could be tricked into giving access to unauthorized parties. These utilities were originally developed to assume that all systems are Unix boxes, thus possibly allowing root access based on a client system. Systems have also been compromised by using the .rhost file. This file contains names of trusted systems and is fairly easy to compromise. With modifying this file a system can be included in the list of trusted systems since the file information is not encrypted.

Use of encrypted communication tools such as SSH Secure Shell, Secure Sockets layer, Secure email, PGP (pretty good privacy) or IP-Layer encryption like IPSec for VPN products can increase network security dramatically. A switched network with VLANs would also decrease the risk. However there are tools available to “sniff” the network. Dsniff is a commonly used tool to “sniff” a switched network. The solution of such malicious activity is to have encryption from end to end.

### Installing SSH Secure Shell

The two components of a SSH Secure Shell software package is the server and client. Both components will need to be installed and configured prior to use. The server and the client piece. The server component is not limited to a traditional Microsoft or Novell server but could also be defined as a router, firewall, concentrator or many other devices. These devices however would need to be SSH Secure Shell capable. For example Cisco 7200, 7500 and 12000 series routers are the only supported Cisco router platforms for SSH Secure Shell.

The following sections will cover several examples of basic setups for the server and the client for a SSH system. In the following examples a Cisco 7200 router and a UNIX system will be setup on the server side. A UNIX client will be shown as an example for client installations.

### CISCO Router Installation

For the server installation component on a Cisco router two main tasks would need to be completed ([www.cisco.com](http://www.cisco.com)).

- Configure a domain name and host name for the device
- Generate a RSA Key

The below table will perform installation of the SSH Server component for a Cisco 7200 router. The hostname and domain names will need to be setup to identify itself for its clients. Hostnames will be router specific in this explanation. By generating an RSA key this will determine the security for the eventual transmission. There are several configuration settings that could be modified however will not be covered in this document.

Command	Description
Router (config)# <b>hostname</b> company	The <b>hostname</b> global configuration command is to configure a host name for the router.
Router (config)# <b>ip domain-name</b> companydomain	The <b>ip domain-name</b> global configuration command is to

	configure a host domain for the router.
Router (config)# <b>crypto key generate rsa</b>	The <b>crypto key generate rsa</b> global configuration command is to enable the SSH server for local and remote authentication for the router. Recommended minimum modulus size is 1024 bits. To remove SSH from the server use the <b>crypto key zeroize rsa</b> global configuration command.
Router (config)# <b>ip ssh</b> {[timeout 110]}   [authentication-retries 4]	Optional settings. <b>Timeout</b> to specify the SSH negotiation phase. The default is 120 seconds. <b>Authentication-retries</b> specify the number of retries. The default is 3.

An example of a 7200 router configuration with a timeout set not to exceed 60 seconds, and no more than 2 authentication retries. The SSH configuration settings are highlighted for example purposes. From a configuration aspect the setup is fairly straightforward with minimal setup and maintenance.

```

version 12.0
no service pad
service timestamps debug datetime msec localtime show-timezone
service timestamps log datetime msec localtime show-timezone
no service password-encryption
service udp-small-servers
service tcp-small-servers

hostname cisco7200

boot buffersize 150000
aaa new-model
aaa authentication login default tacacs+
aaa authentication login aaa7200kw none
enable password enable7200pw

username mcisco password 0 maryspw
username jcisco password 0 johnspw
ip subnet-zero
no ip domain-lookup
ip domain-name cisco.com
ip ssh time-out 60
ip ssh authentication-retries 2

controller E1 2/0

interface Ethernet1/0
ip address 192.168.110.2 255.255.255.0 secondary
ip address 192.168.109.2 255.255.255.0
no ip directed-broadcast
no ip route-cache
no ip mroute-cache
no keepalive
no cdp enable

interface Ethernet1/1

```

```

no ip address
no ip directed-broadcast
no ip route-cache
no ip mroute-cache
shutdown
no cdp enable

no ip classless
ip route 192.168.1.0 255.255.255.0 10.1.10.1

map-list atm
ip 10.1.10.1 atm-vc 7 broadcast
no cdp run

tacacs-server host 192.168.109.216 port 9000
tacacs-server key cisco
radius-server host 192.168.109.216 auth-port 1650 acct-port 1651
radius-server key cisco

line con 0
exec-timeout 0 0
login authentication aaa7200kw
transport input none
line aux 0
line vty 0 4
password enable7200pw

end

```

## UNIX-Server Installation

Installation of SSH1 on a UNIX system could be followed per the below instructions if a standard installation of SSH is intended. There are several versions of SSH Secure Shell and flavors of UNIX. Exact file names and locations may be different on each system. Also, directory locations may be specified according to system administrator's preference.

```

gzcat ssh-1.2.26.tar.gz | tar xf -
cd ssh-1.2.27
./configure --prefix=/usr --without-none --without-rsh
make
make install

```

By adding “**without-none**” this will enable the option of never to allow an unencrypted password. This will help prevent unencrypted passwords from traveling across a network. The “**without-rsh**” will never allow rshell rhosts as an option. By adding these options into the server configuration, the SSH Secure Shell sessions will be more secure. The “**make install**” switch will not add the SSH Secure Shell daemon into a system startup file. The system administrator will need to manually add SSH Secure Shell to a system startup file.

Common SSH Secure Shell files on the UNIX server are:

<b>/etc/sshd_config</b>	This file is a server configuration file.
<b>/etc/ssh_config</b>	The client will read this configuration file. Local client configuration files can override the options located in the server's global configuration file.
<b>/etc/ssh_known_host</b>	Host (public) keys that are known are stored within this file.

## UNIX-User Installation

The user installation for a UNIX based SSH Secure Shell session is performed on each clients workstation. The user will need to generate a key for the encrypted sessions. The command used is “**ssh-keygen**”. This command will launch a random key script that will generate and list the key. The user will be required to save the key. The default location for the key is “\$HOME/.ssh/identity”. The user will then need to complete the process by entering a passcode and subsequently verifies it. The identification is stored locally in “/u/steve/.ssh/identity” with the public key stored in “/u/steve/.ssh/identity.pub” The client public key is then displayed and the installation is complete.

## UNIX-Logging into remote system

For a user to establish a connection to a remote system use either the “slogin” or the “ssh” command. The only parameter that is needed is the name of the remote system. Note that the pass-phrase will not be echoed back to the user.

```
companyx% slogin speters
Enter passphrase for RSA key 'steve@companyx.com': my c@t 83Rt
Last login: Sun May 4 12:04:36 2001 from simdec
[more output from the remote machine]
speters%
```

You can avoid the pass-phrase prompts by keeping the authentication keys in memory. You will only need to type the pass-phrase when you add a key into memory. If your account name on the remote system differs from the one on the local system (the system you are connecting from) you can use the -l switch to specify the remote account name. Creating a configuration file on the host system can alter this.

```
companyx% slogin -l speters companyx.com
Last login: Sun May 4 12:04:36 2001 from companyx.com
[more output from the remote machine]
companyx%
```

## Conclusion

While these examples are not complete in the area of SSH Secure Shell systems and implementations, they do show how to establish a secure environment and prevent malicious activity by intercepting private information. As was discussed systems are not only susceptible to non-encrypted passwords but also the overall transmission of company data. These suggestions are not limited to external communication but internal alike. The examples are not by any means a cure all for network data transmission security, but SSH Secure Shell is a good idea to begin with. SSH Secure Shell programs are readily available at no or minimal charge for organizations to investigate if SSH can be used as a encryption or tunneling solution.

## References

Barrett Daniel J., Silverman Richard, *SSH, the Secure Shell: Definitive Guide*  
February 2001- O'Reilly

Boran, Sean *All About SSH – Part I/II*, May 31, 2001  
<http://securityportal.com/research/ssh-part-1.html>

Loshin, Pete *Sealing the Pipe*, June 2001  
Information Security Magazine

Ylonen T., Kivinen T., Saarinen M., Rinne T., Lehtinen *Internet Draft*, May 11, 2000  
<http://www.net.lut.ac.uk/psst/draft-ietf-secsh-architecture-05.txt>

Zwamborn, Damian *An Introduction to SSH Secure Shell*, May 15, 2001  
[http://www.sans.org/infosecFAQ/encryption.intro\\_SSH.htm](http://www.sans.org/infosecFAQ/encryption.intro_SSH.htm)

*Secure Shell Version 1 Support*

<http://www.cisco.com/univercd/cc/td/doc/product/software/ios120/120newft/120limit/120s/120s5/sshv1.htm>

*Secure Shell FAQ*

<http://www.employees.org/~satch/ssh/faq/ssh-faq.html>

<http://www.vandyke.com/products/securecrt/index.html>

<http://www.ssh.com/products/ssh/features.html>

<http://www.openssh.com>

<http://www.securityfocus.com>

© SANS Institute 2001, Author retains full rights





# Upcoming SANS Training

[Click here to view a list of all SANS Courses](#)

SANS San Francisco Fall 2018	San Francisco, CAUS	Nov 26, 2018 - Dec 01, 2018	Live Event
European Security Awareness Summit 2018	London, GB	Nov 26, 2018 - Nov 29, 2018	Live Event
SANS Stockholm 2018	Stockholm, SE	Nov 26, 2018 - Dec 01, 2018	Live Event
SANS Khobar 2018	Khobar, SA	Dec 01, 2018 - Dec 06, 2018	Live Event
SANS Nashville 2018	Nashville, TNUS	Dec 03, 2018 - Dec 08, 2018	Live Event
SANS Santa Monica 2018	Santa Monica, CAUS	Dec 03, 2018 - Dec 08, 2018	Live Event
SANS Dublin 2018	Dublin, IE	Dec 03, 2018 - Dec 08, 2018	Live Event
Tactical Detection & Data Analytics Summit & Training 2018	Scottsdale, AZUS	Dec 04, 2018 - Dec 11, 2018	Live Event
SANS Frankfurt 2018	Frankfurt, DE	Dec 10, 2018 - Dec 15, 2018	Live Event
SANS Cyber Defense Initiative 2018	Washington, DCUS	Dec 11, 2018 - Dec 18, 2018	Live Event
SANS Bangalore January 2019	Bangalore, IN	Jan 07, 2019 - Jan 19, 2019	Live Event
SANS Sonoma 2019	Santa Rosa, CAUS	Jan 14, 2019 - Jan 19, 2019	Live Event
SANS Threat Hunting London 2019	London, GB	Jan 14, 2019 - Jan 19, 2019	Live Event
SANS Amsterdam January 2019	Amsterdam, NL	Jan 14, 2019 - Jan 19, 2019	Live Event
SANS Miami 2019	Miami, FLUS	Jan 21, 2019 - Jan 26, 2019	Live Event
Cyber Threat Intelligence Summit & Training 2019	Arlington, VAUS	Jan 21, 2019 - Jan 28, 2019	Live Event
SANS Dubai January 2019	Dubai, AE	Jan 26, 2019 - Jan 31, 2019	Live Event
SANS Las Vegas 2019	Las Vegas, NVUS	Jan 28, 2019 - Feb 02, 2019	Live Event
SANS Security East 2019	New Orleans, LAUS	Feb 02, 2019 - Feb 09, 2019	Live Event
SANS SEC504 Stuttgart 2019 (In English)	Stuttgart, DE	Feb 04, 2019 - Feb 09, 2019	Live Event
SANS Northern VA Spring- Tysons 2019	Vienna, VAUS	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS London February 2019	London, GB	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS Anaheim 2019	Anaheim, CAUS	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS Secure Japan 2019	Tokyo, JP	Feb 18, 2019 - Mar 02, 2019	Live Event
SANS Scottsdale 2019	Scottsdale, AZUS	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS New York Metro Winter 2019	Jersey City, NJUS	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Dallas 2019	Dallas, TXUS	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Zurich February 2019	Zurich, CH	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Austin 2018	OnlineTXUS	Nov 26, 2018 - Dec 01, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced