



Interested in learning  
more about security?

# SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

## PGP: A Hybrid Solution

Cryptography is the science of keeping data secure. Encryption is the process of using cryptography to encode data so that it's meaning is not immediately obvious. There are two main types of cryptography that are used, symmetric and asymmetric. It is also possible to use a hybrid of the two; Pretty Good Privacy (PGP) by Network Associates is an example of this. Symmetric and asymmetric cryptography both have advantages and disadvantages that will be discussed in this paper. PGP brings the best of each together and als...

Copyright SANS Institute  
Author Retains Full Rights



AD

# **PGP: A Hybrid Solution**

Jessica J. Benz  
GIAC Certification Version 1.2e

© SANS Institute 2001, Author retains full rights

Cryptography is the science of keeping data secure. Encryption is the process of using cryptography to encode data so that its meaning is not immediately obvious. There are two main types of cryptography that are used, symmetric and asymmetric. It is also possible to use a hybrid of the two; Pretty Good Privacy (PGP) by Network Associates is an example of this. Symmetric and asymmetric cryptography both have advantages and disadvantages that will be discussed in this paper. PGP brings the best of each together and also works to minimize the disadvantages. This will also be discussed. Alice and Bob are often used as examples when cryptography is explained, therefore I will also use them for most examples.

## Cryptographic Terms

First some cryptographic terms must be defined.


- Plaintext is unencrypted data, and will be referred to by M
- Ciphertext is encrypted data, and will be referred to by C.
- The process of encrypting data is referred to by E.
- The process of decrypting data is referred to by D.
- Keys are represented by K
- $E(M)=C$ 
  - Cipher-text C is output of the encryption of plain-text M
- $D(C)=M$ 
  - Plain-text M is the output of the decryption of the cipher-text C

Given the above, the following must be true.

- $D(E(M))=M$ 
  - Plain-text M is the output of the decryption of the encrypted plain-text M.

## Symmetric Encryption

Symmetric cryptography, also known as conventional or secret encryption, is when the encryption and decryption keys are the same value. An example of symmetric cryptography is the Caesar Cipher. When Alice and Bob want to exchange data, they must first decide upon an algorithm such as the Caesar Cipher. Alice first writes her message in plaintext, then shifts each letter of her message 3 characters to the left. So, A becomes D, B becomes E, and so on. Bob knows in order to decrypt the data, he shifts each ciphertext letter back 3 characters, this then reveals the plaintext. Both Alice and Bob know that shifting each letter the appropriate direction is the key. Symmetric encryption is also known as a shared secret cryptography or shared key cryptography because it uses a single “shared” key that is used to encrypt and decrypt the message. Symmetric encryption is represented mathematically by:  $D_K(E_K(M))=M$ . The diagram below represents symmetric encryption graphically.



<http://www.rowan.edu/business/faculty/hamilton/seminar/presentations/encryption/sld006.htm>

There are many advantages and disadvantages to using symmetric encryption.

#### Advantages to using symmetric encryption:

- ✓ Provides authentication, as long as the key stays secret.
- ✓ Data is encrypted very quickly.
- ✓ Symmetry of key allows encryption and decryption with same key.

#### Disadvantages to using symmetric encryption:

- ⊗ If the key is revealed (lost, stolen, guessed, etc) the interceptors can immediately decrypt anything that was encrypted using the key. An imposter using an intercepted key can produce bogus messages by impersonating the legitimate sender.

#### Solution:

- Change keys frequently
  - ⊗ Not feasible in most situations, especially in large groups.
- ⊗ Distribution of keys becomes a problem, especially if keys change frequently. Keys must be transmitted with extreme security because they allow access to all the information encrypted with them. For applications that extend throughout the world, this can be a very complex task.

#### Solutions:

- Face-to-face key exchange.

- ⊗ Not feasible in most situations, especially when large groups are exchanging keys
- Use couriers for key exchange
  - ⊗ Can couriers really be trusted?
- Split key distribution,
  - ⊗ If one part is intercepted it is likely that additional parts will also be intercepted.
  - ⊗ Even if one part of the key is distributed through email, and the other part through voicemail, both are still vulnerable to attack.
- ⊖ The number of keys increases with the square of the number of people exchanging secret information. For example, Alice needs a key for every person/group she is exchanging information with; Alice cannot use the same key for two different people/groups. The total number of keys that Alice needs can be represented as  $N = n(n-1)/2$ , where N is the number of keys needed and n is the number of people exchanging data; so when n=3, N=3, when n=4, N=6, and when n=10, N=45. If Alice were exchanging information with Bob, Carol, Dan, Edith, Faye, Gail, Homer, Isabel, and Jason, she would need 45 keys.

---

Alice ↔ Bob	Bob ↔ Isabel	Edith ↔ Faye
Alice ↔ Carol	Bob ↔ Jason	Edith ↔ Gail
Alice ↔ Dan	Carol ↔ Dan	Edith ↔ Homer
Alice ↔ Edith	Carol ↔ Edith	Edith ↔ Isabel
Alice ↔ Faye	Carol ↔ Faye	Edith ↔ Jason
Alice ↔ Gail	Carol ↔ Gail	Faye ↔ Gail
Alice ↔ Homer	Carol ↔ Homer	Faye ↔ Homer
Alice ↔ Isabel	Carol ↔ Isabel	Faye ↔ Isabel
Alice ↔ Jason	Carol ↔ Jason	Faye ↔ Jason
Bob ↔ Carol	Dan ↔ Edith	Gail ↔ Homer
Bob ↔ Dan	Dan ↔ Faye	Gail ↔ Isabel
Bob ↔ Edith	Dan ↔ Gail	Gail ↔ Jason
Bob ↔ Faye	Dan ↔ Homer	Homer ↔ Isabel
Bob ↔ Gail	Dan ↔ Isabel	Homer ↔ Jason
Bob ↔ Homer	Dan ↔ Jason	Isabel ↔ Jason

---

Now imagine you have a company with 100 people, each person would have to have 4,950 keys to exchange information using symmetric key encryption!

### Solutions:

- Have only a few people exchange data that needs to be encrypted directly over the network.
  - ⊗ Not feasible in most situations.
- Use a central clearinghouse, which accepts the encrypted information from one party, decrypts it with the receiving parties key and sends it on.

- ☒ This then becomes a point of attack.
- Use asymmetric (public key) cryptography.

⊖ Symmetric keys are subject to a brute force attack where all keys in the key space are tried systematically to break the encryption

**Solution:**

- Use asymmetric (public key) encryption

**Asymmetric Encryption**

Asymmetric encryption, also known as public key encryption, is encryption that uses two different keys for encryption and decryption. One key is a public key that can be distributed to anyone. The other is a mathematically related key called a private key or secret key. This is a key that should be kept secret from the world. Only the owner should have access to the private key or any back-up copies of it. One should protect his/her secret key in the same manner that they would treat their bank PIN or credit card information.


Each user has two keys, public and private

$$D_{K_{\text{public}}}(E_{K_{\text{private}}}(M))=M$$

Sometimes we also want

$$D_{K_{\text{private}}}(E_{K_{\text{public}}}(M))=M$$

This would be used when Alice is signing data that is sent to Bob. Alice uses her private key to sign the message so Bob can verify the signature with Alice's public key, to confirm that the data has not been tampered with.



<http://www.rowan.edu/business/faculty/hamilton/seminar/presentations/encryption/sld010.htm>

## Advantages to using asymmetric encryption

- ✓ For any number  $n$  users (represented as “ $n$ ”), only  $2*n$ , ( $N=2*n$ ) keys are required instead of  $n*(n-1)/2$  as with symmetric encryption. In other words when  $n=3$ ,  $N=6$ , when  $n=4$ ,  $N=8$ , and when  $n=10$ ,  $N=20$ . In asymmetric encryption, each user only has 1 key pair. This means only a person’s public key is exchanged and each group of people do not need separate keys.
- ✓ The problem of distributing keys is solved because a user’s public key can be shared by anyone.

## Disadvantages to using asymmetric encryption

- ⊗ Only a few public key algorithms are both secure and practical
- ⊗ Some algorithms are only suitable for key distribution
- ⊗ Slow: 100-1000 times slower than symmetric algorithms (RSA v. DES)
- ⊗ Only three algorithms work well for both key distribution and encryption:
  - 🔒 RSA
  - 🔒 ElGamal
  - 🔒 Rabin

The most commonly used are RSA and ElGamal.

### Solution:

- Use a hybrid system like Pretty Good Privacy (PGP).


## Pretty Good Privacy (PGP)

PGP combines the advantages of both asymmetric and symmetric encryption, while also downplaying the disadvantages of both.

## How PGP works


When a user encrypts plaintext with PGP, PGP first compresses the plaintext. Data compression, among other things, strengthens cryptographic security because it reduces the patterns found in languages. PGP then creates a session key; this key is a random number generated from the movements of the user’s mouse and the keystrokes he/she types. Then the random number is run through a symmetric encryption algorithm such as Triple DES, Twofish, CAST, or AES (Rijndael), which generates a one-time-only secret key. If there is not enough information gathered a window will pop up asking the user to move his/her mouse and type on the keyboard until sufficient random data have been gathered. The session key works with a very secure, fast conventional (symmetric) encryption algorithm to encrypt the plaintext; the result is ciphertext. Once the data is encrypted, the session key is then encrypted to the

recipient's public key, using asymmetric encryption such as Diffie-Hellman or RSA. This public key-encrypted session key is transmitted along with the ciphertext to the recipient. See diagram below.



<ftp://ftp.pgpi.org/pub/pgp/7.0/docs/english/PGPwinUsersGuide.pdf>

Decryption works in the reverse. The recipient's copy of PGP uses his or her private key to recover the session key, which PGP then uses to decrypt the conventionally (symmetrically) encrypted ciphertext. See diagram below.



<ftp://ftp.pgpi.org/pub/pgp/7.0/docs/english/PGPwinUsersGuide.pdf>

## Advantages to Using PGP

- ✓ The combination of these two encryption methods combines the convenience of public-key encryption with the speed of conventional encryption.
- ✓ Using Conventional encryption is about 100 to 1,000 times faster than public-key encryption, which solves the problem of slow encryption with asymmetric algorithms.
- ✓ Public-key encryption provides a solution to key distribution and data transmission issues when using symmetric encryption.
- ✓ When used together, performance and key distribution are improved without any sacrifice in security.
- ✓ PGP is good hybrid solution; it ties together the advantages of public key and symmetric cryptography, while also providing a feasible solution to the disadvantages of both.



## Disadvantages to Using PGP

- ⊗ Using PGP can be a complex process and its concept is often difficult for some people to grasp.

### **Solution:**

- Provide more training for users.

- ⊗ Both parties must be able to use PGP -- It is impossible to use PGP unless people at both ends of the connection are capable of using some version of PGP.

### **Solution:**

- Use a self-decrypting archive (SDA), which creates an executable file that uses conventional, symmetric encryption. This feature is available with the newer versions of PGP.

- ⊗ Key management is a challenge at first within the program and can be a little awkward for users to learn.

### **Solution:**

- Provide more training for users.

PGP has its advantages and disadvantages; many of the disadvantages to PGP can be overcome with thorough training and use. The advantages to using PGP far outweigh the disadvantages.

PGP is a powerful hybrid cryptosystem that combines the advantages of both symmetric and asymmetric cryptography. At the same time, PGP minimizes the disadvantages of each system.

## Works Cited

An Introduction to Cryptography.

<ftp://ftp.pgpi.org/pub/pgp/7.0/docs/english/IntroToCrypto.pdf> (June 27, 2001).

Atreya, Mohan. Introduction to Cryptography.

<http://www.rsa.com/solutions/developers/whitepapers/IntrotoCrypto.pdf> (June 27, 2001).

Hamilton, Diane. Encryption, Authentication & Public Key Infrastructure.  
November 20, 2000. :

<http://www.rowan.edu/business/faculty/hamilton/seminar/presentations/encryption/sld006.htm> (June 27, 2001)

Hamilton, Diane. Encryption, Authentication & Public Key Infrastructure.  
November 20, 2000. :

<http://www.rowan.edu/business/faculty/hamilton/seminar/presentations/encryption/sld010.htm> (June 27, 2001)

[Oconnort@nyu.edu](mailto:Oconnort@nyu.edu). Why Encrypt?. February 10, 1997.

<http://www.nyu.edu/acf/staff/oconnort/why-encrypt.html> (June 28, 2001).

Parviainen, Roland. Introduction to Encryption and Information Hiding.

<http://www.sm.luth.se/csee/courses/smd/102/lek2/lek2.html> (June 27, 2001).

Parviainen, Roland. Advanced Encryption.

<http://www.sm.luth.se/csee/courses/smd/102/lek3/lek3.html> (June 27, 2001).

Parviainen, Roland. Advanced Encryption.

<http://www.sm.luth.se/csee/courses/smd/102/lek4/lek4.html> (June 27, 2001).

Pfleeger, Charles P. *Security in Computing*. Upper Saddle River, NJ: Prentice Hall PTR, 1997. 21-133.

PGP Freeware for Windows 95, Windows 98, Windows NT, Windows 2000, and Windows Millennium.

<ftp://ftp.pgpi.org/pub/pgp/7.0/docs/english/PGPWinUsersGuide.pdf> (June 27, 2001).



# Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

Rocky Mountain Fall 2017	Denver, COUS	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Baltimore Fall 2017	Baltimore, MDUS	Sep 25, 2017 - Sep 30, 2017	Live Event
Data Breach Summit & Training	Chicago, ILUS	Sep 25, 2017 - Oct 02, 2017	Live Event
SANS Copenhagen 2017	Copenhagen, DK	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS London September 2017	London, GB	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Oslo Autumn 2017	Oslo, NO	Oct 02, 2017 - Oct 07, 2017	Live Event
SANS DFIR Prague Summit & Training 2017	Prague, CZ	Oct 02, 2017 - Oct 08, 2017	Live Event
SANS Phoenix-Mesa 2017	Mesa, AZUS	Oct 09, 2017 - Oct 14, 2017	Live Event
SANS October Singapore 2017	Singapore, SG	Oct 09, 2017 - Oct 28, 2017	Live Event
Secure DevOps Summit & Training	Denver, COUS	Oct 10, 2017 - Oct 17, 2017	Live Event
SANS Tysons Corner Fall 2017	McLean, VAUS	Oct 14, 2017 - Oct 21, 2017	Live Event
SANS Brussels Autumn 2017	Brussels, BE	Oct 16, 2017 - Oct 21, 2017	Live Event
SANS Tokyo Autumn 2017	Tokyo, JP	Oct 16, 2017 - Oct 28, 2017	Live Event
SANS Berlin 2017	Berlin, DE	Oct 23, 2017 - Oct 28, 2017	Live Event
SANS Seattle 2017	Seattle, WAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS San Diego 2017	San Diego, CAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS Gulf Region 2017	Dubai, AE	Nov 04, 2017 - Nov 16, 2017	Live Event
SANS Miami 2017	Miami, FLUS	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Milan November 2017	Milan, IT	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Amsterdam 2017	Amsterdam, NL	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Paris November 2017	Paris, FR	Nov 13, 2017 - Nov 18, 2017	Live Event
Pen Test Hackfest Summit & Training 2017	Bethesda, MDUS	Nov 13, 2017 - Nov 20, 2017	Live Event
SANS Sydney 2017	Sydney, AU	Nov 13, 2017 - Nov 25, 2017	Live Event
SANS London November 2017	London, GB	Nov 27, 2017 - Dec 02, 2017	Live Event
SANS San Francisco Winter 2017	San Francisco, CAUS	Nov 27, 2017 - Dec 02, 2017	Live Event
SIEM & Tactical Analytics Summit & Training	Scottsdale, AZUS	Nov 28, 2017 - Dec 05, 2017	Live Event
SANS Khobar 2017	Khobar, SA	Dec 02, 2017 - Dec 07, 2017	Live Event
SANS Munich December 2017	Munich, DE	Dec 04, 2017 - Dec 09, 2017	Live Event
European Security Awareness Summit & Training 2017	London, GB	Dec 04, 2017 - Dec 07, 2017	Live Event
SANS Austin Winter 2017	Austin, TXUS	Dec 04, 2017 - Dec 09, 2017	Live Event
SANS Frankfurt 2017	Frankfurt, DE	Dec 11, 2017 - Dec 16, 2017	Live Event
SANS Bangalore 2017	Bangalore, IN	Dec 11, 2017 - Dec 16, 2017	Live Event
SANS SEC504 at Cyber Security Week 2017	OnlineNL	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced