



Interested in learning more about cyber security training?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Enforcing the "Least Privilege" Principle through Active Directory, OUs, GPOs, and Group Policy Filtering

Microsoft Windows 2000 includes a set of new features. Some of these features give administrators better control over servers, workstations and users. The addition of Active Directory (AD) and Group Policy Objects (GPO) significantly decreases the amount of overhead associated with administering and maintaining a properly secured environment. The enhancements lead to a consistent look and feel, better distribution of resources, proper user rights assignments, etc... This is evident by the granular control exhibited by ...

Copyright SANS Institute
Author Retains Full Rights



**Enforcing the “Least Privilege” Principle through Active Directory,
OUs, GPOs, and Group Policy Filtering.**

By

**Ricardo Rodriguez
GSEC Practical – V1.2f**

January 7, 2002

© SANS Institute 2002, Author retains full rights.

Table of Contents

I. INTRODUCTION.....	3
II. SCENARIO	3
III. ORGANIZATIONAL UNITS (OUS) AND GPOS	3
IV. COMPUTER CONFIGURATION SETTINGS.....	6
V. USER CONFIGURATION AND ROLE-BASED PERMISSION GROUPS	8
VI. GROUP POLICY FILTERING	9
VII. CONCLUSION.....	11

© SANS Institute 2002, Author retains full rights.

I. Introduction

Microsoft Windows 2000 includes a set of new features. Some of these features give administrators better control over servers, workstations and users. The addition of Active Directory (AD) and Group Policy Objects (GPO) significantly decreases the amount of overhead associated with administering and maintaining a properly secured environment. The enhancements lead to a consistent look and feel, better distribution of resources, proper user rights assignments, etc... This is evident by the granular control exhibited by objects, which include users, groups, and workstations among others.

This document presents an approach to further enforce the “Least Privilege” principle by combining Active Directory, GPOs, and Group Policy filtering techniques. This principle states that users should be given the minimum amount of privileges to perform their job. A simple scenario follows to emphasize the concepts and processes required to properly accomplish this task. Basic understanding of Active Directory and GPOs is assumed.

II. Scenario

A Windows 2000 environment has been implemented. It includes different types of services provided by file, print, web, and exchange servers among others. These services are available to end-users using Windows 2000 professional.

The initial steps to provide some level of security have been taken. Things such as separating administrators from the rest of the users, installing the latest patches, creating and applying a group policy object at the domain level to enforce account policy, and to configure recommended computer and user configuration settings, and others have already been performed.

There is just one problem. All servers and workstations have the same group policy settings. In the case of the users, although they were grouped and assigned specific rights, they all have the same security settings, and same software available. Since there are different roles that can be defined by the career level of the users and their current project, it is essential to classify and group both machines and users. This will help enforce the “Least Privilege” principle.

III. Organizational Units (OUs) and GPOs

When planning and designing a Windows 2000 environment using Active Directory, the first obvious categories that can be used to group all machines are servers and workstations. Figure 1 illustrates a simplistic view of an Active Directory structure where the two main OUs are servers and workstations.




Figure 1. Simple AD Structure

In this case, two OUs were created containing two members each. A “**Servers**” OU with two servers (Srvr1, Srvr2), and a “**Workstations**” OU with two workstations (Wkst1, Wkst2).

In this simple structure, a GPO defining the account policy can be applied at the domain level. A second GPO defining common server settings, including security options, can be applied at the server level while a third GPO defining common workstation settings and security options can be applied at the workstation level.

Before going any further, it is essential to understand how GPOs are processed. When a workstation is initially built, it contains what is called local security settings. When it joins a domain, these settings are overridden, if configured, by GPO-defined values specified at different OU levels. The order in which GPOs are processed are as follows:

1. Local
2. Site
3. Domain
4. OU

The short notation LSDOU can be used to memorize the order of processing. In the case of OU, this can be further broken down as follows:

1. OU1
2. OU2
3. OU3
- .
- .
- .
- n. OUn

OU1 is the OU created at the first level, and n is the lowest existing level.

This order of processing determines the effective value for any given setting. Table 1 illustrates how the effective value of a setting is determined.

Setting	Local Policy	Site GPO	Domain GPO	OU GPO	Effective Value
Setting 1	Configured	Not Configured	Not Configured	Not Configured	Local
Setting 2	Configured	Not Configured	Not Configured	Configured	OU
Setting 3	Configured	Not Configured	Configured	Not Configured	Domain
Setting 4	Configured	Configured	Configured	Configured	OU
Setting 5	Not Configured	Not Configured	Configured	Not Configured	Domain

Table 1. GPO Processing (LSDOU) and Effective Values

In this case, a unique GPO is created and applied at the site level, domain level, and first level OU. If setting 1 represents a configurable item that is defined locally and not configured in any GPO at the different levels, the local setting is the effective setting.

In the case of setting 2, it is configured locally and at the OU level. Based on the order of processing (LSDOU), the value selected at the OU level prevails and becomes the effective setting.

Going back to figure 1, the structure shown can be redesigned as shown in figure 2 on the next page.




Figure 2. AD Structure with Sub-level OUs

With this new structure, additional GPOs can be created and applied. For instance, at the Servers OU level, computer configuration settings common to all servers can be configured in a GPO and applied at that level. At the sublevel OUs, GPOs defining computer configuration settings specific to the type of server can be created and applied. The same is true for workstations. In the case of the EndUsers OU, a GPO defining the user configuration settings can be created and applied.

IV. Computer Configuration Settings

Computer configuration settings can be considered static settings since once a machine joins a domain, the resulting effective settings can only be overridden by similar settings available in the User Configuration portion of a GPO or by changing the value in the prevailing GPO. It is

essential to note that Computer Configuration settings are applied during the boot-up process whereas User Configuration settings are applied at log-on.

Figure 3 shows an OU structure where machines have been grouped and moved to their respective OUs. It also shows users members of the EndUsers OU.




Figure 3. AD Structure with Sub-level OUs and Grouped Members

Each project OU has a different GPO with computer configuration settings defined. The settings of each GPO can be configured based on the particular circumstances of the project. A third GPO defining common settings across projects can be created and applied at the Workstation level.

V. User Configuration and Role-based Permission Groups

The User Configuration section of a GPO defines system behavior, desktop settings, security settings, assigned applications, and published applications. The fact that these settings are applied at log-on makes possible the use of group policy filtering to augment the granularity of the system administration process, thus enhancing security. It also helps minimize the complexity of the AD structure by keeping users together under the same OU.

Table 2 shows possible roles that can be used to create different groups (analysts, consultant, etc...). In this case, any given user will belong to only one group.

Projects	Roles			
	Analyst	Consultant	Manager	Partner
Project 1	20	5	2	1
Project 2	15	3	1	1
Project 3	50	15	3	2

Table 2. Users per Project and their Career Level.

The next step is to define what settings are going to apply to each group. Since the main difference is the software packages required to perform their jobs, the user configuration portion of the GPO can be used to specify which software package will be available to each user. Table 3 depicts this.

Role	Office Tools	Development Tools	Financial Tools	Videoconference/Sharing Tools
Analyst	X	X		
Consultant	X	X		
Manager	X	X	X	X
Partner	X	X	X	X

Table 3. Software Requirements per Career Level.

In this scenario, only two software package combinations are needed. The first GPO will contain office and development tools whereas the second one will contain office tools, development tools, financial tools, and videoconference/sharing tools. In summary:

GPO A = {Office Tools, Development Tools}
 GPO B = {Office Tools, Development Tools, Financial Tools,
 Videoconference/Sharing Tools}

Once the proper settings of each GPO have been configured, the next step is to apply both GPOs at the EndUsers OU level and perform group policy filtering.

VI. Group Policy Filtering

Once the two GPOs are created they have to be applied at the EndUsers OU level. Figure 4 shows the two GPOs available at the EndUsers OU level.




Figure 4. Representation of the EndUsers OU - Properties (Group Policy Tab) Window.

The following steps are required to filter GPOs using role-based permission groups:

1. *Right-click GPO_A*
2. *Choose Properties*
3. *Click the Security Tab.* Figure 5 shows the available groups and permissions.
4. *Select the Authenticated Users group and clear Allow Apply Group Policy.*
5. *Click Add.* Either select the analysts group and the consultants group from the list or enter their names directly using a semicolon to separate them. *Close window when finished.*
6. *Select the analyst group and mark Allow Apply Group Policy. Allow Read should be marked by default. Do the same with the Consultants group.*
7. *Repeat steps 1 through 6 using GPO_B, which has to be applied to the Managers and Partner groups only.*




Figure 5. Representation of the GPO_A – Properties (Security Tab) Window

By performing the previous steps, the following is accomplished:

1. Every user has the potential to belong to the Authenticated Users group. Denying Apply Group Policy ensures that all users except those included in the desired groups will not get the GPO.
2. Explicitly allowing Apply Group Policy to desired groups ensures that only users belonging to these groups will get the settings from the GPO. In the case of GPO_A, only users belonging to the Analysts and Consultants groups get the settings from the policy. GPO_B is only applied to users belonging to the Managers and Partner groups.
3. Once these steps are performed, any user belonging to the defined groups will have available the corresponding software.

VII. Conclusion

Active Directory, Group Policy Objects, Organizational Units, and the ability to filter GPOs are new features that provide system administrators a better and more efficient mechanism to administer and maintain Windows 2000 environments. There is an increased overhead associated with the planning and designing of the environment. But once implemented, the amount of time required to perform common administrative tasks is significantly reduced while providing a more granular control over objects and their permissions. The end result is an increased level of security by taking the “Least Privilege” principle a step further.

© SANS Institute 2002, Author retains full rights.

VII. References

Carter, Alan R. Windows 2000 MCSE Study System. Foster City: IDG Books Worldwide, 2000.

Jennings, Roger. Admin 911 : Windows 2000 Group Policy. Berkley: Osborne/McGraw-Hill, 2001.

Lowe-Norris, Alistair G. "Windows 2000 Active Directory: Chapter 8 – Profiles and Group Policy Primer. January 2000. URL:

<http://www.oreilly.com/catalog/win2000ads/chapter/ch08.html> (November 20th, 2001).

Lane, Brent (Oakridge Consulting Group). "Best Practices for System Policies in Windows 2000 Networks." URL:

<http://www.microsoft.com/technet/treeview/default.asp?url=/technet/tcevents/itevents/network/tnq10107.asp> (November 24th, 2001).

Microsoft. "Windows 2000 Distributed Security Features Security Services." URL:

<http://www.microsoft.com/technet/treeview/default.asp?url=/TechNet/prodtechnol/windows2000serv/evaluate/featfunc/secover.asp> (November 24th, 2001).

© SANS Institute 2002, Author retains full rights.



Upcoming SANS Training

[Click here to view a list of all SANS Courses](#)

SANS Sonoma 2019	Santa Rosa, CAUS	Jan 14, 2019 - Jan 19, 2019	Live Event
SANS Threat Hunting London 2019	London, GB	Jan 14, 2019 - Jan 19, 2019	Live Event
SANS Amsterdam January 2019	Amsterdam, NL	Jan 14, 2019 - Jan 19, 2019	Live Event
SANS Miami 2019	Miami, FLUS	Jan 21, 2019 - Jan 26, 2019	Live Event
Cyber Threat Intelligence Summit & Training 2019	Arlington, VAUS	Jan 21, 2019 - Jan 28, 2019	Live Event
SANS Dubai January 2019	Dubai, AE	Jan 26, 2019 - Jan 31, 2019	Live Event
SANS Las Vegas 2019	Las Vegas, NVUS	Jan 28, 2019 - Feb 02, 2019	Live Event
SANS Security East 2019	New Orleans, LAUS	Feb 02, 2019 - Feb 09, 2019	Live Event
SANS SEC504 Stuttgart 2019 (In English)	Stuttgart, DE	Feb 04, 2019 - Feb 09, 2019	Live Event
SANS Anaheim 2019	Anaheim, CAUS	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS Northern VA Spring- Tysons 2019	Vienna, VAUS	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS London February 2019	London, GB	Feb 11, 2019 - Feb 16, 2019	Live Event
SANS Zurich February 2019	Zurich, CH	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Secure Japan 2019	Tokyo, JP	Feb 18, 2019 - Mar 02, 2019	Live Event
SANS Scottsdale 2019	Scottsdale, AZUS	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS New York Metro Winter 2019	Jersey City, NJUS	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Dallas 2019	Dallas, TXUS	Feb 18, 2019 - Feb 23, 2019	Live Event
SANS Riyadh February 2019	Riyadh, SA	Feb 23, 2019 - Feb 28, 2019	Live Event
SANS Brussels February 2019	Brussels, BE	Feb 25, 2019 - Mar 02, 2019	Live Event
SANS Reno Tahoe 2019	Reno, NVUS	Feb 25, 2019 - Mar 02, 2019	Live Event
Open-Source Intelligence Summit & Training 2019	Alexandria, VAUS	Feb 25, 2019 - Mar 03, 2019	Live Event
SANS Baltimore Spring 2019	Baltimore, MDUS	Mar 02, 2019 - Mar 09, 2019	Live Event
SANS Training at RSA Conference 2019	San Francisco, CAUS	Mar 03, 2019 - Mar 04, 2019	Live Event
SANS Secure India 2019	Bangalore, IN	Mar 04, 2019 - Mar 09, 2019	Live Event
SANS St. Louis 2019	St. Louis, MOUS	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS London March 2019	London, GB	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS Secure Singapore 2019	Singapore, SG	Mar 11, 2019 - Mar 23, 2019	Live Event
SANS San Francisco Spring 2019	San Francisco, CAUS	Mar 11, 2019 - Mar 16, 2019	Live Event
SANS Bangalore January 2019	OnlineIN	Jan 07, 2019 - Jan 19, 2019	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced