



Interested in learning  
more about security?

# SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

## Toward Global Security

With ever-expanding international trade and data transfers taking place vis-a-vis complex global (including wireless) networks, the United States and our allies must protect our economic and government interests through strategic and aggressive means to prevent cataclysmic events from occurring. By implementing and enforcing strong, multi-layered security policies and processes, constructive progress can and will defeat global threats and malicious activities today and throughout time. [T]he reason that it is so hard t...

Copyright SANS Institute  
Author Retains Full Rights

AD



EMM Strategy on the right track?  
Know your security risks.

TAKE THE ASSESSMENT

# **TOWARD GLOBAL SECURITY**

**Paul Tremer**

**Version 1.2e**

**July 20, 2001**

© SANS Institute 2001, Author retains full rights

Tracing the roots of information security back centuries ago to the times and practices of Greek and Roman cryptographers, Julius Caesar, as established in the Kama Sutra (fourth century AD), by Arab scholars (seventh century AD), during the European Renaissance, the trial and eventual execution of Mary, Queen of Scots in the 1500's, critical secret and decoded warfare/political communications throughout history, and to more modern day mathematicians, engineers, scientists, educators, technologists, curious cybergeeks and hackers,<sup>1</sup> methods to secure and transmit confidential communications among peoples and nations around the world throughout time have evolved or revolved to the point of practice today.

Once again, we are at the crossroads. Whether humanity will proceed to achieve ever greater global accomplishments with a logical balance of secure information and technology development and transfer, or instead perish, will depend on decisions, defenses, knowledge and practices established today and in the near and foreseeable future. Countries, leaders, governments, corporations, educators, and technologically informed and savvy individuals around the globe must capture the power of information, ideas, and new technologies through secure ways, means, policies, and practices. Obtaining good and intended outcomes or deriving optimal solutions must prevail over evil acts. The world is developing and interacting at an exponentially expanding and rapid pace, and this process must occur through secure and protected methods to ensure the best outcome possible. Without identifying and understanding the ever-changing risks at stake, the challenges of acceptable information and technological security balanced against that risk, and the harmful consequences of certain individuals, foreign governments, and rival corporate competitors committing and conspiring to commit evil actions worldwide, current and future life and progress is threatened. A persistent commitment to balance security needs against risk must be the course of action taken globally. "The future is at once unpredictable and predictable. Information warfare will happen. It will happen many times. When it will happen, how severe the attacks will be, and who will launch the first major attacks are not predictable. The threat of information warfare is like the threat of nuclear war. There will always be hope that it does not occur, but the only logical defense is to be prepared...economies can be laid waste in information warfare just as the planet could be turned into a wasteland after nuclear attack. Once again the United States and allied nations of Europe and Asia have no choice at all. They must once again become the defenders of peace and freedom."<sup>2</sup>

To achieve maximum security and progress successfully, those individuals developing and promoting secure policies, procedures, standards and guidelines must be proactive, not reactive. We must think and act like a hacker. We must realize that humans have limitations, but also intentions – some good, others not so good, but instead bad. We must learn from the past to protect current and future endeavors. We must weigh costs against benefits. We must balance security against acceptable risk and opportunity levels. It is important to realize that many of today's attacks against and misuse of information assets are committed by insiders to an organization, rather than from outsiders. According to the Computer Security Institute's (CSI) 2001 Computer Crime and Security Survey, "ninety-one percent [of respondents] detected employee abuse of

Internet access privileges (for example, downloading pornography or pirated software, or inappropriate use of e-mail systems). Forty percent of respondents detected system penetration from the outside.”<sup>3</sup> As such, organizations must manage security based on strong policies. However, up-to-date policies are only one layer of defense. Individuals must be informed, educated, and equipped with the right sets of tools to effect positive protection of their information systems. Mapping policies to procedures and technologies provided by the necessary tools can establish a more secure infrastructure in which to operate and advance. As such a methodology will reveal, however, is the fact that security is not a product or set of products, but rather a process. Securing an enterprise is a multi-layer approach that demands persistence, balance, standards and commitment to be adequate, current and effective.

A firewall is an integral component to this defense mechanism and strategic process associated with a network security infrastructure. A firewall serves as a buffer or barrier between a trusted (and presumably secure) network and an untrusted (and, therefore, potentially insecure) network. The basic functions of a firewall include: packet filtering (set of rules to examine header of each packet encountered to determine whether packet should proceed or be stopped), stateful packet inspections (to track “state” of specific transmission to identify abnormal sequences which might represent a threat), application-level proxies (packet inspection at the application level through a “proxy” to determine whether the behavior of the packet is acceptable), and circuit-level proxies (SOCKS) “works at the session level, but like application-level proxies, SOCKS can also hide internal network addresses from outsiders because it sets up two distinct sessions – one to the remote server and another to the client. The SOCKS server, then, relays data between the two sessions. Since only the SOCKS server knows the precise correlation between the two, insiders are insulated from certain types of network-based attacks.” Although a firewall limits exposure to certain types of attacks it, too, is an important but only single component of a security system. A firewall cannot protect against an authorized user’s malicious behavior; protect against viruses, trojan horse programs, and new threats; protect against bad or nonexistent policies; and protect against human errors (through incorrect filter setup, etc.).<sup>4</sup>

Other methods to secure an inter-networked enterprise or to protect personal privacy require eliminating single points of failure to ensure confidentiality, integrity, and availability of data. Solutions that include personal firewalls (e.g. BlackICE Defender or ZoneAlarm) can prevent intruders from obtaining confidential credit card numbers, financial, medical, and other personal data. Users of the public Internet (or Intranets, Extranets, VPN’s) must remain vigilant at all times and ensure that security mechanisms are in place to protect information that they provide online. Certain sensitive and personal information or photographs may be used for malicious social engineering goals to retrieve passwords and other data that can be identified (or inferred) as a consequence. Online users should guard against downloading any e-mail attachments that are not trusted or from trusted senders. Such attachments may contain harmful viruses and spyware (e.g. SpectorSoft, WhoWhatWhere). Individuals should establish “dummy” e-mail accounts (e.g. Hotmail, Yahoo, etc.) and use these e-mail addresses when completing online personal profiles, posting messages in newsgroups, and

providing e-mail addresses to unknown/untrusted individuals. If this “dummy” e-mail account is compromised, the consequences may not be so severe as if the attack were against a primary e-mail account. Also, unwanted “cookies” should be disabled from your browser or rejected (through preference settings or via software like “Cookie Crusher”) to prevent personal information and browsing activities from being collected and misused by external sources. Consider “opting out” of allowing external websites from sharing your personal data with third parties. This can be accomplished by reviewing a website’s Privacy Statement and indicating your preferences accordingly. Also, sensitive data should be encrypted and digitally signed when transmitted via the Internet to prevent unauthorized access or disclosure of confidential information. Due to the fact that websites maintain a record of individual visits to the site and may obtain personal identification through such transactions, online users may benefit from using an anonymizer ([www.anonymizer.com](http://www.anonymizer.com)) to prevent the disclosure of private credentials. Another proactive measure is to clear your memory cache or “history” after surfing the Internet to hide the digital footprint (or record) of sites you have visited. This can be accomplished by deleting this information trail/log from your browser’s preferences.<sup>5</sup>

Because electronic security is so vital to protect personal, corporate, government, and institutional assets, solutions are wide-ranging and ever-changing. Consequently, individuals must not be misinformed or rely on simple, “one-size-fits-all” safeguards. Common information security misconceptions<sup>6</sup> often include the notions that:

- 1) A firewall is sufficient to secure my network or website.
- 2) I can patch my OS (operating systems) and applications when I get around to it.
- 3) I don’t have to worry about physical security; that’s the building administrator’s job.
- 4) I back-up data to tape or on the network so we’re covered in the event of data loss.
- 5) Remote access is secure because I use a virtual private network (VPN) with user names and passwords [authentication mechanisms].

Because information security requires multi-layered solutions, the goal is to make your systems more difficult to penetrate and cause attackers to focus on easier targets. A comprehensive defense strategy should be based upon the value of assets that must be protected, the consequences of loss of confidentiality or operational capability, vulnerabilities that could be exploited to bring about the losses, existing threats that could exploit the vulnerabilities, the likelihood that a threat might occur, and the availability and appropriateness of options and resources to address risks and concerns.

To most effectively counter external threats, Carnegie Mellon University’s Software Engineering Institute (Networked Systems Survivability [NSS] Program) has established the OCTAVE method that should be incorporated into an overall defensive security strategy and policy. The OCTAVE method comprises “three phases that provides a

systematic, context-driven approach to managing information security risks, and enables an organization to assemble a comprehensive picture of their information security needs. Phase 1 identifies information assets and their values, as well as threats to those assets and the security requirements to protect them. Phase 2 examines the information assets of the organization in relation to the information infrastructure components to identify those components that are high priority. During this phase, the organization identifies the high-priority information infrastructure components, missing policies and practices, and vulnerabilities. Phase 3 builds upon the information captured during Phases 1 and 2. Risks are identified by analyzing the assets, threats, and vulnerabilities. Estimates of impact and probability of the risks are made, and the risks are then prioritized, ultimately resulting in the development of a protection strategy and a comprehensive, enterprise-wide plan for managing security risks.”<sup>7</sup>

Armed with this comprehensive analysis, information management, and strategy development, the common security misconceptions can be methodically discounted and eliminated. In its place, some or all of the following processes should be considered and integrated into a proactive, defensive security and risk management program:

- 1) Develop and maintain comprehensive security policies, standards, procedures, guidelines documentation (e.g. remote access, e-mail, etc.).
- 2) Establish physical & environmental protection.<sup>8</sup>
- 3) Separation of duties.<sup>9</sup>
- 4) Internal and external vulnerability assessments (NetRecon, Nessus).
- 5) Host and network-based Intrusion Detection (HIDS/NIDS) of system and network components (Intruder Alert, NetProwler, ISS RealSecure, SecureNet, Snort/Acid, etc.).
- 6) Systematic log analysis (firewall, syslogs, etc.).
- 7) Regular auditing and policy adherence monitoring (Enterprise Security Manager, etc.).
- 8) PKI (Public Key Infrastructure) encryption, digital certificates/signatures.
- 9) Two- (or multi-) factor authentication (one time strong passwords, smart tokens, biometrics).
- 10) Harden operating systems (disable unnecessary services, user IDs, and privileges).
- 11) Install software updates and patches, as necessary.
- 12) Install updated anti-virus software.
- 13) Establish back-up and recovery procedures (develop security emergency response team and incident handling plan).
- 14) Perform regular checks for new security alerts and advisories (CERT/CC, SANS, etc.).<sup>10</sup>
- 15) Conduct ongoing security training and awareness programs (including ethics).<sup>11</sup>

- 16) Track current security legislation.
- 17) Remain vigilant to stay ahead of hacker exploits.

By taking a broad, comprehensive, and complete view of information security and protecting your assets from many fronts to guard against any type of attack, unintended malicious consequences will be significantly mitigated, if not eliminated entirely.

Also, leading the way to develop future security policies and regulations, President George W. Bush has recently proposed the establishment of a US Federal Cyber Security Board, proposed to begin operations on October 1, 2001. This board will be comprised of 21 senior officials from all major federal agencies (including the Departments of State, Defense, Justice, Energy, and Treasury, in addition to the National Security Agency, CIA and FBI), replacing the previous administration's plan where only 11 agencies were represented. This committee will be charged with establishing the necessary national safeguards to prevent a "Digital Pearl Harbor" by a terrorist/rogue nation attack which could have a devastating impact on information systems, electrical grids, and other critical infrastructure (defense facilities, financial institutions/ATM networks, air traffic control/transportation system, national power/communication system). However, exactly how the board will enforce standards is currently being debated vigorously. Some opponents of the new board argue against a "big brother" approach to protecting national information systems against foreign and domestic threats. Other critics oppose the abolishment of a single, high-profile security chief to be replaced by a bureaucratic board that will report to the National Security Advisor. However, the new plan will empower more agencies to participate in key decision making security matters that will be created through consensus.<sup>12</sup>

With ever-expanding international trade and data transfers taking place vis-à-vis complex global (including wireless) networks, the United States and our allies must protect our economic and government interests through strategic and aggressive means to prevent cataclysmic events from occurring. By implementing and enforcing strong, multi-layered security policies and processes, constructive progress can and will defeat global threats and malicious activities today and throughout time.

[T]he reason that it is so hard to secure a complex system like the Internet is, basically, because it's a complex system. Systems are hard to secure, and complex systems are that much more operose.<sup>13</sup> However, we must develop and deploy the right defenses now and in the future. For as Martin Luther King, Jr. once proclaimed, "we have come this place to remind ourselves of the fierce urgency of now." And by implementing proactive, comprehensive security processes, let us take what steps are necessary to prevent individual and organizational incidents that would result in comparative devastation as to that which was the fate of Mary, Queen of Scots centuries ago.

And if we are to contribute to the world's future well-being according to the views and spirit of the great industrialist, Andrew Carnegie, the planet would survive and thrive in ways we cannot even begin to imagine. "No man becomes rich unless he [or she] enriches others. The average person puts only 25% of his [or her] energy and ability

into his [or her] work. The world takes off its hat to those who put in more than 50% of their capacity, and stands on its head for those few and far between souls who devote 100%.” We must give more!

## **REFERENCES**

- 1 Singh, Simon, “The Code Book – The Evolution of Secrecy from Mary, Queen of Scots to Quantum Cryptography”, 1999.
- 2 Erbschloe, Michael, “Information Warfare: How to Survive Cyber Attacks”, 2001, p. 287.
- 3 Computer Security Institute (CSI), “2001 Computer Crime and Security Survey”, [http://www.gocsi.com/prelea\\_000321.htm](http://www.gocsi.com/prelea_000321.htm)
- 4 Crume, Jeff, “Inside Internet Security: What Hackers Don’t Want You to Know”, 2000, pp. 72-82.
- 5 Cohen, Adam, “Internet Insecurity”, Time Magazine, July 2, 2001, pp. 49-50.
- 6 Mourer, Darrin, “5 Common Information Security Misconceptions”, Business Security Advisor, July/August 2001, pp. 30-31.
- 7 Allen, Julia, Alberts, Christopher, Behrens, Sandi, Laswell, Barbara, and Wilson, William, “Improving the Security of Networked Systems” (White Paper), Carnegie Mellon University – Software Engineering Institute, Networked Systems Survivability Program, <http://www.stsc.hill.af.mil/crosstalk/2000/oct/allen.asp>
- 8 Chirillo, John, “Hack Attacks Denied: A Complete Guide To Network Lockdown”, 2001, pp. 352-353.
- 9 Anderson, Ross, “Security Engineering – A Guide to Building Dependable Distributed Systems”, 2001, pp. 189-191.
- 10 Security Alerts & Advisories, <http://www.cert.org>, <http://www.sans.org> (<http://www.incidents.org>), <http://www.infragard.net>, <http://www.nipc.gov/warnings/warnings.htm>
- 11 Nichols, Randall K., Ryan, Daniel J., Ryan, Julie J.C.H., “Defending Your Digital Assets Against Hackers, Crackers, Spies & Thieves, ‘Before the Attack: Protect and Detect’”, 2000, Chapter 13, pp. 414-418.
- 12 <http://www.cnn.com/2001/TECH/industry/07/18/technology.security.ap/index.html>
- 13 Schneier, Bruce, “Secrets & Lies: Digital Security in a Networked World”, 2000, p. 7.





# Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Tampa - Clearwater 2017	Clearwater, FLUS	Sep 05, 2017 - Sep 10, 2017	Live Event
SANS Network Security 2017	Las Vegas, NVUS	Sep 10, 2017 - Sep 17, 2017	Live Event
SANS Dublin 2017	Dublin, IE	Sep 11, 2017 - Sep 16, 2017	Live Event
SANS Baltimore Fall 2017	Baltimore, MDUS	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Copenhagen 2017	Copenhagen, DK	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS London September 2017	London, GB	Sep 25, 2017 - Sep 30, 2017	Live Event
Data Breach Summit & Training	Chicago, ILUS	Sep 25, 2017 - Oct 02, 2017	Live Event
Rocky Mountain Fall 2017	Denver, COUS	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS SEC504 at Cyber Security Week 2017	The Hague, NL	Sep 25, 2017 - Sep 30, 2017	Live Event
SANS Oslo Autumn 2017	Oslo, NO	Oct 02, 2017 - Oct 07, 2017	Live Event
SANS DFIR Prague 2017	Prague, CZ	Oct 02, 2017 - Oct 08, 2017	Live Event
SANS Phoenix-Mesa 2017	Mesa, AZUS	Oct 09, 2017 - Oct 14, 2017	Live Event
SANS October Singapore 2017	Singapore, SG	Oct 09, 2017 - Oct 28, 2017	Live Event
SANS AUD507 (GSNA) @ Canberra 2017	Canberra, AU	Oct 09, 2017 - Oct 14, 2017	Live Event
Secure DevOps Summit & Training	Denver, COUS	Oct 10, 2017 - Oct 17, 2017	Live Event
SANS Tysons Corner Fall 2017	McLean, VAUS	Oct 14, 2017 - Oct 21, 2017	Live Event
SANS Tokyo Autumn 2017	Tokyo, JP	Oct 16, 2017 - Oct 28, 2017	Live Event
SANS Brussels Autumn 2017	Brussels, BE	Oct 16, 2017 - Oct 21, 2017	Live Event
SANS Berlin 2017	Berlin, DE	Oct 23, 2017 - Oct 28, 2017	Live Event
SANS San Diego 2017	San Diego, CAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS Seattle 2017	Seattle, WAUS	Oct 30, 2017 - Nov 04, 2017	Live Event
SANS Gulf Region 2017	Dubai, AE	Nov 04, 2017 - Nov 16, 2017	Live Event
SANS Miami 2017	Miami, FLUS	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Amsterdam 2017	Amsterdam, NL	Nov 06, 2017 - Nov 11, 2017	Live Event
SANS Milan November 2017	Milan, IT	Nov 06, 2017 - Nov 11, 2017	Live Event
Pen Test Hackfest Summit & Training 2017	Bethesda, MDUS	Nov 13, 2017 - Nov 20, 2017	Live Event
SANS Paris November 2017	Paris, FR	Nov 13, 2017 - Nov 18, 2017	Live Event
SANS Sydney 2017	Sydney, AU	Nov 13, 2017 - Nov 25, 2017	Live Event
SANS San Francisco Fall 2017	OnlineCAUS	Sep 05, 2017 - Sep 10, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced