



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Protecting the Next Generation Network -Distributed Firewalls

Corporate networks are constantly changing to meet the needs of businesses and continue to expand in ways that we couldn't have imagined only a few years ago. Gone are the days of a closed network with one external point of access. With the expansion of high speed Internet access via DSL and cable modems, users can now work from home using VPNs. Many companies are expanding their networks even farther with wireless technology allowing access for devices that aren't even physically connected to the network. Suddenly the...

Copyright SANS Institute
Author Retains Full Rights

AD



MobileIron

EMM Strategy on the right track?
Know your security risks.

TAKE THE ASSESSMENT

Protecting the Next Generation Network – Distributed Firewalls

Robert Gwaltney

October 7, 2001

Introduction

Corporate networks are constantly changing to meet the needs of businesses and continue to expand in ways that we couldn't have imagined only a few years ago. Gone are the days of a closed network with one external point of access. With the expansion of high speed Internet access via DSL and cable modems, users can now work from home using VPNs. Many companies are expanding their networks even farther with wireless technology allowing access for devices that aren't even physically connected to the network. Suddenly the networks with one or two points of access now have multiple points of access that can change from day to day.

Many people think their network is protected because they only use VPN for remote access. But, how secure are the devices on the end of the VPN connection? If the hacker compromises the end user's machine, they can then use the machine to connect to your corporate network. This is what happened to Microsoft in October of 2000 using an employee's home computer. Securing these new networks requires a different approach, which distributed firewalls provide.

Traditional Firewalls

Traditional firewalls are devices often placed on the edge of the network that act as a bouncer allowing only certain types of traffic in and out of the network. Often called perimeter firewalls, they divide the network into two parts—trusted on one side and untrusted on the other. For this reason they depend heavily on the topology of the network. The firewall is used to enforce a central policy of what traffic is allowed in and out of the network. When traffic flows through the firewall it is evaluated by a set of rules based on ip address, port, etc. and either allowed or denied. All traffic entering or leaving the network must pass through this point. This requirement itself is often one of the downfalls of the firewall. For example, users might go around the firewall by using a modem or some other connection to the Internet. Another problem is encrypted tunnels, which provide a hole through the firewall where the traffic isn't evaluated and flows freely.

Distributed Firewalls

Steven M. Bellovin of AT&T Research is credited with the idea of distributed firewalls. Unlike traditional firewalls, distributed firewalls are not placed in one location. As the name implies, the distributed firewall is installed throughout the network to all endpoints. Distributed firewalls are based on three main points.

Policy Language

The policy language is used to create policies for each of the firewalls. These policies are the collection of rules, which direct the firewall in how to evaluate the network traffic.

System Management Tools

The system management tools are used to distribute the policy to the firewalls and to collect logging and reporting information.

IPSEC

IPSEC provides network-level encryption used to secure network traffic and the transmission of policies. It also provides a more important function of providing a way to cryptographically verify the sender of information. Senders can then be uniquely verified by their certificate.

How it Works

Most distributed firewalls run in kernel mode and sit at the bottom of the OSI stack. The firewall evaluates all network traffic whether it is from the Internet or the internal network. This protects the system much in the same way as a traditional firewall protects the network. After the firewall is installed on all network endpoints, a central policy is developed. This policy is written using the policy language and then compiled in a format to be transferred to each firewall. The system management tools are then used to transfer the policy to each firewall. Because the firewalls are in different locations throughout the network and may be on a machine that changes locations, they cannot depend on the network topology to determine the sender of the network traffic. For this they use the certificates provide by IPSEC. These certificates uniquely identify the sender and don't depend on the network topology. The firewall then evaluates the traffic based on the central policy and decides to allow or deny it. The firewall can also then transfer logging information to a central location where it can be used for reporting.

Implementation

In its purest form of implementation, every network endpoint would contain a firewall and all network traffic would be secured using IPSEC. However, many legacy systems do not offer support for IPSEC, and many companies already have an investment in traditional firewalls. Therefore most implementations take on some hybrid form.

Remote Access

In a remote access implementation the systems are outside of the traditional firewall and therefore unprotected. These systems establish a VPN connection through an IPSEC gateway setup on the corporate network. The IPSEC tunnels provide protection for the network traffic as it is transferred in and out of the network. A distributed firewall is also installed on the system that receives the central policy from the corporate network. The distributed firewall then enforces the policy and offers it the same protection as machines on the trusted network.

Layered Protection

Distributed firewalls can also be installed on machines that are behind a traditional firewall and already on the trusted network. This offers a second layer of protection in the event that there is an error in the configuration or failure of the traditional firewall. This implementation can also be used to specialize the security on critical servers that may need more protection than the traditional firewall provides. They also protect the systems from internal attacks, which would not pass through an external firewall.

E-commerce

In an e-commerce implementation the performance and availability of the server is usually a high priority. Because distributed firewalls are installed on the host system, they allow servers to be placed outside the traditional firewall on the untrusted network. This reduces any performance loss that might be caused by all the traffic flowing through the traditional firewall. This also removes the traditional firewall as a single point of failure.

These different implementations can also be combined to fit the varying needs of your network. Steve Hunt of Giga Information Group sums it up well.

“It’s a migration, or adapting your current infrastructure to meet the new demands. The solution involves using all routers, firewalls, and VPNs. To do that, you will need administration processes, but once you have co-ordinated [these], you can have distributed authorization”(Gerald, p.2).


The distributed firewall enables this system of distributed authorization. No longer is network traffic evaluated only at one point on the network, but it is now evaluated or authorized at every network endpoint. (Figure 1)

© SANS Institute 2001, Author retains full rights

HOW IT WORKS

Host-resident firewalls

With distributed, host-resident firewalls, administrators can deploy firewall technology on hundreds of network devices. Tools let the network administrators set policies and monitor security across the entire network.



(Figure 1)

Features

Distributed firewalls may not be the solution for everyone. They enhance the features provided by a traditional firewall in many ways but do have disadvantages. Traditional firewalls perform some tasks better than distributed firewalls. Below is a list of features and issues along with a brief summary of how each type of firewall deals with the situation. Hopefully this will help in determining the correct type of firewall for your network.

Network Topology


As discussed earlier traditional firewalls depend heavily on network topology because they divide the network into trusted and untrusted. Because of their static location they also can be circumvented by users going around the firewall. There also can be a performance bottleneck because they are the single choke point on the network, and therefore, a single point of failure. Distributed firewalls don't suffer from these disadvantages because they are installed on each system, which removes the single choke point on the network. They also operate independent of the network topology because they evaluate all traffic that is sent to the machine.

Policy Enforcement

Traditional firewalls use rules based on ip address, port, packet flags, etc. Many of these items can be spoofed allowing traffic to penetrate the firewall. Distributed firewalls' use of IPSEC and certificates prevent this. Certificates are not easily spoofed and make this a more secure method of uniquely identifying the sender of the traffic.

Knowledge of Network Traffic

To understand this point, here is a brief primer on the three-way handshake used by TCP to establish a connection. Host A wants to make a connection to Host B so it sends a packet with the SYN flag (synchronize) set. When Host B receives the packet from Host A, it replies with a packet that has both the SYN and ACK (acknowledge) flags set. Host A then replies with a packet with the ACK flag and the connection is established. (Figure 2) Traditional firewalls evaluate traffic based on externally visible features. For example if a traditional firewall sees a packet with the ACK flag set it may allow it through because it assumes its part of a previously ongoing conversation. ACK packets can be used by some "stealth" port scanners. A distributed firewall, however, since it is on the host system, will know whether it is expecting an ACK packet in response to a connection it was establishing. It then can make a much more informed decision on whether to allow or deny the packet.



Application-level Proxies

Traditional firewalls do a very good job of providing application-level proxies. Many distributed firewalls do not include application-level proxies, but this is changing as the technology matures.

Intrusion Detection

Many traditional firewalls include some form of intrusion detection. However, only traffic passing through the firewall will be examined, so this excludes much of the

internal traffic. Distributed firewalls will see more of the internal traffic, but have the problem that they must all send log information to one central location. This can cause problems for remote users who may connect over slower networks.

Denial of Service

In the event of a denial of service attack, a traditional firewall may be able to block some attacks and contain them to the untrusted side of your network. While you wouldn't have external connectivity, the internal network would function as normal. If only distributed firewalls were used, the entire network would be affected because there would be no single choke point to stop the attack.

Inside Attacks

Distributed firewalls provide the only protection from an inside attack. Because it is host based, the distributed firewall will evaluate all traffic regardless of sender. Traditional firewalls will never see the traffic because it is on the internal network and never passes through the firewall.

Central Management and Reporting

Both traditional and distributed firewalls use methods of central management and reporting. Distributed firewalls do have one advantage. Again, because they are located on the host system, you can specialize the firewall policies and place systems in groups for easier management. A traditional firewall has one policy for the entire network

Current Solutions

Since distributed firewalls are a fairly new technology the list of vendors is quite small. Many vendors provide additional features. CyberwallPLUS by Network-1 is certified by the ICSA, a certification usually only held by traditional firewalls. CyberArmor by InfoExpress not only has rules for network traffic but also for applications. When installed, it takes cryptographic hash of the executable files. Rules can then be set up for which applications the user can execute. Secure Enterprise by Sygate has a feature they call the VPN Enforcer. The VPN Enforcer is installed on your VPN server and will only allow VPN connections from clients that are running the distributed firewall and have the current policy. These are just a sample of some of the features that are being added to distributed firewalls.

Conclusion

As networks continue to change and expand new tools are needed to keep them secure. Distributed firewalls take a new approach by securing every host on the network. They also have no trouble handling the changing topology of today's networks. This makes them a perfect match for telecommuters that work from remote locations and often use a VPN to connect to the corporate network. As they continue to develop, new features will be added that will only

increase their security and ease of use. Distributed firewalls just may be the tool to secure next generation networks.

References

Andress, Mandy. "Closing the gap in end-user security" 29 August 2000.

URL: <http://www.infoworld.com/articles/es/xml/00/09/01/000901estca.xml>

Anonymous. Maximum Security Second Edition. Indianapolis: SAMS, August 1998. 59-60.

Bellovin, Steven M. "Distributed Firewalls"

URL: <http://www.research.att.com/~smb/papers/distfw.html>

Fogei, Avi. "Distributed firewalls provide options for security topology" July 2000.

URL: <http://www.serverworldmagazine.com/compaqent/2000/07/firewall.shtml>

Gerals, John. "Distributed firewalls – protecting from the inside" 25 July 2000.

URL: <http://www.vnunet.com/Analysis/1107338>

Mark, Stuart. "Distributing firewall tasks" 23 April 2001.

URL: <http://www.zdnet.co.uk/itweek/brief/2001/16/network/>

Radcliff, Deborah. "Firewalls reach out" 26 March 2000.

URL: http://www.computerworld.com/cwi/stories/0,1199,NAV47-81_STO58975,00.html

URL: <http://www.distributedfirewalls.com>

URL: <http://www.infoexpress.com/products/pf/index.html>

URL: <http://www.network-1.com/products/index.html>

URL: http://www.sygate.com/products/sms_ov.htm

© SANS Institute 2001, Author retains full rights.



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Riyadh July 2018	Riyadh, SA	Jul 28, 2018 - Aug 02, 2018	Live Event
SANS Pittsburgh 2018	Pittsburgh, PAUS	Jul 30, 2018 - Aug 04, 2018	Live Event
Security Operations Summit & Training 2018	New Orleans, LAUS	Jul 30, 2018 - Aug 06, 2018	Live Event
SANS Hyderabad 2018	Hyderabad, IN	Aug 06, 2018 - Aug 11, 2018	Live Event
Security Awareness Summit & Training 2018	Charleston, SCUS	Aug 06, 2018 - Aug 15, 2018	Live Event
SANS Boston Summer 2018	Boston, MAUS	Aug 06, 2018 - Aug 11, 2018	Live Event
SANS San Antonio 2018	San Antonio, TXUS	Aug 06, 2018 - Aug 11, 2018	Live Event
SANS August Sydney 2018	Sydney, AU	Aug 06, 2018 - Aug 25, 2018	Live Event
SANS New York City Summer 2018	New York City, NYUS	Aug 13, 2018 - Aug 18, 2018	Live Event
SANS Northern Virginia- Alexandria 2018	Alexandria, VAUS	Aug 13, 2018 - Aug 18, 2018	Live Event
SANS Krakow 2018	Krakow, PL	Aug 20, 2018 - Aug 25, 2018	Live Event
Data Breach Summit & Training 2018	New York City, NYUS	Aug 20, 2018 - Aug 27, 2018	Live Event
SANS Chicago 2018	Chicago, ILUS	Aug 20, 2018 - Aug 25, 2018	Live Event
SANS Prague 2018	Prague, CZ	Aug 20, 2018 - Aug 25, 2018	Live Event
SANS Virginia Beach 2018	Virginia Beach, VAUS	Aug 20, 2018 - Aug 31, 2018	Live Event
SANS San Francisco Summer 2018	San Francisco, CAUS	Aug 26, 2018 - Aug 31, 2018	Live Event
SANS Copenhagen August 2018	Copenhagen, DK	Aug 27, 2018 - Sep 01, 2018	Live Event
SANS SEC504 @ Bangalore 2018	Bangalore, IN	Aug 27, 2018 - Sep 01, 2018	Live Event
SANS Wellington 2018	Wellington, NZ	Sep 03, 2018 - Sep 08, 2018	Live Event
SANS Amsterdam September 2018	Amsterdam, NL	Sep 03, 2018 - Sep 08, 2018	Live Event
SANS Tokyo Autumn 2018	Tokyo, JP	Sep 03, 2018 - Sep 15, 2018	Live Event
SANS Tampa-Clearwater 2018	Tampa, FLUS	Sep 04, 2018 - Sep 09, 2018	Live Event
SANS MGT516 Beta One 2018	Arlington, VAUS	Sep 04, 2018 - Sep 08, 2018	Live Event
Threat Hunting & Incident Response Summit & Training 2018	New Orleans, LAUS	Sep 06, 2018 - Sep 13, 2018	Live Event
SANS Baltimore Fall 2018	Baltimore, MDUS	Sep 08, 2018 - Sep 15, 2018	Live Event
SANS Alaska Summit & Training 2018	Anchorage, AKUS	Sep 10, 2018 - Sep 15, 2018	Live Event
SANS Munich September 2018	Munich, DE	Sep 16, 2018 - Sep 22, 2018	Live Event
SANS London September 2018	London, GB	Sep 17, 2018 - Sep 22, 2018	Live Event
SANS Network Security 2018	Las Vegas, NVUS	Sep 23, 2018 - Sep 30, 2018	Live Event
SANS DFIR Prague Summit & Training 2018	Prague, CZ	Oct 01, 2018 - Oct 07, 2018	Live Event
Oil & Gas Cybersecurity Summit & Training 2018	Houston, TXUS	Oct 01, 2018 - Oct 06, 2018	Live Event
SANS Brussels October 2018	Brussels, BE	Oct 08, 2018 - Oct 13, 2018	Live Event
SANS Pen Test Berlin 2018	OnlineDE	Jul 23, 2018 - Jul 28, 2018	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced