



Interested in learning
more about security?

SANS Institute InfoSec Reading Room

This paper is from the SANS Institute Reading Room site. Reposting is not permitted without express written permission.

Systems Administrators: The First Line of Defense

As computers and networks have assumed critical functions in many aspects of today's business world, the need for their security has increased as well. Businesses depend increasingly on email, web sites, and databases of customer credit card numbers for day to day transactions. A company's immediate financial state as well as its reputation depend on the integrity, availability and reliability of its data. A single system compromise can result in untold financial losses as well as a lack of confidence in the company it...

Copyright SANS Institute
Author Retains Full Rights



AD

Systems Administrators: The First Line of Defense

By Elizabeth Frank
GSEC Practical Assignment
Version 1.2e

Introduction

As computers and networks have assumed critical functions in many aspects of today's business world, the need for their security has increased as well. Businesses depend increasingly on email, web sites, and databases of customer credit card numbers for day to day transactions. A company's immediate financial state as well as its reputation depend on the integrity, availability and reliability of its data. A single system compromise can result in untold financial losses as well as a lack of confidence in the company itself. Protection of electronic information has taken on new importance in the light of increased attacks and thefts. The systems administrators are the people responsible for the defense of a company's cyber structure. Their job is to ensure an organizations' systems are functioning properly while secure from various threats. Because even a single mis-configuration in a computer or network setup can provide a means of unauthorized access, systems administrators must have adequate technical and managerial skills to ensure their security. A properly trained and experienced systems staff is essential to the security of an organization's computer network.

Discussion

Over the past ten years, the internet has evolved from an exclusive environment of collaboration and communication within a relatively small intellectual community to a critical component of business infrastructure. This evolution has in turn driven the systems administration profession. Initially computers were isolated systems, maintained by their users or a single individual. As workstations and PCs appeared on more and more desktops and networking became an issue, an individual within an organization would often be assigned to manage the systems in addition to their regular tasks. Usually this position would fall to the most technically-able body available such as a teenager who liked computers, a student, a secretary or maybe even the person with the most floppy diskettes. In fact, most systems administrators are not recognized as such by their job titles. In their 1999 salary studies, the the Systems Administrators' Guild (SAGE) reported that fewer than half of all people actually doing systems administration are employed by that title [1].

These newly designated systems administrators had no actual training or experience. They learned on the job by trial and error. Since relatively few systems were on the internet, security was not a primary issue. Focus was on keeping the computers available and functional to legitimate users. Organizations with inadequate funding for technical positions often didn't have enough personnel for the task, therefore ease of administration became a primary concern for already overworked administrators. The combination of insufficient training and understaffing often resulted in extremely insecure systems. A few real life examples of security holes introduced by systems administrators and their effects are listed below:

- No backups. Restoration of user data is a key element of any response to an intrusion. Not only do backups protect users' data from loss due to hardware failures, but preserve data integrity in the event of an intrusion or even theft of a hard drive. Although most systems administrators know the importance of saving all data to tape on a regular basis, a new administrator may not. Management of one particular organization discovered their systems group had been doing no backups whatsoever only after a user's data had been lost. The same organization then instituted backups on network drives only, but continued to setup users' home directories on their local drives. Again, this resulted in a loss of data for several users.
- Several UNIX systems on a LAN with .rhosts files in the root directory containing only a +. This not only permitted all users on the LAN, including root, to move from one system to another without a password, but anyone external to the LAN also had full access as well. Luckily, this hole was caught and closed by a new administrator before it could be exploited.
- No password protection on xterminals. Not knowing of a remote administration feature on their xterminals, the systems group of an organization did not set the administrator password. This made it possible for a remote user to login as the administrator and reboot the terminal, effectively creating a denial of service attack.
- Ghosts in the machines. Although procedures were in place to add a new user in an organization, no policy or mechanism existed to remove or lock an account when a user left. In addition, some accounts existed for the sole purpose of forwarding email announcements and had never been used. Because every account on a system is an additional point of entry to the network, each one should be well protected and monitored by its owner. Compromises are often detected and reported by users who find unusual files in their directories. Such activity can go undetected on an unused account for quite a while. In one instance, a user's password was compromised on an active account. Since the user had the same password on a system they no longer accessed, the attacker then had instant access to a second computer and network. Since the account was legitimate, the administrator had no reason to suspect the activity was an attack

until the system was compromised.

Now that the internet is infested with "script kiddies" launching DOS attacks, viruses, worms and stealing credit card information, the trial and error approach to system administration no longer suffices. The people managing systems and networks must be trained and experienced to maintain system integrity. Not only must they be technically capable, but must know how to manage tasks and workloads such that security is never compromised. Quick solutions without regard to their impact on the overall infrastructure of a network can compromise an entire site within hours. Real life compromises as a result of quick fixes are listed below:

- A site had several presentations scheduled which required PowerPoint slides. As a convenience to the presenters, an anonymous ftp site was setup to allow presentations to be uploaded in advance. Instructions detailing the dropzone location and upload procedure were put on the organization's web page. It didn't take long for the system to become a *warez* distribution site.
- A user on a UNIX system had an urgent and legitimate need to run a process as root, therefore the systems administrator setup *sudo* to allow access. Because it was done in a hurry, *sudo* was configured incorrectly and allowed all users to execute all commands as root, including the *su* command. By executing "*sudo su -*" any user could simply login as root.
- A vulnerability in an old version of Solaris NFS allowed any system to mount an exported partition if the list of systems it was exported to was longer than 256 characters. Sun released a patch for the vulnerability that claimed to fix it, but didn't. Rushed system administrators installed the patch, but didn't test the fix and unknowingly remained vulnerable to a relatively simple, but dangerous, exploit.

Bad management decisions by an administrator can also result in system compromises. For example, an organization's manager chose to have a SPARC station run linux rather than Solaris. The linux distribution had more known vulnerabilities which had in fact already been compromised on several of the organizations' existing systems while their Solaris systems had not been successfully attacked. The SPARC station running linux was compromised shortly after being put on the network.

All but the smallest organizations usually have more than one systems administrator managing the computers and networks. In this case, it is essential that all members of the group work as a team to maintain security. Usually, a lead systems person will oversee the coordination of all systems, assigning specific tasks to other members of the group. Although an individual can be assigned primarily to issues of system and network security, it is not a single task or procedure and must be taken into account for every change to the current configuration or new system setup. Lack of coordination or communication can severely compromise a network. For example, an administrator within a group sets up a new NIS server for the network and neglects to inform all members of the team. If done correctly, the new server could go unnoticed by any or all

of the other administrators. When one of several NIS vulnerabilities ([2] ,[3] or [4]) is announced, this server will not get patched if the individual assigned the task of patching the NIS servers does not know of its existence and the network will remain vulnerable to attack.

Extensive security training and expensive tools weren't necessary to prevent these holes, whereas education and basic systems administration training would have. Finding qualified personnel for the systems administration task has become quite a challenge for many organizations. Often an organization will promote a lower level system administrator to a vacated or just opened upper level position. This can be advantageous in that there is a minimal learning curve. The newly appointed individual can be expected to know the organization's current configuration and how to maintain it as is. If the current infrastructure is good, then this will work well. However, if the new systems administrator has never managed systems elsewhere and assumes the current setup is "the" way to do it, an already dysfunctional network will deteriorate. This seems to occur frequently within universities, possibly explaining their reputation as an easy target for hackers. A good systems administrator doesn't necessarily need to know how an organization's existing setup, but how it *should* be configured.

Because there are currently no degree programs offered specifically in systems administration, it can be difficult to gauge a candidate's expertise. A degree in a related or other technical field, as in any profession, demonstrates an applicants' abilities to meet deadlines, follow-through and problem solve. On average, those with more education receive higher salaries. However, only slightly more than half (54.1%) of system administrators surveyed by SAGE had a bachelor's degree in a computer related field. In fact, according to the 2000 SAGE Systems Administrators Salary Survey, 83.7% learn system administration on the job and 83.1% are self-taught. Only 14.4% learn through a formal university program [5]. Other sources of training include certification programs, vendor-specific courses, conferences and non-degree courses. SAGE offers general systems administration training and has also begun a mentor program designed to provide guided and supervised on-the-job training [6]. In addition to the general systems courses offered, there are specialized classes in such topics as specific operating systems, networking technologies and even security. The SANS Institute [5] has established a certification program in general security issues as well as specialties in UNIX and Windows operating systems. CISSP [7] also offers security certifications. It is interesting to note however, that years of experience have a more significant impact on salary than either level of education or certification.

Better education at the systems administrator level is not the only means of improving security within an organization. Stuart Campbell of KPMG stated that while companies are spending more towards security, they are spending it in the wrong way [8]. Money is going to buy new technology rather than educating and training employees which would produce better results. For example, many users still don't understand the importance of keeping their passwords secret. Sticky notes under keyboards are not uncommon in many companies and pose a difficult security hole for systems administrators to close. Oftentimes, social engineering is still a viable means of obtaining internal access.

Employees at all levels within a company should be trained in information security just as they would be in physical security measures such as arming door alarms. If new security procedures are implemented, all employees should be informed and instructed in their use. They should also be provided with system administration contact information in the event of suspicious or questionable activity.

Firewalls, intrusion detection systems and other tools have come into existence to combat cyber threats. Lists of such resources can be found on the internet at sites such as SANS [9], CERT [10] and CIAC [11]. The responsibility of deploying these tools within a network falls to the systems administration staff. System administrators must choose the tools most suited to their organizations' needs as well as install and configure them properly. Knowing which tools are available to choose from, as well as how to use them properly, is a key component of system administration. For example, SSH and Kerberos both provide a means of encrypting network transactions. However, SSH is relatively easy to install and configure while Kerberos can be quite complex. Some organizations may require Kerberos while others can be adequately protected by SSH. Still others may have a need for both. It is the system administrator's task to know which method to implement and ensure it is done correctly.

Because so much of today's commerce takes place electronically, many organizations have appointed a Chief Information Officer to oversee electronic business functions such as email reliability, web site availability, customer credit card number and personal information storage. However, too few of these corporations have also appointed a Chief Information Security Officer [12]. Also, while most businesses believe the biggest threat to their network security comes from outside sources such as hackers, according to KPMG internal threats are a greater risk [13]. More damage can be done undetected over a longer period of time by someone familiar with the internal structure of an organization. KPMG also reports that executives mistakenly optimistic about their network security are often misinformed by their own poorly trained and/or poorly qualified system administration staff.

Since system administrators are responsible for the security of an organization's computers and networks, they are the first line of defense and must be chosen carefully. In the old days, systems administrators were occasionally hired by an organization after demonstrating their abilities by hacking into that company's computers thus proving they knew more about the systems than the current staff. Although this method may have a certain charm, most companies prefer the more traditional approach. Applicants submit résumés and applications in response to job postings in newspapers, trade journals or on the web. The human resources department sorts through the submissions and forwards the most likely candidates to a hiring committee. An interview process further screens the applicants and eliminates those that would not fit the company profile or who may have severely exaggerated their abilities on paper.

Assessing a candidate's knowledge can be difficult. Some will spew forth technical information such as disk drive model numbers and corresponding transfer rates in an effort to impress an interviewer. While it may be tempting to hire such individuals, these

facts can be looked up if needed whereas experience establishing and maintaining a secure network would be more beneficial to the company in the long run. The interview process itself should be approached with caution. Some candidates are not really interested in working for a company and are actually researching an organization's equipment for their own purposes. These are known as "trojan interviews" [14]. Based on specific job requirements for a position or a tour of the facilities, an individual can easily research vulnerabilities. Seeing Cisco 12000 routers on a rack, a hacker will know to try exploiting the recently released list of security holes [15]. Or knowing which system houses a credit card database may narrow a hacker's search for their target.

Conclusion

Systems administration is a complex task in and of itself. Convincing various pieces of hardware running a variety of operating systems to work together as one big happy network is the first step. Providing a usable computing environment to those with legitimate access while keeping out those who don't belong is quite a challenge to any systems administrator. The variety of security packages available today makes it possible to secure systems and networks from many threats, but only if the appropriate tools are chosen, installed and configured properly. It should also be noted that these additional measures will only be effective if the site is already configured securely. Knowing what to do and how to do it is absolutely essential. Companies can no longer afford the trial-and-error approach to training systems administrators as a single mis-configuration of a single component can expose a site to any number of exploits. Hiring a qualified systems staff must be a priority if an organization is to maintain computer and network security.

References

- [1]"Careers in System Administration" by Barbara Dijker, Fall 1999
<http://www.ddj.com/documents/s=894/ddj9914d/9914d.htm>
- [2] Sun rpc.passwd Security Vulnerability, <http://www.ciac.org/ciac/bulletins/m-008.shtml>
- [3]Sun ypbind Buffer Overflow Vulnerability, <http://www.ciac.org/ciac/bulletins/l-103.shtml>
- [4] Red Hat Linux "ypbind" Vulnerability, <http://www.ciac.org/ciac/bulletins/l-009.shtml>
- [5] Sage Salary Survey (PDF Download, Usenix/Sage membership , or registration required)http://www.usenix.org/sage/jobs/salary_survey/salary_survey.html
- [6] Sage Student Sys Admin Program,

<http://www.usenix.org/sage/projects/internship/index.html>

- [7] (ISC)2: International Information Systems Security Certification Consortium, Inc.,
<http://www.isc2.org>
- [8] "Report: Business fails on global security" by Robert Lemos, November 14, 2001,
<http://www.zdnet.com/zdnn/stories/news/0,4586,5099609,00.html?chkpt=zdnpltp02>
- [9] SANS Institute Online, A Cooperative Education and Research Organization,
<http://www.sans.org>
- [10] CERT (Computer Emergency Response Team), <http://www.cert.org>
- [11] CIAC (Computer Incident Advisory Capability), <http://www.ciac.org/ciac>
- [12] Metro Atlanta Information Systems Security Association, Information Security Quarterly, July/August 2001
http://www.issaatlanta.org/Index/July_August_2001_Newsletter.pdf
- [13] KPMG 2001 Global e.fra@d.survey, (PDF format)
<http://www.kpmg.co.uk/kpmg/uk/Image/EFRAUD.PDF>
- [14] "Security Manager Explains How Not to Get a Job", by Vince Tuesday, October 8, 2001
http://www.computerworld.com/itresources/rcstory/0,4167,KEY73_STO64480,00.html
- [15] Cisco - Multiple Vulnerabilities in ACL Implementations,
<http://www.ciac.org/ciac/bulletins/m-018.shtml>

© SANS Institute 2001. All rights reserved.



Upcoming SANS Training

[Click Here for a full list of all Upcoming SANS Events by Location](#)

SANS Madrid 2017	Madrid, ES	May 29, 2017 - Jun 03, 2017	Live Event
SANS Atlanta 2017	Atlanta, GAUS	May 30, 2017 - Jun 04, 2017	Live Event
SANS San Francisco Summer 2017	San Francisco, CAUS	Jun 05, 2017 - Jun 10, 2017	Live Event
Security Operations Center Summit & Training	Washington, DCUS	Jun 05, 2017 - Jun 12, 2017	Live Event
SANS Houston 2017	Houston, TXUS	Jun 05, 2017 - Jun 10, 2017	Live Event
SANS Thailand 2017	Bangkok, TH	Jun 12, 2017 - Jun 30, 2017	Live Event
SANS Milan 2017	Milan, IT	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Charlotte 2017	Charlotte, NCUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Secure Europe 2017	Amsterdam, NL	Jun 12, 2017 - Jun 20, 2017	Live Event
SEC555: SIEM-Tactical Analytics	San Diego, CAUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Rocky Mountain 2017	Denver, COUS	Jun 12, 2017 - Jun 17, 2017	Live Event
SANS Minneapolis 2017	Minneapolis, MNUS	Jun 19, 2017 - Jun 24, 2017	Live Event
DFIR Summit & Training 2017	Austin, TXUS	Jun 22, 2017 - Jun 29, 2017	Live Event
SANS Columbia, MD 2017	Columbia, MDUS	Jun 26, 2017 - Jul 01, 2017	Live Event
SANS Cyber Defence Canberra 2017	Canberra, AU	Jun 26, 2017 - Jul 08, 2017	Live Event
SANS Paris 2017	Paris, FR	Jun 26, 2017 - Jul 01, 2017	Live Event
SEC564:Red Team Ops	San Diego, CAUS	Jun 29, 2017 - Jun 30, 2017	Live Event
SANS London July 2017	London, GB	Jul 03, 2017 - Jul 08, 2017	Live Event
Cyber Defence Japan 2017	Tokyo, JP	Jul 05, 2017 - Jul 15, 2017	Live Event
SANS Los Angeles - Long Beach 2017	Long Beach, CAUS	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS Cyber Defence Singapore 2017	Singapore, SG	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS ICS & Energy-Houston 2017	Houston, TXUS	Jul 10, 2017 - Jul 15, 2017	Live Event
SANS Munich Summer 2017	Munich, DE	Jul 10, 2017 - Jul 15, 2017	Live Event
SANSFIRE 2017	Washington, DCUS	Jul 22, 2017 - Jul 29, 2017	Live Event
Security Awareness Summit & Training 2017	Nashville, TNUS	Jul 31, 2017 - Aug 09, 2017	Live Event
SANS San Antonio 2017	San Antonio, TXUS	Aug 06, 2017 - Aug 11, 2017	Live Event
SANS Prague 2017	Prague, CZ	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Hyderabad 2017	Hyderabad, IN	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Boston 2017	Boston, MAUS	Aug 07, 2017 - Aug 12, 2017	Live Event
SANS Salt Lake City 2017	Salt Lake City, UTUS	Aug 14, 2017 - Aug 19, 2017	Live Event
SANS New York City 2017	New York City, NYUS	Aug 14, 2017 - Aug 19, 2017	Live Event
SANS Virginia Beach 2017	Virginia Beach, VAUS	Aug 21, 2017 - Sep 01, 2017	Live Event
SANS Stockholm 2017	OnlineSE	May 29, 2017 - Jun 03, 2017	Live Event
SANS OnDemand	Books & MP3s OnlyUS	Anytime	Self Paced